

13833 Wellington Trace, Suite E4-157 Wellington, FL 33414

SERVICE / EQUIPMENT	/
PARTS INVOICE	

2625

561-712-1126	DATE ///8//.	3 WARRANTY /	1
Lic. # CAC058685	SHIP TO/	V.11	
STREET	SERVICE LOC. Jaras	Kitchen	
CITY	2000 PG	4 Blvd	
STATE ZIP PHONE	STATE TI ZIP	Gardens	
CONTRACT CUSTOMER	FL 3340 SPECIAL DIRECTIONS	18	
NO. NO. NO. SERVICE NORMAL REPLACE WARR. OTHER	OF EGIAL DIFFECTIONS		
AGREEMENT WARMAL MEPLACE WARM. DOTHER			
C.O.D. CHG.	HARD HELD DANIES SEE SOLD MANUAL	N OF WORK TO BE DONE	
MAKE MODEL SERIAL NUMBER	Freezer 9	6° F	
Turboair M3F47-2 M3F4L47020			
ARRIVED 11:00 PM DEPARTED 13:00 AM			
DESCRIPTION OF WORK PERFORMED			
Found wires burnt at	QTY. EQUIPM	MENT - PARTS	PRICE
Compressor termina block -			
Repaired wiring and checked			
Compressor winding resistances		1000	
which were okay & Checked			
operation + Compressor			
bulled locked offer amps.			
Further tests showed			
the compressor to be			
mechanically seized with			
burnt smelling refrigerant			
Smell is NOT phosgene.			
Recommend Flushing			
System before new			
compressor is installed			
and a sure of the section of the sec			
LIMITED WARRANTY: All materials, parts and equipment are warranted by the manufacturers' or			
suppliers' written warranty only. All labor performed	TOTAL	EQUIPMENT / PARTS	
by the above named company is warranted for 30	THANK TOT	AL SERVICE LABOR	
days or as otherwise indicated in writing. The above named company makes no other warranties,			
express or implied, and its agents or technicians are	YOU FOR		
not authorized to make any such warranties on be-	YOUR	SALESTAX	
half of above named company.	BUSINESS	and the same of th	
Signature Cust. Copy		INVOICE \$	



Freezer

Invoice 7126

9/16/2009

To:

Sara's Kitchen Angelo apolio48@comcest.net 2000 PGA Bivd Cell # 561-385-0363 PGA,

Project:

Sara's Kitchen

From: Delray Foodservice Equipment

Frank Stalling C.O.O.

1505 Poinsettia Dr. Suite 2

Delray Beach, FL 33444 Phone: (561) 276-3390 Cell: (561) 541-6067 Fax: (561) 276-3392

Job Reference No: Equip

Project code: 7126

Item	Qty	Description	Self Each	Sell Total
1	1	SINK, THREE (3) COMPARTMENT	621.38	224.0
		Turbo Air Model No. TSA-3-12-D1	UZ 1.00	621.3
		Sink, Three Compartment, with 18" left & right-hand drainboards, 18" front-to-back x 18" wide sink compartments, 12" deep with 11" high splash, 18/304 stainless steel bowls, galvanized gussets & tubular legs with adjustable ABS feet, NSF approved		
		Extended Total for Item No. 1: \$621.38		
2	1	FAUCET	83.00	83.0
		Krowne Metal Model No. 14-812	00.00	03.0
		Royal Faucet, splash-mounted, 8" centers, swing nozzie, 12" long, removable cartridge valve assembly, NSF, CSA (best) Extended Total for item No. 2:		
3	1	SHELF, WALL-MOUNTED \$83.00		
-	,		119.00	119.00
		Kelmax by SPG Model No. ASVVS1836		
		Shelf, wall-mounted, solid, aluminum, 18"W, 36"L, (mounting hardware not included), NSF		
	1	ASWS1845 Shelf, wall-mounted, solid, aluminum, 18"W, 48"L, (mounting hardware not included), NSF	133.00	133.00
		Extended Total for Item No. 3: \$252.00		
3	1	(USED) RANGE, 36" RESTAURANT, GAS Imperial Model No. IR-8-C	1,500.00	1,500.00
		(USED) Range, 36", gas, (6) 28,000 BTU open burners, one 26-1/2" CONVECTION OVEN, stainless front, landing ledge, sides, backguard, and high shelf, 198,000 BTU		
	1	6 months parts and labor warranty, std.		
	1	Natural Gas		
	1	115v/60/1, standard		
		Extended Total for Item No. 3: \$1,500.00		
4	1	GRIDDLE, COUNTER UNIT, GAS		
		Royal Range of California Model No. RTG-24	1,466.63	1,486.63
		Griddle, Gas, countertop, 24" wide, 3/4" thick polished steel plate, thermostatic controls, 4" grease trough, stainless steel sides and front valve cover, 4" adjustable legs, 50,000 BTU		
	1	Natural gas		
ara's Kitct				
and a rollor	rem 1	Delray Foodservice Fourtement		

Delray Foodservice Equipment

Page 1 of 5

3

6 1 8 1 1 1	Extended Total for Item No. 4: BROILER, GAS Royal Range of California Model No. RRB-12 Broiler, Gas, countertop, 12" wide, radiant typ cast iron grates, s/s sides and front valve covidate of the counter of the cast iron grates, s/s sides and front valve covidated and backsplash, 6" high T&S Brass HG-4D-48K Safe-T-Link Gas Contained "EL", bell valve, restraining cable adjust extended Total for Item No. 5.1: (NEW) REFRIGERATED COUNTER, GRIDDLE, 36 pan capacity (1/8 size), s/s exterior & in compressor, side mounted self-contained refressor, side mounted self-contained refressor, Side mounted self-contained refressor, Side mounted self-contained refressor, and for Item No. 6: GRIDDLE, COUNTER UNIT, GAS Royal Range of California Model No. RTG-36: Griddle, Gas, countertop, 36" wide, 3/4" thick thermostatic controls, 4" grease trough, stain valve cover, 4" adjustable legs, 90,000 BTU Natural gas T&S Brass HG-4D-48K Safe-T-Link Gas Cortained Total for Item No. 5: (NEW) WORK TABLE, 24" W X 30" L, 18/43	ne, menual controls wipliot, er, 4" legs, 15,000 BTU LASH U-shaped Stainless nector Kit, 3/4" connection, ng, (1) quick disconnect, (1) table for 3'to 5' \$1,014.16 LE STAND 2,983 N/recesses handle, 10.6 cu. nterior, oversized rigeration system, 4" casters, sty, standard \$2,983.32 1,925	5.00 85.0 5.00 165.0 3.32 2,983.3
6 1	Royal Range of California Model No. RRB-12 Broiler, Gas, countertop, 12" wide, radiant typ cast iron grates, s/s sides and front valve covinatural gas Detray Foodservice Equipment CUSTOM SPI side and backsplash, 6" high T&S Brass HG-4D-48K Safe-T-Link Gas Contained Total for Item No. 5.1: (NEW) REFRIGERATED COUNTER, GRIDDLE Turbo Air Model No. TCBE-52SDR Chot Base Refrigerator, (2) durable drawers of the compressor, side mounted self-contained refrigerator, side mounted self-contained refrigerator for Item No. 6: GRIDDLE, NSF 2 years parts/labor & 5 yr compressor warrant Extended Total for Item No. 6: GRIDDLE, COUNTER UNIT, GAS Royal Range of California Model No. RTG-36: Griddle, Gas, countertop, 36" wide, 3/4" thick thermostatic controls, 4" grease trough, stain valve cover, 4" adjustable legs, 90,000 BTU Natural gas T&S Brass HG-4D-48K Safe-T-Link Gas Cortained Total for Item No. 5: (NEW) WORK TABLE, 24" W X 30" L, 18/43	ne, menual controls wipliot, er, 4" legs, 15,000 BTU LASH U-shaped Stainless nector Kit, 3/4" connection, ng, (1) quick disconnect, (1) table for 3'to 5' \$1,014.16 LE STAND 2,983 N/recesses handle, 10.6 cu. nterior, oversized rigeration system, 4" casters, sty, standard \$2,983.32 1,925	3.32 2,983.3 5.67 1.925.8
1 1 3 1 1	Broiler, Gas, countertop, 12" wide, radiant type cast iron grates, s/s sides and front valve cover. Natural gas Detray Foodservice Equipment CUSTOM SPI side and backsplash, 6" high T&S Brass HG-4D-48K Safe-T-Link Gas Contained "EL", ball valve, restraining cable adjusted "EL", ball valve, restraining cable adjusted Extended Total for Item No. 5.1: (NEW) REFRIGERATED COUNTER, GRIDDLE, 36 pan capacity (1/8 size), s/s exterior & incompressor, side mounted self-contained refront HP, ETL, NSF 2 years parts/labor & 5 yr compressor warrant Extended Total for Item No. 6: GRIDDLE, COUNTER UNIT, GAS Royal Range of California Model No. RTG-36: Griddle, Gas, countertop, 36" wide, 3/4" thick thermostatic controls, 4" grease trough, stain valve cover, 4" adjustable legs, 90,000 BTU Natural gas T&S Brass HG-4D-48K Safe-T-Link Gas Cortained Total for Item No. 5: (NEW) WORK TABLE, 24" W X 30" L, 18/43	ne, menual controls wipliot, er, 4" legs, 15,000 BTU LASH U-shaped Stainless nector Kit, 3/4" connection, ng, (1) quick disconnect, (1) table for 3'to 5' \$1,014.16 LE STAND 2,983 N/recesses handle, 10.6 cu. nterior, oversized rigeration system, 4" casters, sty, standard \$2,983.32 1,925	3.32 2,983.3 5.67 1.925.8
1 1 3 1 1	Natural gas Detray Foodservice Equipment CUSTOM SPI side and backsplash, 6" high T&S Brass HG-4D-48K Safe-T-Link Gas Con 48"L, staintess steel braid with extruded coati street "EL", ball valve, restraining cable adjus Extended Total for Item No. 5.1: (NEW) REFRIGERATED COUNTER, GRIDDLE Turbo Air Model No. TCBE-52SDR Chef Base Refrigerator, (2) durable drawers of ft., 36 pan capacity (1/6 size), a/s exterior & in compressor, side mounted self-contained refri 1/4 HP, ETL, NSF 2 years parts/labor & 5 yr compressor warrant Extended Total for Item No. 6: GRIDDLE, COUNTER UNIT, GAS Royal Range of California Model No. RTG-36 Griddle, Gas, countertop, 36" wide, 3/4" thick thermostatic controls, 4" grease trough, stain valve cover, 4" adjustable legs, 90,000 BTU Natural gas T&S Brass MG-4D-48K Safe-T-Link Gas Cor 48"L, stainless steel braid with extruded coat street "EL", ball valve, restraining cable adjus Extended Total for Item No. 5: (NEW) WORK TABLE, 24" W X 30" L, 18/43	nector Kit, 3/4" connection, ng, (1) quick disconnect, (1) table for 3'to 5' \$1,014.16 LE STAND 2,983 Wrecesses handle, 10.6 cu. hterior, oversized rigeration system, 4" casters, ity, standard \$2,983.32 1,925 1,925 in polished steef plate, less steef sides and front nector Kit, 3/4" connection, ing, (1) quick disconnect, (1) stable for 3'to 5' \$2,090.67	3.32 2,983.3 5.67 1.925.8
6 1 8 1	side and backsplash, 6" high T&S Brass HG-4D-48K Safe-T-Link Gas Con- 46"L, stainless steel braid with extruded coati- street "EL", bell valve, restraining cable adjus- Extended Total for Item No. 5.1: (NEW) REFRIGERATED COUNTER, GRIDDLE Turbo Air Model No. TCBE-52SDR Chef Base Refrigerator, (2) durable drawers of the compressor, side mounted self-contained refrigerator, (3) as exterior & in compressor, side mounted self-contained refrigerator. NSF 2 years parts/labor & 5 yr compressor warrant Extended Total for Item No. 6: GRIDDLE, COUNTER UNIT, GAS Royal Range of California Model No. RTG-36: Griddle, Gas, countertop, 36" wide, 3/4" thick thermostatic controls, 4" grease trough, stain valve cover, 4" adjustable legs, 90,000 BTU Natural gas T&S Brass MG-4D-48K Safe-T-Link Gas Cor- 48"L, stainless steel braid with extruded coat street "EL", ball valve, restraining cable adjustended Total for Item No. 5: (NEW) WORK TABLE, 24" W X 30" L, 18/43	nector Kit, 3/4" connection, ng, (1) quick disconnect, (1) table for 3'to 5' \$1,014.16 LE STAND 2,983 Wrecesses handle, 10.8 cu. Interior, oversized rigeration system, 4" casters, ity, standard \$2,983.32 1,925 1 polished steel plate, less steel sides and front Innector Kit, 3/4" connection, ing, (1) quick disconnect, (1) stable for 3'to 5' \$2,090.67	3.32 2,983.3 5.67 1.925.8
6 1 8 1	T&S Brass HG-4D-48K Safe-T-Link Gas Con 48"L, staintess steel braid with extruded coatt street "EL", ball valve, restraining cable adjus Extended Total for Item No. 5.1: (NEW) REFRIGERATED COUNTER, GRIDDL Turbo Air Model No. TCBE-52SDR Chef Base Refrigerator, (2) durable drawers of the staintest of the staintest of the staintest of the compressor, side mounted self-contained refrigerator, (2) durable drawers of the staintest	ng, (1) quick disconnect, (1) table for 3'to 5' \$1,014.16 LE STAND 2,983 W/recesses handle, 10.6 cu. nterior, oversized rigeration system, 4" casters, ity, standard \$2,983.32 1,925 it polished steel plate, less steel sides and front nnector Kit, 3/4" connection, ing, (1) quick disconnect, (1) stable for 3'to 5' \$2,090.67	3.32 2,983.3 5.67 1.925.5
1 8 1 1	(NEW) REFRIGERATED COUNTER, GRIDDLE Turbo Air Model No. TCBE-52SDR Chef Base Refrigerator, (2) durable drawers of the season capacity (1/8 size), s/s exterior & in compressor, side mounted self-contained refrigeration (1/4 HP, ETL, NSF) 2 years parts/labor & 5 yr compressor warrant Extended Total for Item No. 6: GRIDDLE, COUNTER UNIT, GAS Royal Range of California Model No. RTG-36: Griddle, Gas, countertop, 36" wide, 3/4" thick thermostatic controls, 4" grease trough, stain valve cover, 4" adjustable legs, 90,000 BTU Natural gas T&S Brass HG-4D-48K Safe-T-Link Gas Cortes Brass HG-4D-48K Safe-T-Li	Av/recesses handle, 10.6 cu. Interior, oversized rigeration system, 4" casters, ity, standard \$2,983.32 1,925 polished steel plate, less steel sides and front Innector Kit, 3/4" connection, ing, (1) quick disconnect, (1) stable for 3'to 5' \$2,090.67	5.67 1.925.5
1 8 1 1	Turbo Air Model No. TCBE-52SDR Chat Base Refrigerator, (2) durable drawers of the second sec	w/recesses handle, 10.6 cu. Interior, oversized rigeration system, 4" casters, ity, standard \$2,983.32 1,925 1,9	5.67 1.925.5
\$ 1 1	ft., 35 pan capacity (1/8 size), s/s exterior & ir compressor, side mounted self-contained refr 1/4 HP, ETL, NSF 2 years parts/labor & 5 yr compressor warrant Extended Total for Item No. 6: GRIDDLE, COUNTER UNIT, GAS Royal Range of California Model No. RTG-36: Griddle, Gas, countertop, 36" wide, 3/4" thick thermostatic controls, 4" grease trough, stain valve cover, 4" adjustable legs, 90,000 BTU Natural gas T&S Brass HG-4D-48K Safe-T-Link Gas Cor 48"L, staintess steel braid with extruded coat street "EL", ball valve, restraining cable adjustended Total for Item No. 5: (NEW) WORK TABLE, 24" W X 30" L, 18/43	rigeration system, 4" casters, ity, standard \$2,983.32 1,925 polished steel plate, less steel sides and front nnector Kit, 3/4" connection, ing, (1) quick disconnect, (1) stable for 3'to 5' \$2,090.67	
\$ 1 1	2 years parts/labor & 5 yr compressor warran Extended Total for Item No. 6: GRIDDLE, COUNTER UNIT, GAS Royal Range of California Model No. RTG-38 Griddie, Gas., countertop, 36" wide, 3/4" thick thermostatic controls, 4" grease trough, stain valve cover, 4" adjustable legs, 90,000 BTU Natural gas T&S Brass MG-4D-48K Safe-T-Link Gas Cor 48"L. stainless steel braid with extruded coat street "EL", ball valve, restraining cable adjus Extended Total for Item No. 8: (NEW) WORK TABLE, 24" W X 30" L, 18/43	\$2,983.32 1,925 t polished steel plate, less steel sides and front nector Kit, 3/4" connection, 169 ing, (1) quick disconnect, (1) stable for 3'to 5' \$2,090.67	
1	GRIDDLE, COUNTER UNIT, GAS Royal Range of California Model No. RTG-38 Griddle, Gas, countertop, 36" wide, 3/4" thick thermostatic controls, 4" grease trough, stain valve cover, 4" adjustable legs, 90,000 BTU Natural gas T&S Brass MG-4D-48K Safe-T-Link Gas Cor 48"L, stainless steel braid with extruded coat street "EL", ball valve, restraining cable adjus Extended Total for Item No. 5: (NEW) WORK TABLE, 24" W X 30" L, 18/43	1,925 is polished steel plate, less steel sides and front innector Kit, 3/4" connection, ing, (1) quick disconnect, (1) stable for 3'to 5' \$2,090.67	
1	Royal Range of California Model No. RTG-38 Griddle, Gas, countertop, 36" wide, 3/4" thick thermostatic controls, 4" grease trough, stain valve cover, 4" adjustable legs, 90,000 BTU Natural gas T&S Brass MG-4D-48K Safe-T-Link Gas Cor 48"L. stainless steel braid with extruded coat street "EL", ball valve, restraining cable adjus Extended Total for Item No. 8: (NEW) WORK TABLE, 24" W X 30" L, 18/43	polished steel plate, less steel sides and front nnector Kit, 3/4" connection, ing, (1) quick disconnect, (1) stable for 3'to 5' \$2,090.67	
1	Griddle, Gas, countertop, 36" wide, 3/4" thick thermostatic controls, 4" grease trough, stain valve cover, 4" adjustable legs, 90,000 BTU Natural gas T&S Brass MG-4D-48K Safe-T-Link Gas Cor 48"L, stainless steel braid with extruded coat street "EL", ball valve, restraining cable adjustended Total for item No. 8: (NEW) WORK TABLE, 24" W X 30" L, 18/43	nector Kit, 3/4" connection, 16: ing, (1) quick disconnect, (1) stable for 3'to 5' \$2,090.67	5.00 165.0
1	thermostatic controls, 4" grease trough, stain valve cover, 4" adjustable legs, 90,000 BTU Natural gas T&S Brass HG-4D-48K Safe-T-Link Gas Cor 48"L, stainless steel braid with extruded coat street "EL", ball valve, restraining cable adjustented Total for item No. 8: (NEW) WORK TABLE, 24" W X 30" L, 18/43	nnector Kit, 3/4" connection, 169 ing, (1) quick disconnect, (1) stable for 3'to 5' \$2,090.67	5.00 165.0
1	T&S Brass MG-4D-48K Safe-T-Link Gas Cor 48"L, staintess steel braid with extruded coat street "EL", ball valve, restraining cable adjus Extended Total for item No. 5: (NEW) WORK TABLE, 24" W X 30" L, 18/43	ing, (1) quick disconnect, (1) stable for 3'to 5' \$2,090.67	5.00 165.0
	48"L, stainless steel braid with extruded coat street "EL", ball valve, restraining cable adjusted Total for item No. 5: (NEW) WORK TABLE, 24" W X 30" L, 18/43	ing, (1) quick disconnect, (1) stable for 3'to 5' \$2,090.67	
11 1	(NEW) WORK TABLE, 24" W X 30" L, 18/43		
11 1		R STAINI ESS STEEL 13	9.00 139.0
	A'- M- A-I N - 17TT 2020	O STARLEDO OTREE	
	Turbo Air Model No. VTT-3036 Work Table, 30" W x 36" L, 18/430 stainless edges, w/adjustable galvanized undershelf & feet, NSF approved	lags w/adjustable ABS bullet	
1	BTS-3630 Undershelf for 30 x 36 Table		5.00 65.0
	Extended Total for Item No. 11:	\$204.00	
12 1	(NEW) SINK, HAND Turbo Air Model No. TSS-1-H	, , , , , , , , , , , , , , , , , , ,	5.00 105.0
	Hand Sink, wall mount, 10" wide x 14" front- splash, 18/304 stainless steel all-welded con faucat, investor Vedge rim, NSF approved	to-back x 6" deep w/8" high instruction, with (1) 4" spout	
	Extended Total Issuer No. 12		3.81 2,783.
13 1	(NEW) FREEZER, REACH-IN Turbo Air Model No. M3F47-2		2,763.
	Freezer, reach-in, two-section, 47 cu. ft., ext (2) hinged solid doors w/recessed handle & section, 400 s/s front & sides, aluminum inte casters, top mount self-contained compress	locks, (3) wire shelves per prior w/s/s floor, 4" swivel or	
1	1 year parts/labor & 5 yr compressor warran	ty, standard	
1	115v/60/1, 10.5 amps, (3 wire w/ground), str	andard	1
	Extended Total for Item No. 13:	\$2,783.81	