


DETAILS MODIFIED  
FROM DWG. # A2-1  
Pg. 1 OF 3

5/8" GYP WAI




W1

W1

Page 2 of 3


REUSE-4 POCKET W/GRANT HDWR 1/2" TEMPERED GLASS



# JAMB DETAIL

SUPPLY DUCT 2 1/2" LINEAR DIFFUSER

PAGE 3 OF 3



3/8" MARBLE ON MODIFIED  
LATEX THIN SET  
BEVEL ALL EXPOSED EDGES

SEAMLESS FLEXIBLE SHOWER  
PAN SET ON A FULL BED OF  
SEALANT ADHESIVE

SEALANT AT ALL PERIMETER  
AND DRAIN

EXTEND SHOWER PAN LINER  
4" INTO DRAIN

VARIES

SLOPE TO DRAIN

DUROCK PANEL, INSTALLED  
AS PER MFR. REQUIREMENTS

3 PT 2x4 BUILT-UP  
CURVE

SHOWER ADJUSTABLE  
DRAIN

SEALANT (TYP.)

PER FBC CHAPTER 12 SOUND  
TRANSMISSION, SECTION 1207  
IIC >50 PROVIDE 1/4" CORK UNDER  
ALL HARD SURFACES

4"

4"