



WATER PLAN
SCALE: 1/4" = 1'-0"

PLUMBING LEGEND

---	COLD WATER LINE
---	HOT WATER LINE
---	SANITARY LINE
+	FLOOR DRAIN
+	SHUT-OFF VALVE
+	ROSE BIRM WITH 1/2" S.O.V. & VALVE BREAKER

KEY NOTES:
 ① EXISTING 1/4" WATER LINE. CONTRACTOR TO VERIFY EXACT LOCATION & CONNECTION POINT PRIOR TO CONSTRUCTION & CONNECT NEW PLUMBING ACCORDINGLY.

- NOTES:**
1. PLUMBING CONTRACTOR TO COORDINATE PIPING LOCATIONS WITH OTHER TRADES.
 2. WATER AND GAS LINES TO BE RUN OVER HEAD UNLESS SHOWN OTHERWISE.
 3. INSULATE ALL HOT WATER RETURN AND COLD WATER LINES WITH "T" THICK ARMALEX INSULATION.
 4. ALL HOSE BIBBS TO HAVE SHUT-OFF VALVES AND VALVE/BREAKERS.
 5. PROVIDE SHOCK ARRESTORS ON ALL DISHWASHER AND WASHING MACHINE WATER LINES.
 6. ANY SANITARY/WASTE PIPE 2 1/2" OR SMALLER TO HAVE 1/4" SLOPE.
 7. SEE SANITARY RISERS FOR ALL PIPE SIZES ON SHEET P-301.
 8. PLUMBING CONTRACTOR TO OFFSET VENT PIPING AS NECESSARY.
 9. PLUMBING CONTRACTOR TO VERIFY INERT OR MAIN SANITARY SEWER PIP PRIOR TO CONSTRUCTION. COORDINATE WITH ARCHITECT'S DRAWINGS.
 10. PLUMBING CONTRACTOR TO VERIFY LOCATION OF MAIN POTABLE WATER TAP. COORDINATE WITH ARCHITECT'S DRAWINGS.
 11. ALL PLUMBING FIXTURES TO COMPLY WITH TABLE 604.4 OF F.A.C. (PLUMBING)
 12. NO CHANGES SHALL BE IMPLEMENTED WITHOUT WRITTEN CONSENT OF THE ARCHITECT/ENGINEER. PLUMBING CONTRACTOR SHALL NOTIFY ARCHITECT/ENGINEER OF ANY CHANGES NECESSARY TO COMPLETE NEW CONSTRUCTION.

PLUMBING FIXTURES

①	MATER CLOSET (HANDICAP) (H) (M-C-1)	AMERICAN STANDARD CLOSET II EL. 1.6 GPF MODEL #2276.62 COLOR WHITE WITH OPERATOR SEAT (O.S.M.TE. #590C) COLOR WHITE.
②	MATER CLOSET (HANDICAP) (H) (M-C-2)	AMERICAN STANDARD CLOSET II EL. MODEL #3063.52 COLOR WHITE WITH OPERATOR SEAT (O.S.M.TE. #590C) COLOR WHITE.
③	LAVATORY (HANDICAP) (H) (LAV) (L-2)	AMERICAN STANDARD "LUCERNE" SET AMERICAN STANDARD RELIANT MODEL # 2385.44.9
④	HAND SINK (S-1)	AMERICAN STANDARD "CHERRY GARDEN" UC-MD # 914.0111 COLOR WHITE FAUCET MODEL # 2389.44.9
⑤	UTILITY SINK (S-2)	JUST STAINLESS STEEL CUP STRAINER MODEL # J-35-A04 FAUCET SET MODEL # J-111A-A5
⑥	3-COMP. SINK (S-3)	JUST STAINLESS STEEL CUP STRAINER MODEL # J-35-A04 FAUCET SET MODEL # J-111A-A5 AMERICAN STANDARD #834.0235.02
⑦	DRINKING FOUNTAIN (DF-1)	"JUST" STAINLESS STEEL SINK MODEL # S835L-302 FAUCET SET MODEL # J5-45-1A1 PROVIDE CUP-HOLDER
⑧	WATER HEATER	50 GALLON 4.5 KW 200V/AC

PERMIT SET: 01/26/12

NOTE: PERMISSION CHANGES TO THE SYSTEM COVERED BY THESE PLANS WITHOUT PRIOR APPROVAL OF THE ENGINEER WHO PREPARED THESE PLANS, WILL NULL AND VOID THESE PLANS AND THE DESIGNER ASSIGNED WITH RETUNNING THE SYSTEM TO ITS ORIGINAL DESIGN WILL BE THE RESPONSIBILITY OF THE COMPANY WHICH APPROVED THESE CHANGES. PERMITS TO NULLIFY FORM CHANGES.

FORMICA & ASSOCIATES, Inc.
 Consulting Engineers
 3500 N.W. Boca Raton Blvd.
 Suite #771 33431
 Boca Raton, FL 33433
 TEL: (561) 368-4833
 Robert F. Formica, P.E., License #19723
 Email: bob@formicainc.com

revisions	no.	date
	0	//
designed	NM/CH/AF/AL	
drawn	NM	
checked	RF	
date	01/26/2012	
scale	AS NOTED	
job no.	212004	

Shawn M. Stumbough, PE
 P.E. Lic. 01880 - CA 28210

CLUBHOUSE UNIVERSITY DAYCARE

project
JUPITER FARMS SHOPPING CENTER
PALM BEACH COUNTY, FLORIDA

ARCHITECTURAL
Standa, Inc.

Architecture
 Planning