

BROWNELLS[®]

SELECTION. SERVICE. SATISFACTION.

800-741-0015
brownells.com

World's Largest Supplier of Firearms Accessories and Gunsmithing Tools™

CATALOG #4

1911

GSA

Horizontal Format
**Uniquely
Brownells[®]**



Dear Folks,

It's hard to believe but here it is...our fourth 1911 Catalog, packed with 3,067 products exclusively for the 1911. Including a whopping 210 brand new products, plus eight pages of factory parts for Colt and Para-Ordnance! When we started this "specialty" catalog, we were awfully excited about it and hoped you would be too. Looks like we found something you really like. The beauty of this Catalog is you can get a head full of ideas about the 1911 you want...then you can actually build it. That's darn cool, and fun to do.

We think you'll like our new and improved format to help you find every single part you're looking for quickly and easily. It's something we've really worked hard on for the past few years, and from your comments it's really starting to pay off and makes finding your stuff a breeze - gets you back to work in the shop or off to the range even faster.

You'll notice little American flags accompanying a lot of the product blocks. We wanted you to know which products are made in the U.S.A. with American parts and American workmanship. We've been working on the project a while now, and most of the existing items we know about. But for many of the new products we haven't gotten the documentation yet. Also we're discovering some factories are moving production off-shore, which will change the status during the life of the catalog. If it is important to you to know when you order, please ask and we'll check current status for you.

With all that's going on right now, the one thing you don't have to worry about is our long-standing commitment to you ... it's something that won't ever change. Always the widest **Selection** of the products you need. We're absolutely committed to giving you the very best, one-to-one, personal **Service** possible. We have a real live person on the phone during business hours, a direct 800 number to the order desk, plenty of folks to take those orders and experienced gunsmiths, always ready to answer your questions.

Your 100% **Satisfaction** with every product you buy from Brownells is guaranteed forever. If you're not Satisfied with any product you purchase, send it back for a full refund - no shipping charges, no restocking fees, and none of those other "hidden" charges. We want your time spent with us to be the very best that it can be - exactly what Dad believed in when he started out in 1939 and the way that we still do business today - the way it should be done. Period.

Now into our third generation, we're truly proud to keep the tradition of keeping you, our valued customer, Satisfied at all times.

Very Best,

Frank & Pete

Frank & Pete Brownnell



Old John Still Has The Right Idea

"It's unwise to pay too much . . . but it's worse to pay too little. When you pay too much, you lose a little money . . . that is all. When you pay too little, you sometimes lose everything, because the thing you bought was incapable of doing the thing it was bought to do.

The common law of business balance prohibits paying a little and getting a lot. It can't be done. If you deal with the lowest bidder, it is well to add something for the risk you run. And if you do that, you will have enough to pay for something better." - JOHN RUSKIN

At BROWNELLS, The Customer Is Always

#1

Your Satisfaction Guaranteed-Period! - Here's our pledge to you - which has never changed: If you aren't completely, 100% satisfied with any purchase you receive from Brownells, for any reason, at any time, return it for a full refund or exchange. No hassle, no problem. We don't bog you down in endless paperwork. Your complete satisfaction with each and every product we sell is what's most important to us.


NEW



We're the world's largest source for firearms accessories, gunsmithing tools, shooting supplies, and cleaning equipment. If you want to see our full line of over 30,000 in-stock products, you need Brownells Catalog #61. Take a look through any of our catalogs, or browse our website and you'll find at least one item you can't live without. Purchase that item and we'll send you our big Catalog #61 - a five

dollar value - absolutely FREE! #077-100-000DE

NEW



Full-color catalog features everything you need to build, maintain, customize, and accurize an AR-15/M16 to suit your specific needs, plus parts and extras for larger-caliber AR-type variants. The folks here just can't resist the AR platform's unlimited possibilities, so we've included photos of "dream builds" by Brownells staff showing you how much you

can do with the products we offer. Whether you use your AR for tactical shooting, precision target shooting, or just keeping down the varmint population on the Back 40, this catalog is for you. #077-100-008DE

NEW



For over 69 years, since Bob Brownell started working on firearms and got the company started in '39, we have worked with our military and law enforcement to support their weapons and their efforts.

We've picked the best Military/Law Enforcement items from our Big Catalog and added a few new ones. If you're one of our brave folks in uniform, you need this catalog! #077-000-005DE

BROWNELLS is a Small Business and Veteran owned Company. Government Procurement
CCR: #829833; Cage: #12238
**Call for Special Procurement Needs,
Over 30,000 items in stock daily!**

BROWNELLS

SELECTION. SERVICE. SATISFACTION.®

200 S. Front Street, Montezuma, IA 50171
800-741-0015 or Fax: 800-264-3068

brownells.com

1911 CATALOG - #4

© 2008, BROWNELLS, INC.

CONTENTS

Late New Arrivals I-V	Magazines & Parts 21-25
Frames/Slides 1-3	Triggers 25-27
Barrels 3-6	Springs 27-29
Barrel Bushings 6-7	Replacement Parts 29-30
Barrel Links 7-8	Grips & Screws 30-35
Compensators 8	Sights 35-41
Slide Stops 8-9	Optic Mounts 41
Plunger Tubes 9	Holsters/Mag Pouches 41-44
Extractors 9-11	Weapon Lights 44-45
Ejectors 11	Range & Training Gear 45-49
Thumb Safeties 11-12	Gunsmithing Tools 49-56
Grip Safeties 12-13	Cleaning Supplies 57-60
Guide Rods/Buffers 13-15	Finishes 61-62
Ignition Parts 16-19	Books & Videos 62
Mainspring Housings 19-20	Colt Factory Parts 63-64
Magwells 20-21	Para Factory Parts 64-70
Magazine Releases 21	

Products marked with the Stars and Stripes are proudly made in the U.S.A.

Many customers have asked us to show which products are made in America, and we've begun working with our vendors to identify them. This information, however, was not available for all items at time of print deadline; nor does it imply that foreign merchandise is of lesser quality. We will continue to gather this information to assist our customers in making informed buying decisions, and will keep our website current with the latest information.

GSA pricing available on products marked with the star. Contract #: GS-07F-0139T

Uniquely Brownells® *The horizontal catalog format is a trademark of Brownells.®*

HOLIDAY SCHEDULE We will be closed for the following:

2008	2009
Thanksgiving, Thurs. 27 & Fri. 28 Nov.	New Year's, Thurs. 1 Jan. 2009
Christmas, Thurs. 25 & Fri. 26 Dec.	Memorial Day, Mon. 25 May
	Independence Day Fri. 3 July
	Labor Day, Mon. 7 Sept
	Thanksgiving, Thurs. 26 & Fri. 27 Nov.
	Christmas, Thurs. 24 & Fri 25 Dec.

ORDER LINE HOURS	GUNTECH HOURS	WALK-IN HOURS
7:30A.M. to 5:00 P.M. (Central Time)	8:30 A.M. to 4:30 P.M. (Central Time)	7:30 A.M. to 4:30 P.M. (Central Time)

Open Monday thru Friday. Order Recording Lines Open 24 Hours Per Day



OFFICE
641-623-5401

INTERNATIONAL ORDERS
641-623-4000

FAX LINE
641-623-3896





NOWLIN MFG. 1911 AUTO MATCH-GRADE ECM BARREL



**Ultra-Smooth Rifling
Gives Your Mil-Spec Government Model Superb Accuracy**

Triple heat treated, highest quality, super match-grade barrel delivers maximum accuracy from your full-size, .45 ACP Government model. Groove and bore tolerances are held to an amazing .0002" by electro-discharge cathode machining (ECM). Unique, pre-cut design of the top lugs requires only minor fitting to achieve maximum lug engagement. Rifling is ultra-smooth, uniform, and precise for higher velocity and better accuracy. Angled edge on the driving band increases gas seal for reduced fouling with all types of bullets, plus longer barrel life. Short chambered, requires reaming to achieve correct headspace; reamer pilot diameter: .4405".

SPECS: 416 stainless steel, hardened to Rc 40. 5" (12.7cm) long. .581" (14.7mm) O.D. No feed ramp. Over-size hood and feet require gunsmith fitting.

#654-000-049DE .45 ACP Govt. Model Barrel, 4E209A49 \$ 259.95



EGW 1911 AUTO HEAVY DUTY SLIDE STOP



**Machined From Hardened Steel
For Maximum
Strength & Durability**

Heavy duty slide stop is precision machined from steel bar stock, then heat-treated for superb hardness and durability. Ensures a precise fit to frame for secure, consistent lockup;

prevents slop or "play" that can compromise accuracy. Available in blued 4140 carbon steel or stainless steel, both with a fine bead-blasted matte finish. Fine-line serrations on pad give your finger secure purchase to release the slide on the first pass.

SPECS: Carbon steel, blued, or stainless steel (SS), matte finish. Pin diameter .200" (5.1mm). Models available for .45 ACP and 9mm/.38 Super.

#296-000-122DE Blued Slide Stop, .45 ACP, 6B40A49 \$ 50.95

#296-000-120DE SS Slide Stop, .45 ACP 6B40A49 50.95

#296-000-121DE Blued Slide Stop, 9mm/.38 Super, 6B40A49 50.95

#296-000-119DE SS Slide Stop, 9mm/.38 Super, 6B40A49 50.95



MICHIGUNS 1911 AUTO HEAVY DUTY PLUNGERTUBE

**Thick Walls & Extra Mounting Stakes
To Protect Plunger From Damage Or Misalignment**



Replacement for factory plunger tube is designed to stand up to the harshest operating environments to ensure unhindered plunger function critical for reliable, positive operation of the thumb safety and correct retention of slide stop. Precision machined from solid steel barstock, with extra-thick walls for added strength, with two additional staking studs to ensure a rock-solid attachment to the frame that won't work loose under the most extreme combat or competition conditions. Smooth internal finish and exacting tolerances help guarantee reliable operation of both plungers without snagging or grittiness. Rounded exterior and radiused edges won't snag on clothing or holster—perfect for carry, combat, or competition. Easy to install using the Installation Jig available separately.

SPECS: Steel, blued, matte finish.
#100-003-822DE Heavy Duty Plunger Tube, 3Z34P95 \$ 39.95



WILSON COMBAT 1911 AUTO BULLET PROOF® GRIP SAFETY

**Allows High Grip For Better
Control & Prevents Hammer Bite;
Machined For Precise Fit**



Generously proportioned beavertail safety is machined from high-grade steel barstock for an exceptionally precise fit and positive, consistent operation. Builds on Wilson's popular High Ride design with a wide, heavily upswept beavertail that allows the shooter to maintain a high, straight grip, with total protection from painful hammer bite. Distributes recoil over a large area of the hand for excellent control and fast follow-up shots. Raised palm pad with a pronounced ridge helps ensure complete safety disengagement and gives positive, tactile feedback for consistent hand placement every time you draw your pistol, so you'll be ready to take the shot as soon as a target is acquired. All exposed edges are rounded to prevent snagging. Flowing Wilson/Clark compound radius blends smoothly into the frame; installation requires alteration of frame. Available in carbon steel with a uniform, matte blued finish or stainless steel natural finish.

SPECS: Carbon steel, blued, matte finish, or stainless steel, satin finish. Fits Colt Series 70, 80, and 90 pistols and clones. Wilson/Clark compound radius requires alteration of frame; also matches Caspian radius.

#965-000-068DE Bullet Proof Grip Safety, Blued, 5F59U46 \$ 69.95

#965-000-069DE Bullet Proof Grip Safety, Stainless, 5F62A00 72.95



EGW 1911 AUTO FIRING PIN



**Durable Stainless Steel;
Available In Three Diameters For Precise Clearance**

Tough, durable firing pins are precision machined from extra-hard stainless steel to fit in the slide with .001" clearance to help eliminate "primer flow" with hot loads. Helps prevent jams and misfires caused by the primer backing out. Available in three diameters; select the diameter that provides just enough clearance through the hole in the firing pin stop of your gun. .068 normally fits Colt and Caspian 9mm/.38 Super/.40/10mm. .075 fits Springfield Armory 9mm/.38 Super/10mm/current-production .45 ACP. .093 fits most .45 ACP, including older-production Springfield. Fit may vary; measure your gun to be sure you select the correct size pin.

SPECS: Stainless steel. Available in .068", .075", and .093" diameters.

#296-000-115DE Firing Pin, .068", 6B09A49 \$ 11.95

#296-000-116DE Firing Pin, .075", 6B09A49 11.95

#296-000-117DE Firing Pin, .093", 6B09A49 11.95

Selection • Service • Satisfaction

INSTALLATION JIG - Use to install the Michiguns Heavy Duty Plunger. Includes drilling guide that fits into existing plunger tube holes on frame, carbide drill for properly drilling additional holes, and a tube guard that lets you install your Michiguns plunger tube without risk of crushing or deforming it when staking it to the frame.

SPECS: Steel and aluminum. Includes drill guide, 2 roll pins, drill bit, and plunger tube guard.

#100-003-823DE Installation Jig, 3Z19P95 \$ 24.95



EGW 1911 AUTO G.I. STYLE GUIDE ROD

**Simple, Robust, One-Piece Design
For Smooth Function & Reliability**



Simple, strong, one-piece guide rods provide smooth function and outstanding reliability on competition and carry guns. Short, G.I. style rods machined from solid stainless steel bar stock without through hole for extra strength and resistance to battering. Additional weight up front improves recoil control, and flat face helps recoil buffers fit securely; has rounded front end that resists snagging the recoil spring. Available in Government and Commander sizes.

SPECS: Stainless steel, natural finish. **Government** - 1 1/4" (4.6cm) long. **Commander** - 1 1/4" (3.2cm) long.

#296-000-113DE Guide Rod, SS Govt. 6B16A49 \$ 21.95
#296-000-114DE Guide Rod, SS Comm. 6B16A49 21.95



WILSON COMBAT 1911 AUTO BULLET PROOF® MAG RELEASE



**Extended Length & Checkered Face
Aid Fast Mag Changes;
Fully Machined For Precise Fit**

Extended magazine release button further advances the concept of Wilson's popular Tactical Magazine Release with fully machined construction from high-grade steel barstock for exceptionally smooth, consistent operation. Deeply checkered button gives you solid, no-slip thumb contact and is 1/8" longer than standard, mil-spec button to give you extra leverage. Ensures you drop the magazine fast, on the first try, every time. Available in hardened carbon steel with a uniform, matte blued finish or natural-finish stainless steel.

SPECS: Carbon steel, blued, matte finish, or stainless steel (SS), satin finish. Mag catch only, no lock or spring. Gunsmith fitting recommended.

#965-000-059DE Mag Release, Blued 5F24U56 \$ 29.95
#965-000-060DE Mag Release, SS 5F26U95 31.95



CASPIAN 1911 AUTO HIGH CAPACITY MAGAZINES

**More Firepower, Fewer Mag Changes
For Caspian Double Stack Pistols**



Manufactured to precise specifications for reliable fit and function in Caspian high capacity 1911 Autos. Provides increased firepower with fewer mag changes. Steel body with proprietary baked-on ceramic finish that actually becomes slicker with use. High-impact nylon follower is shaped to help ensure reliable feeding. Removable, aluminum base plate for easy cleaning. Models available for 9mm/.38 Super and .40 S&W pistols.

SPECS: Steel body, black ceramic finish; aluminum base plate; natural silver-gray finish; nylon follower, orange (9mm/.38) or black (.40). **9mm/.38 Super** - 19 rd. capacity. **.40 S&W** - 17 rd. capacity.

#168-000-058DE High-Cap Mag 9mm/.38 Super, 19-Rd, 8F66P63 \$ 83.29

#168-000-059DE High-Cap Mag, .40 S&W, 17-Rd, 8F51P88 64.85

#168-000-082DE High-Cap Mag Spring, 9mm/.38 Super, 8F04T75 5.94

#168-000-083DE High-Cap Mag Follower, 9mm/.38 Super, 8F06T50 8.13

#168-000-084DE High-Cap Mag Base Plate, 9mm/.38 Super, 8F15T64 19.55

#168-000-085DE High-Cap Mag Spring, .40 S&W, 8F02T76 3.45

#168-000-086DE High-Cap Mag Follower, .40 S&W, 8F02T76 3.45

#168-000-087DE High-Cap Mag Base Plate, .40 S&W, 8F27T54 34.43



ED BROWN 1911 AUTO 8-PACK MAGAZINE

**Precision Engineered With Premium
Materials For Exceptional Reliability**



Full-featured 8-round magazine is engineered and manufactured to the highest quality standards to deliver outstanding reliability and smoothness in competition or combat. Virtually seamless, extended body of heat-treated stainless steel isn't a standard 7-round body with a longer base pad but is purpose-designed to provide sufficient room for the extra round and maintain proper spring compression. Seven witness holes, with extra-large, easy-to-see round count numbers are crisply laser etched on both sides of the body. Rounded, self-leveling all-steel follower and heavy duty spring further enhance reliability. Hydro-finish process gives body and follower an extra-slick surface that repels dirt, dust, and burned powder. Eliminates unnecessary friction against the follower to help ensure consistent feeding and make the mag easier to seat. Flared, bumper pad of tough, impact-absorbing polymer gives a secure grip during mag changes and protects the magazine from damage when dropped on hard surfaces. "88" number template—like numbers on a digital clock—on the bottom of the pad lets you create any number from 00 to 99 with a dab of paint to track usage history of individual magazines. Depress the large, easy-to-operate release button to remove the pad for cleaning.

SPECS: Stainless steel, natural silver finish. Polymer base pad, black. Fits .45 ACP 1911 Government and Commander models.

Replacement Bumper Pad - Includes pad and lockplate. Fits 8-Pack magazines only.

#087-000-051DE 8-Pack Magazine, 7H29Y95 \$ 39.95

#087-000-052DE 8-Pack Base Pad, 7H05Y95 9.95



METALFORM 1911 AUTO ELITE 8 MAGAZINE

**Smooth-Running, Premium Fit & Finish,
Plus An Extra Round With No Added Bulk**

Superb fit and finish ensure exceptionally smooth feeding and outstanding reliability. Full 8-round capacity in the same size package as a standard 7-round magazine. Heat-treated stainless steel body has an ultra-smooth weld seam and micro-polished interior to guarantee reliable, no-drag follower movement. Curved, non-tilt stainless steel follower and extra-power Wolff spring work together to ensure fast, positive feeding of all bullet types, including wadcutters. Tough, Delrin® base pad removes easily for cleaning and is contoured for a neat, snug fit in the mag well. Witness holes with high-visibility stamped and painted numbers give instant verification of round count. Available in a polished or non-reflective Hydro-Matte natural silver finish, or non-scratch IonBond® black. Includes nylon magazine pouch with flap closure and belt loops.

SPECS: Stainless steel body and follower, natural silver or IonBond black finish. Black Delrin base pad. 8-round capacity. Fits .45 ACP 1911 Auto only.

#620-000-017DE Elite 8 Mag, Gloss Black, 2F40Z97 \$ 64.72

#620-000-015DE Elite 8 Mag, Matte Black, 2F37Z17 58.74

#620-000-014DE Elite 8 Mag, Polished Silver, 2F34Z49 54.47

#620-000-016DE Elite 8 Mag, Matte Silver, 2F30Z68 48.47

CALL OFTEN!!

We'll Be Your Supplier

NEW NIGHTHAWK CUSTOM 1911 AUTO STAINLESS STEEL MAGAZINE



Built To Feed Flawlessly

Extra-thick, stainless steel magazine body is formed to tight tolerances with a smooth-welded seam that's carefully polished to eliminate any rough spots that could snag the follower. Polished exterior finish eases insertion into the mag well. Numbered witness holes let you know exactly how many rounds are loaded. Smooth-moving, polymer/fiberglass composite follower is specifically contoured to keep the last round from feeding too fast and causing a jam; extra-strong spring delivers consistent force to ensure reliable feeding in all shooting conditions. **Standard** model features a .360" thick, removable, polymer composite base pad that extends .310" below the mag body for added protection when dropped. **Low Profile** version has a carbon steel, removable base pad that extends only .090" below the mag body, perfect for concealed carry. Both versions available for Government and Officers model.

SPECS: Body - Stainless steel. Follower - Polymer/fiberglass. Base Pad - Polymer or steel. **Govt.** - 8-round capacity. OAL - Standard: 5 5/8" (13.1cm); Low Profile: 5" (12.7cm). **Officers** - 7-round capacity. OAL - Standard: 4 7/8" (11.8cm); Low Profile: 4 1/2" (11.4cm).
#100-003-671DE 8-Rd Govt. Standard Mag 2B23A95 \$ 28.95
#100-003-672DE 8-Rd Govt. Low Profile Mag 2B26A95 32.95
#100-003-669DE 7-Rd Officers Std Mag 2B23A95 . . . 28.95
#100-003-670DE 7-Rd Off Low Profile Mag 2B26A95 . 32.95

REPLACEMENT PARTS - Factory replacements for critical components help you keep your Nighthawk Stainless Steel Magazines running flawlessly. Changing the spring and follower on a regular basis ensures your weapon feeds and ejects reliably. All parts are made on the same tooling from the same premium-quality materials as the originals. **Springs & Followers** sold as sets for 7-round Officers and 8-round Govt. Model magazines. Polymer composite **Standard Base Pad** adds .310" to length of magazine; aids in seating mag in gun with extended magwell. Sold in 3-Paks. Carbon steel **Low Profile Base Pad** extends only .090" beyond mag body.

SPECS: Fits Nighthawk Stainless Steel 1911 Govt magazines. May fit extra-capacity single-stack magazines from other manufacturers. **Spring** - Chrome silicon steel. **Follower** - Polymer composite, black. **Standard Base Pad** - Polymer, black. Adds .310" to length of magazine. Sold in 3-Pak. **Low-Profile Base Pad** - Carbon steel, black finish. Adds .090" to length of magazine. Sold each.
#100-003-763DE Govt. Spring/Follower 2B07V95 . . . \$ 9.95
#100-003-762DE Officers Spring/Follower 2B07V95 . . . 9.95
#100-003-765DE Standard Base Pads, 3-pak 2B06V49 . 7.95
#100-003-764DE Low Profile Base Pad, each 2B04V95 . 5.95

NEW WILSON COMBAT 1911 AUTO 7- & 8-ROUND .45 ACP MAGAZINES



Outstanding Value & Performance

Affordable, 46-Series Service magazines feature renowned Wilson Combat performance, reliability and quality with a price that provides outstanding value. All steel construction, with a tempered steel spring. Witness holes on both sides are numbered. Single stack models available in 8-round full size version, and a 7-round compact version. Flat base plate fits flush in standard 1911s. An optional .375" thick hard rubber base pad is available for extended mag wells.

SPECS: Steel, blue finish. **8-Round** - 4 5/8" (11.7cm) long. **7-Round** - 4 1/8" (10.9cm) long. **Base Pad** - Rubber, black, .375" (9.5mm) thick. For .45 ACP only.
#965-000-061DE 8-Round Magazine 5F16U95 \$ 19.95
#965-000-062DE 7-Round Magazine 5F18U50 21.95
#965-000-063DE Base Pad 5F03U24 3.95

NEW WOLF COLT .380 EXTRA-POWER MAGAZINE SPRINGS



Helps Ensure Reliable Feeding In .380 ACP Pistols

High-quality replacement for weak, worn, or broken factory magazine spring has 5% extra power to help ensure reliable feeding in Colt .380 ACP Government Model, Mustang, and Pony.

SPECS: Spring steel, natural finish. **Govt 380/Mustang +2** fits Government Model and Mustang Plus 2 magazine. **Mustang/Pony** fits Mustang with standard magazine and Pony.
#969-000-195DE Govt 380/Mustang +2 Mag Spring, 9F05A00 \$ 7.49
#969-000-196DE Mustang/Pony Mag Spring, 9F05A00 7.49

NEW 10-8 PERFORMANCE LLC SPRINGFIELD EMP EMP TRIGGER

Staked Bow For High Strength & Reliable Performance

Full width, stainless steel bow eliminates flex and is permanently staked to the trigger shoe for added strength, making this trigger a top choice for duty and self defense guns. Stainless steel overtravel stop screw is mounted in the rear of the shoe and requires no staking or threadlocker to keep it in place - once it's set, it won't shoot loose. Aluminum, serrated shoe provides a non-slip grip and positive control. Minor fitting required. **Long Curved** allows a different length-of-pull depending on index finger position; ideal for larger hands. **Flat trigger** features a flat, square face for uniform length-of-pull regardless of index finger position. Length-of-pull is equal to the shortest point on a "long" curved trigger.

SPECS: Bow - SS, polished finish. Shoe - Aluminum, silver, anodized finish. **Long Curved** - 2.28" (5.8cm) OAL. **Flat** - 2.13" (5.4cm) OAL. .3 oz. (8.6g) wt. Fits Springfield EMP in 9mm and .40 S&W.
#100-003-712DE Long Curved Trigger 1B19V95 . . . \$ 24.95
#100-003-713DE Flat Trigger 1B19V95 24.95

NEW WILSON COMBAT 1911 AUTO ULTRALIGHT MATCH TRIGGER



Light Weight For A Smooth Pull & Ultra-Crisp Letoff

The same match-grade trigger used by the Wilson Custom Shop in its famous custom guns. Weighs a mere .2 oz. (.6g) to help ensure a consistent trigger pull and ultra-crisp letoff for competition or tactical pistols. Solid shoe is precision machined from high-grade aluminum alloy, with clean, well-defined serrations on the face for positive finger contact and neatly radiused edges that won't abrade finger; attractive, low-luster finish. Available with **Curved** face in Short, Medium, and Long lengths or **Flat** face. Customize overtravel to your pistol with the adjustable overtravel screw (hex wrench included). Stirrup is made of heat-treated stainless steel to minimize unwanted flex; polished, high-gloss finish ensures minimal friction with frame. Minor fitting may be required.

SPECS: Aluminum shoe, stainless steel stirrup, natural finish.
#965-000-067DE Solid Curved Ultralight Match Trigger, Short 5F28U95 \$ 34.50
#965-000-065DE Solid Curved Ultralight Match Trigger, Medium 5F28U95 34.50
#965-000-066DE Solid Curved Ultralight Match Trigger, Long 5F28U95 34.50
#965-000-064DE Solid Flat Ultralight Match Trigger, 5F28U95 34.50

NEW TACTICAL SPRINGS 1911 AUTO RECOIL SPRINGS



Consistent Performance For High-Stress, High-Volume Shooting

Premium-quality recoil spring helps ensure consistent, dependable operation for tens of thousands of compression cycles. Perfect for the high-volume tactical or competition shooter who needs a finely tuned spring that delivers its rated power as reliably on the 50,000th shot as it did on the first. Made from chromium-silicon steel alloy selected specifically for its hardness, heat resistance, and ability to withstand high stresses—the same alloy used for valve springs on automobile engines. Cryogenically treated to relieve internal stress, and surface impregnated with Sprinco's proprietary Plate+ molybdenum disulfide lubricating coating. Available in factory standard 16-lb. weight, as well as extra-power 17- and 18-lb. weights to reduce slide and frame battering with hot loads and shorten the distance spent brass is ejected from gun.

SPECS: Cryo-treated chrome silicon alloy. Fits full-size 1911 Auto Govt. Model.
#943-000-013DE 16 lb. Recoil Spring 3D05A95 \$ 7.95
#943-000-014DE 17 lb. Recoil Spring 3D05A95 7.95
#943-000-015DE 18 lb. Recoil Spring 3D05A95 7.95

NEW BROWNELLS 1911 AUTO MAINSPRING HOUSING REBUILD KIT

Helps Keep Your Pistol Running Reliably



Handy kit contains all the parts you need to mount a new mainspring housing on your 1911, or refurbish the internal components to factory-new condition. Includes standard, factory weight (23 lb.) hammer spring to help ensure positive ignition and restore your pistol's reliability by replacing an old, weak spring. Also includes mainspring cap, cap pin, and retaining pin, so you don't ruin a good-looking new housing's appearance with old, dinged hardware. Kit available with blued or stainless external components to match your pistol's finish. Installation instructions included.

SPECS: Kit contains factory weight hammer spring, mainspring cap, cap pin, mainspring housing retainer pin, and instructions. Fits full-size 1911 Government Model, Commander, and clones.
#080-000-549DE Mainspring Housing Rebuild Kit, Blued, 8K06Z15 \$ 7.95
#080-000-550DE Mainspring Housing Rebuild Kit, Stainless 8K08Z15 10.95

NEW EGW 1911 AUTO FEED RAMP INSERT



Converts Alloy Frame Pistols To Accept Hollow Point Ammo; Repairs A Damaged Ramp

Machined, hardened steel insert lets you convert alloy frame pistols to use hollow point ammunition without feeding problems or damage to frame. Also the perfect solution for repairing a frame that's been battered by hollow points or boogered up by an incorrectly cut ramp. Gunsmith installation required.

SPECS: Steel, in-the-white.
#296-000-112DE Feed Ramp Insert, .45 ACP, 6B32A49 \$ 40.95
#296-000-111DE Feed Ramp Insert, .38 Super/9mm, 6B32A49 40.95

NEW EGW 1911 AUTO PIN SET



Ready To Install, Hardened For Maximum Durability

Complete, 11-piece set contains every pin for your 1911 pistol, perfect for installing a new set of pins during a restoration or for building a new custom pistol from the ground up. Designed to provide years of reliable service without binding, distorting, or breaking. Machined from hardened drill rod to G.I. specs for exceptional durability and fit, with a good-looking, uniform, matte blued finish.
SPECS: Steel, blued, matte finish. Set contains barrel link pin, sear pin, ejector pin, hammer pin, hammer strut pin, mainspring housing pin, mainspring housing pin retainer, mainspring cap, mainspring cap pin, safety lock plunger, and slide stop plunger.
#296-000-118DE 1911 Auto Pin Set 6B16A49 \$ 21.95

MIL-TAC KNIVES & TOOLS 1911 AUTO TACTICAL GRIPS



Aggressive Patterns Prevent Slippage; Made From Nearly Indestructible G10 & Micarta Laminates

Fully CNC-machined from G10 fiberglass and Micarta laminates, these grips are impervious to impact, solvents, heat, sweat, and moisture for non-degrading dimensional stability in all conditions. Government Beveled (GB) grips are machined from G10 to the standard 1911A1 configuration with beveled bottom and an aggressive diamond pattern that forms an aggressively textured gripping surface. Features a notched thumb ramp on the left panel for fast reach to the magazine release. Cutout allows access to mainspring housing pin without removing the whole grip panel. Tactical Flat Bottom (TFB) grips are machined from G10 with a traditional diamond checkering pattern that provides an outstanding gripping surface. Square bottom provides a proper fit for guns equipped with add-on magazine wells; covers mainspring housing pin. Includes notched thumb ramp on left panel. Government Flat Bottom (GFB) Micarta grips have square bottom for guns with add-on mag wells, with a cutout notch allowing access to mainspring housing pin. Wide, pronounced vertical grooves and underlying linen-like texture provide a superb grip even with wet hands, yet won't abrade the skin. No thumb ramp.
SPECS: G10 laminate or Micarta, black, black/gray speckled, desert tan, desert camo, or woodland camo. Fits 1911 Govt. model and Commander grip frames. **GB** - G10 laminate. A1 configuration. Desert tan and woodland camo cut for ambi safety. **TFB** - G10 laminate. Square bottom. All colors cut for ambi safety. **GFB** - Micarta. Square bottom, cutout for mainspring housing pin. Desert tan cut for ambi safety.

GB STOCK #	TFB STOCK #	GFB STOCK #	COLOR
#100-003-931DE	#100-002-545DE	#100-003-939DE	Black
#100-002-546DE	#100-003-935DE	NA	Black/Gray
#100-003-932DE	#100-003-936DE	#100-003-940DE	Desert Tan
#100-003-933DE	#100-003-937DE	#100-003-941DE	Desert Camo
#100-003-934DE	#100-003-938DE	#100-003-942DE	Woodland Camo
- Advise # -	GB/TFB G10 Grips 5A56H00		\$ 69.99
- Advise # -	GFB Micarta Grips 5A39H97		49.99

NEW NIGHTHAWK CUSTOM 1911 AUTO GOLFBALL PATTERN G10 GRIPS

Popular "Grippy" Texture Keeps Gun In Your Hand Even When Wet

Tough, long-wearing, all-weather grips of nearly indestructible G10 composite provide an extra secure grip during the draw and tactical maneuvers, and ensure maximum weapon control while firing. Minimizes rotation during recoil for better accuracy and reduced likelihood of having to reposition hand for follow-up shots. Popular golfball pattern, preferred by many shooters, crisply cut into the grip surface ensures a no-slip grip even when hands are sweaty. Hard, non-reflective, glass-fiber reinforced G10 composite is impervious to extremes of heat, cold, moisture, and most solvents. Non-tapered, cut for an ambi safety. Available in **Black** or **Desert Tan** (similar to U.S. military Flat Dark Earth).



SPECS: G10 fiberglass composite in black or desert tan. Approximately .275" (7mm) thick. Fits 1911 Government and Commander frames.
#100-003-569DE Blk Golfball G10 Grips 2B71C96... \$ 89.95
#100-003-570DE Desert Tan Golfball G10 Grips, 2B71C96... 89.95

NEW VZ GRIPS 1911 AUTO DOUBLE DIAMOND GRIPS



Traditional Checkering Pattern; Sharp Texture For Excellent Hold & Weapon Control

Rugged grip panels made from tough G10 fiberglass are cut with a traditional double-diamond checkering pattern to give your 1911 a

classic look with the durability and superior gripping texture of modern composite materials. Prevents hand from shifting and helps maintain strong recoil control for fast, accurate followup shots. Advanced G10 laminate won't absorb moisture, resists impact, and won't expand or contract due to temperature fluctuation—perfect for all-weather operations and extreme conditions. Crisp, 20 lpi checkering and smooth, diamond-shaped raised areas around screw holes are CNC machined into the laminate, then hand-finished to ensure uniform pattern depth. The laminate's hard surface allows the checkering to be cut a little sharper to give more "bite" than traditional checkered wood grips. Features a square-bottom with cutouts to allow access to marring housing pin. Not inletted for ambi safeties.

SPECS: G10 fiberglass composite, Tactical Black, Black/Desert Sand, or Brown/Black Tiger Stripe Approximately .275" (7mm) thick. Fits 1911 Auto Govt. and Commander.
#100-003-955DE Dbl Diamond Grips, Tactical Black, 7A54Z95... \$ 69.95
#100-003-956DE Dbl Diamond Grips, Black/Desert Sand, 7A54Z95... 69.95
#100-003-957DE Dbl Diamond Grips, Tiger Stripe, 7A54Z95... 69.95

NEW CYLINDER & SLIDE 1911 AUTO MIL-SPEC RECOIL SPRING PLUG

Screws Onto Recoil Spring To Prevent Loss Of Plug During Disassembly



Machined steel recoil plug has mil-spec flange punched into the side so the recoil spring can be wound into the plug before seating in the slide. Prevents the plug from flying off spring during field stripping and getting lost or hitting the operator, possibly causing injury. Precision-turned for proper fit in full-size Government model pistols, with flat, diamond-pattern knurling on the front. If you lose the plug, your gun can't operate, and you're done for the day. Keep one or two of these in your range box or field maintenance kit for backup.

SPECS: Steel, blued. 1 1/2" (3.8cm) long, .495" (12.6mm) O.D. Fits mil-spec Government model.
#206-000-042DE Mil-Spec Recoil Spring Plug, 6K07X95... \$ 9.95

NEW 10-8 PERFORMANCE 1911 AUTO U-NOTCH REAR SIGHT



Rugged Construction For Daily Carry; Offers A Clear, Easy-To-See Sight Picture

Fixed rear sight is precision machined from heat-hardened 4140 steel bar stock, so it withstands the wear and tear of daily carry, yet delivers a clear, precise sight picture. Perfect for concealed carry, duty, or combat pistols where a rugged, reliable rear sight is mission critical. Fully "dehorned," with rounded and chamfered edges to prevent snagging on holster, clothing, or other gear that could impede draw. Easy-to-acquire .125" high U-shaped notch aligns quickly with a wide variety of factory-height front sights, including fiber optic, tritium dot, and gold beads. Rear face of the plain black blade has 40 lpi serrations for a glare-free sight picture under almost any light conditions; front of the blade has ledge contour to aid in one-hand cocking. A hard, manganese phosphate parkerized finish that matches many tactical pistol finishes adds strength and surface wear resistance. Anchors securely in the popular Novak Lo-Mount-style dovetail with a centrally located setscrew. Includes wrench and instructions. May require minor fitting.

SPECS: Steel, matte black finish. Fits Novak-style 65° x .500" dovetail. **Standard** - .325" high, available with .125", .140", and .156" wide notches. **Tall** - .375" high, with .125" wide notch, for Officers model and other short-barrel 1911s; a direct replacement for Springfield Armory factory rear sight.
#100-003-766DE Standard .125" U-Notch Rear Sight, 1B29V95... \$ 39.95
#100-003-768DE Standard .140" U-Notch Rear Sight, 1B39V95... 49.95
#100-003-769DE Standard .156" U-Notch Rear Sight, 1B39V95... 49.95
#100-003-767DE Tall .125" U-Notch Rear Sight, 1B29V95... 39.95

NEW ED BROWN 1911 AUTO ADJUSTABLE REAR SIGHT

Ultra-Low Mount, Fully-Adjustable, Classic Bo-Mar Style



Low-profile rear sight replicates the dimensions and function of the proven Bo-Mar adjustable sight. Rugged design withstands the shock of full-power service ammunition—perfect for combat applications—yet provides fine adjustability to meet the needs of the target shooter. Minimal-height sight body hugs the top of the slide for faster sighting and increased accuracy. Precise click detents provide full adjustment for both windage and elevation. Combat-style blade

NEW HARRISON DESIGN & CONSULTING 1911 AUTO HD-001 REAR SIGHT

Smooth, No-Snag Combat Sight Fits Standard Bo-Mar Slide Cut



Rugged, solid steel fixed rear sight fits the standard Bo-Mar BMCS slide cut, perfect for converting an existing adjustable-sight 1911 to a tactical or self-defense configuration. Fully radiused edges and corners help eliminate snagging during draw from concealment, and front of blade is squared off to aid one-handed slide racking to clear jams. Deep, .135" wide notch produces a clear sight picture with more light around the front blade for faster target acquisition. Fine, 50 lpi horizontal serrations on blade rear face eliminate glare and the distorting effects of uneven ambient light. Precision machined from steel bar stock, unique two-piece design has separate base that allows mounting in both standard open BMCS cut and the "Deluxe" pocket cut. Two hardened steel screws and a hidden lug join the body to the base to ensure a rock-solid installation that will not shoot loose, even under hard use. Drift adjustable .030" left or right for windage, allowing correction of approximately 3" of error at 20 yards. Installed height is same as many popular aftermarket rear sights, so you may not need to replace your pistol's front sight. Gunsmith installation recommended.

SPECS: Steel, blued, matte finish. Body - 1.420" (3.6cm) OAL, .690" (1.8cm) wide, .500" (1.3cm) high. Notch - .135" wide x .115" high. Fits Bo-Mar BMCS (BM #1) 60 x .359" x .100" slide cut. Hex wrench and instructions included.
#100-003-572DE HD-001 1911 Rear Sight, 9B72C00... \$ 90.00

NEW KING'S GUNWORKS 1911 AUTO FIXED HARDBALL SIGHT

High Visibility; Popular Styles; Target Or Duty



Military-style National Match sights are higher than factory originals to give increased visibility without excess bulk. No modifications to gun. Supplied as sets with matching front sights. **#102** - Plain black with narrow-width tenon on front post. **#104** - Adds two dots on rear and one dot on the semi-ramp front sight for better sight picture in low-light conditions.

SPECS: Rears - .641" (16.3mm) long x .315" (8.0mm) high w/.113" (2.9mm) wide notch. Fronts - .200" (5.1mm) high.
#102 - Plain rear, plain post front. **#104** - 2 dot rear; semi-ramp, 1 dot front. **N/T** - .058" (1.47mm) narrow width tenon. **M/T** - .082" (2.08mm) medium width tenon to fit Springfield Armory slides. **W/T** - .125" (3.18mm) wide width tenon.
#487-102-001DE #102N/T Sight Set 7H15A97... \$ 23.95
#487-104-003DE #104 N/T Sight Set, 7H21V98... 32.95
#487-104-053DE #104M/T Sight Set, 7H21V98... 32.95
#487-104-103DE #104W/T Sight Set, 7H21V98... 32.95

with fine-line serrations on the rear face angles backward from the top to help deflect the light for a clear, easy-to-acquire sight picture in all light conditions. Deep, square-cut notch further enhances sight picture; dog-ear cuts on top corners help reduce snagging during draw. Installation requires machining, drilling and tapping of slide.

SPECS: Steel, blued. Body - 1.435" (3.6cm). Blade - .765" (19mm) x .425" (11mm) with .110" (2.8mm) wide notch. Fits pistols with 60° x .359" x .100" rear sight dovetail.
#087-000-050DE Adjustable Rear Sight, 7H59Y45... \$ 73.00

NEW NOVAK 1911 AUTO X-MODEL REAR SIGHTS



Rugged, Fixed Combat Sights With Aggressive Low Profile; Four Styles Available

Fixed rear sight combines the low profile of Novak's popular Lo-Mount sights with a wide notch for fast sight alignment and easy target acquisition. A forward-canting, horizontal ridge on the front of the blade aids in one-handed slide racking and gives your pistol a uniquely aggressive appearance. Non-serrated, recessed rear face with .145" wide notch guides your eye quickly to the front sight. Rugged, precision-machined steel construction handles the rigors of tactical operations and daily carry. Smooth, rounded corners and beveled edges minimize risk of catching or snagging. Fits an existing Novak dovetail without alteration; Colt factory dovetail requires milling for proper fit. Available in four styles, all with non-glare matte black finish. **Plain Black (PB)** for a clean, traditional sight picture; **White Dot (WD)**, with a highly visible dot on each side of the rear notch; and two models with self-illuminating Tritium inserts. **Tritium Dot (TD)** has the same dot pattern as WD, and **Tritium Bar (TB)**, has a .145" long horizontal Tritium bar under the notch.

SPECS: Steel, matte black finish. Works with front sights .175" to .200" high. Fits standard Novak .495" x 65° dovetail.
#662-000-064DE PB X-Model Rear Sight, 2F35T96... \$ 44.95
#662-000-065DE WD X-Model Rear Sight, 2F38T36... 47.95
#662-000-066DE TD X-Model Rear Sight, 2F79T96... 99.95
#662-000-067DE TB X-Model Rear Sight, 2F79T96... 99.95

NEW NOVAK TAURUS 1911 X-MODEL TRITIUM SIGHTS



Clear, Fast Sight Picture In All Light Conditions; Low-Profile, No-Snag Shape

Low-profile, fixed sights for Taurus 1911 have Tritium inserts that glow in low light, so you can see the sights clearly under all conditions. Same height as original factory sights, and cut for drop-in fit to factory dovetails—no machining of slide required. Rear sight has two dots, one on each side of the notch; front sight has one dot. Wide notch in rear sight provides more light around the front sight for a clearer sight picture and faster target acquisition. White circles around the inserts further enhance visibility in daylight conditions, while rebated rear blade helps prevent glare in bright light. X-Model design with sloping top surface, rounded corners, and beveled edges that won't snag on clothing or holster—perfect for concealed-carry or tactical use. Purchase together to give your pistol an advanced three-dot night sight system or mix with other Novak sights to create a sight system customized to your shooting needs.

SPECS: Machined steel, matte black finish, with Tritium inserts. Fits Taurus 1911 pistols; minor fitting may be needed. **Front** - .610" (1.5cm) long, .125" (3.2mm) wide, .150" (3.8mm) high. **Rear** - .80" (2cm) long, .625" (1.6cm) wide, with .135" (3.4mm) wide notch.
#662-000-093DE Tritium Front Sight for Taurus 1911, 2F44B49... \$ 54.95
#662-000-092DE 2-Dot Tritium Rear Sight for Taurus 1911 2F80B49... 99.95

NEW For The Very Latest New Products Visit brownells.com

Orders/Tech: 800-741-0015

order on the web www.brownells.com

ASK ABOUT **OVERNIGHT** DELIVERY!

BROWNELLS ... ONLY THE BEST ... PAGE III

1911 AUTO

LATE NEW ARRIVALS

NEW

NOVAK 1911 AUTO FIBER OPTIC SIGHTS



Maximizes Available Light For Fast, Low-Light Sight Acquisition

Advanced light gathering properties of fiber optic rods make maximum use of

ambient light to provide a bright glow that stands out against dark backgrounds and puts you on target fast, even in low-light or high-stress situations. Drop-in replacements are the same height as your Taurus 1911's factory sights and fit factory dovetails—no machining required. Wide-notch rear sight has green inserts and radiused edges that won't snag on holster or clothing. Front sight has red insert. Sold separately, so you can mix with other Novak sights to create a custom sight system tailored to your shooting needs.

SPECS: Machined steel, matte black finish with fiber optic rods in red or green. **Front** - Red insert. Blade is .66" (1.7cm) long, .123" (3.1mm) wide, .150" (3.8mm) high. **Rear** - Green inserts. .76" (1.9cm) long, .625" (1.6cm) wide, with .135" (3.4mm) wide notch. Fits Taurus 1911 pistols; minor fitting may be required.

- #662-000-086DE Taurus 1911 F/O Front Sight, Red, 9L28H49 \$34.95
- #662-000-085DE Taurus 1911 F/O Rear Sight, Green, 9L44H49 54.95

NEW

PSI 1911 AUTO TTF ADJUSTABLE FIBER OPTIC SIGHT SET

Easy-To-See In All Light Conditions; Click Adjust For Windage & Elevation



Drop-in replacements for factory front and rear sights use true fiber optic technology to give the shooter maximum sight illumination for easy target acquisition in full daylight or low-light conditions. Three-dot system, with two green dots on the rear sight and red dot on the front, helps ensure a fast, accurate sight picture in competition or combat shooting. Rear sight click adjusts for windage and elevation using the handy adjustment tool or slotted screwdriver to turn the hardened steel adjustment screws. Bright, white index markings on the top of the sight aid in selecting accurate windage setting. Sleek, practical, low-profile design with chamfered and radiused edges won't snag on clothing or other gear. Precision machined to exact dimensions from solid steel billet for strength and durability. Designed for solid, secure fit in existing factory slide cuts to prevent movement and shifting of zero under recoil.

SPECS: Steel, matte blue finish. Set includes front and rear sights, adjustment tool, Allen wrench, spare fiber optic rods, and instructions. **TTF45CT** fits Colt 1911A1 with narrow-tenon (.051") front sight. **TTF80CT** fits Colt Series 70/80/90 pistols with wide-tenon (.125") front sight.

- #100-003-419DE TTF45CT Sight Set 3K56P50 \$4.85
- #100-003-420DE TTF80CT Sight Set 3K56P50 94.85

NEW

CALIFORNIA COMPWORKS 5/10 TOURNAMENT POUCH

Protects & Secures Magazines During Competition



Robust, 1000 denier Cordura® nylon pouch provides convenient storage for up to ten 1911 single-stack magazines or five double-stack magazines. Overlapping cover with hook-and-loop latch provides a tight seal to keep magazines clean and secure during tactical competition. High strength, double-stitched loop fits belts up to 2 1/4" wide. Mounts on either left- or right-hand side for easy access.

SPECS: 1000 denier Cordura nylon, black. 4 7/8" (11.7cm) long, 2" (5.1cm) wide, 4" (10.2cm) deep. 20 oz. (567g) wt. Fits belts up to 2 3/4" (6.9cm) wide.

- #151-000-031DE 5/10 Mag Pouch 1E17Y95 \$24.95

NEW

BURRIS FASTFIRE™ RED DOT REFLEX SIGHT



Shown with Picatinny/Weaver Mount

Fast, Precise Heads-Up Sighting; Ultra-Robust Design Handles Mounting On Slide

Extremely compact and lightweight, yet rugged, red dot sight provides fast, accurate, both-eyes-open sighting. Stainless steel and aluminum housing built to handle magnum shotgun allows slide mounting. Originally developed for military and law enforcement use, FastFire's panoramic field of view and unlimited eye relief simplify shooting with an unobstructed view of the area around the target for fast target acquisition and precise shot placement. Won't interfere with peripheral vision, so the operator can maintain better situational awareness. A high-intensity LED projects a 4 MOA red sighting dot on the heads-up display, while a light sensor and integrated control circuitry adjust the dot's brightness to the light around the target. Coated, dual-layer, optic-quality lens resists scratches and scuffs and is parallax-free to 50 yards. Mild, 1.07x magnification aids in acquiring long-range targets, without compromising close-in effectiveness. Set the point-of-impact with two flush-mounted screws that provide 3° (190" at 100 yards) windage and elevation adjustments using the included scale disc and adjustment tool. Low-profile control switch conveniently positioned on the left side resists accidental activation and has positive clicks for on/off positions. Powered by one 3-volt CR2032 lithium battery, included; up to 5-year battery life when used in Battery Saver mode. Comes with a mount that fits Picatinny and Weaver-style rails. For other installations, sight and mounts are available separately, listed below.

SPECS: Sight - Steel, aluminum, optic-grade glass. 1 1/4" (4.5cm) long, 1" (2.5cm) wide, 1" high. Includes snap-on cover, CR 2032 lithium battery, windage/elevation scale disc and adjustment tool, instructions. **Mounts** - Aluminum, matte black. Mounting screws included.

- #118-000-009DE FastFire Sight, only, 8A219X95 \$299.99
- #118-000-008DE FastFire Sight, w/Picatinny/Weaver Mount, 8A229X95 309.99
- #118-000-013DE 1911 Standard FastFire Mount, 8A41X00 59.00
- #118-000-014DE 1911 Novak FastFire Mount, 8A41X00 59.00
- #118-000-015DE 1911 Kimber/Bo-Mar FastFire Mount, 8A41X00 59.00
- #118-000-010DE Picatinny/Weaver FastFire Mount, 8A32X00 46.00

NEW

GEMTECH TACTICAL RETENTION LANYARD

Prevent Loss Of Sidearm In A Tactical Situation



Coil-cord lanyard keeps your weapon with you in the field. Fully adjustable belt loop plus a side release buckle that's easily removed with one hand. Loop easily attaches to the lanyard loop in the sidearm, including the small loop in SIG weapons. Lanyard has a breaking strength of approximately 85 pounds to prevent serious user injury if weapon becomes entangled. Can also be used on radios, hand-held power tools, cameras, etc.

SPECS: Nylon, polypropylene, plastic. NSN# 8465015225352 Length coiled - 22" (56cm), length extended - 55" (140cm). Black, Coyote (tan) or Army Foliage Green.

- #100-001-835DE Tactical Retention Lanyard, Black, 2A15B00 \$22.95
- #100-001-836DE Tactical Retention Lanyard, Coyote, 2A15B00 22.95
- #100-002-857DE Tactical Retention Lanyard, Green, 2A15Y00 22.95

NEW

PISTOL LEASH™ UNLIMITED HANDGUN LANYARD



For Positive Retention & Security

Lanyard coil secures your sidearm to your belt for worry-free retention during demanding tactical operations. Attaches to the lanyard opening with a metal S-clip that's spring loaded closed so it won't release unexpectedly. Tough, Cordura® loop wraps around belts up to 2 3/8" wide and uses an extra large, hook-and-loop attachment section for superior holding power. Can also be used to secure knives, cell phones, GPS units, radios, wallets, travel bags, and flashlights. Fits most handguns with lanyard opening; includes separate split ring for Sig Sauer® (optional for Glock®) installation.

SPECS: Rubber covered, copper, 5-strand wire, matte black or coyote tan. Stainless steel S-clip. Length coiled - 18 1/2" (47cm), length extended - 55" (140cm).

- #100-003-806DE Handgun Lanyard, Black, 9B19D95 \$29.95
- #100-003-807DE Handgun Lanyard, Coyote Tan, 9B19D95 29.95

NEW

BLADE-TECH 1911 AUTO IDPA COMPETITION PAK

Perfect For Practical Shooting Competition Or Daily Carry; IDPA Approved;



Convenient kit has the belt gear you need to get started in practical shooting competition, plus the versatility to serve for daily carry, too. The IDPA-approved, custom-fit belt holster is heat-molded to fit your gun model from strong, flexible Kydex® thermoplastic acrylic polyvinyl chloride sheet. With a tough outer surface highly resistant to abrasion, Kydex retains its shape in extreme environments, does not squeak, and is impervious to solvents and oils—perfect for a hard-working competition holster. Twin tension screws and rubber spacers let you set the right retention force to keep your gun securely holstered and still have smooth presentation. Adjustable Sting Ray belt attachment system pulls the gun closer to the body, aiding concealment and maintaining a consistent position for fast draw during competition. May be positioned in straight drop, grip forward (FBI cant), or muzzle forward positions. Install the injection-molded paddle attachment (screwdriver required) to convert to a compact, concealable configuration for daily carry. Wide, curved paddle conforms to body and has a lower profile for better concealment. Flared base adds stability and prevents unwanted rocking motion when worn with a belt. Allows the same three angles as belt mount configuration; fits belts between 1 1/4" and 2 1/4" wide. Tough, shock-resistant, injection molded polymer magazine pouch with adjustable belt loop holds two spare mags at the ready, in easy reach for fast reloads when fractions of a second count. Single screw adjusts friction fit to prevent magazines from rattling or falling out when running. Separate models for Govt/Commander and Officers Model.

SPECS: Holster - Kydex, black. Pouch & Paddle Attachment - Injection-molded polymer, black. All items fit belts up to 2 1/4" wide. For right-handed shooters only.

- #098-000-058DE Govt Model Competition Pak, 8K59A95 \$74.95
- #098-000-061DE Officers Model Competition Pak, 8K59B95 74.95

BrownellsBusinessAdvantage.com

NEW

BLACKHAWK INDUSTRIES 1911 AUTO CQC MAG POUCH



High Security & Fast Magazine Changes

Lightweight, high-strength polymer magazine holder with built-in tension spring holds your magazine firmly in place until it's needed. Compact for easy concealment, with a short profile that allows a hand-filling grasp of the exposed magazine for quick removal and fast magazine changes. One-piece, wrap around belt clip is spring-loaded to the closed position for worry-free retention. Molded polymer construction. Models for single- and double-stack 1911 type magazines or similar size. Available in black, coyote tan, and foliage green. Fits belts up to 2" (5.1cm) wide.

SPECS: Molded polymer, black, coyote tan, or foliage green; 1 1/8" (4.1cm) long, 1 1/8" (1.8cm) wide, 3 1/2" (8.7cm) high. Fits belts up to 2" (5.1cm) wide. Fits 1911 type magazines.

STK #	FITS	COLOR
#100-003-491DE	Single-Stack	Black
#100-003-494DE	Double-Stack	Black
#100-003-495DE	Single-Stack	Coyote Tan
#100-003-496DE	Double-Stack	Coyote Tan
#100-003-497DE	Single-Stack	Foliage Green
#100-003-498DE	Double-Stack	Foliage Green

— Advise # — Mag Pouch 8K16A00 \$20.99

NEW

SAFARILAND 1911 AUTO 6005 QUICK-DETACH LEG STRAP

Easy, Fast Attachment & Removal Of 6000-Series Tactical Holsters



Upgraded, replacement leg strap with quick-release buckle allows easy, fast attachment and removal of Safariland's 6000-series tactical holsters without having to remove duty belt. Secure, positive-locking buckle of tough molded-polymer has extra lock button that must be depressed as you squeeze the side prongs to release the buckle. Virtually eliminates the danger of accidentally opening the buckle and dropping the holster. Strap made of the same super-tough nylon webbing as the original strap that came with your holster.

SPECS: Molded polymer, nylon webbing, black. Approx. 14 1/2" (36.8cm) long. Fits Safariland leg-shroud holsters with T-shaped 3-hole screw pattern, including 6004, 6074, 6274, 6304, and 6305.

- #797-000-126DE 6005 QD Leg Strap 7G30Y63 \$37.00

NEW

SAFARILAND 1911 AUTO 77-53 DOUBLE MAGAZINE POUCH

Secure Magazine Retention & Protection From The Elements



Rugged pouch made of incredibly tough, abrasion-resistant synthetic material securely holds two spare magazines at the ready for fast tactical reloads. Individual snap-flaps lets you access one mag while leaving the other one secured in its compartment. Designed specifically for use with the Safariland 6004/6005 Tactical Thigh Holster system, but will fit any 2 1/4" belt. Injection-molded polymer and heat-fused polymer laminate construction provides snug fit, with adjustment screw for extra secure retention. Inside of pouch back and flaps is covered with a thin layer of Safari-Suede™ to protect magazine finish and absorb oils and lubricants. Tough STX Tactical™ exterior finish blends well with other tactical and duty gear, repels water, and resists scuffs and nicks, yet looks good through years of hard use.

SPECS: Polymer, black. Fits magazines for Colt 1911 Government Model, Commander, Officers, and clones including Kimber and AMT Hardballer. Also fits H&K P7/P7M8, Sig P220, and S&W 39/39 04/3906/4013/4053/439/639/909/CS9. Fits belts up to 2 1/4" wide.

- #797-000-124DE 77-53 Dbl Mag Pouch 7G30Y65 \$39.00

NEW HYSKORE
PISTOL RACKS


Space-Saving Designs,
Conveniently Organizes & Stores

Lightweight racks store multiple pistols separately and damage free, plus keeps them organized and ready for instant use. Provides space saving efficiency that makes use of limited storage areas, perfect for the inside of your gun safe. Holds semi-autos and revolvers of any barrel length. **3-Gun Modular Rack** is made from high-density, non-reactive foam to provide complete protection from bumps and dings. Easily supports the weight of three handguns, plus is resistant to lubricants and solvents. **7-Gun Stackable Rack** is constructed from heavy-duty, welded steel wire with gun friendly vinyl coating and rubber feet for stability. High strength design easily supports the weight of seven handguns. Stackable, one on top the other to maximize space, yet still allows easy access. Features a convenient shelf for magazines or ammunition storage. **9-Gun Carousel** is a convenient way to store up to nine handguns with the unique ability to rotate 360° for easy access. Features an attractive, simulated wood grain finish that makes a great display piece. Protective foam padding at all contact points; includes magazine storage between partitions.

SPECS: **3-Gun Modular Rack** - High density foam, black. 7½" (19cm) long, 8" (20cm) wide, 6" (15cm) high. **7-Gun Stackable Rack** - Steel frame, vinyl coated, grey. 14" (35.5cm) long, 4" (10cm) wide, 7½" high. **9-Gun Carousel** - Polymer coated base, black with simulated wood grain supports. 12½" (19cm) dia. x 8" high.
#100-003-773DE 3-Gun Modular Rack 7B11V95 . . . \$ 14.95
#100-003-775DE 7-Gun Stackable Rack 7B14V95 . . . 19.95
#100-003-774DE 9-Gun Carousel 7B44V95 59.95



3-Gun Modular



7-Gun Stackable



9-Gun Carousel

NEW BROWNELLS
ELECTRONIC
EAR MUFFS

Comfortable & Lightweight

Reduces harmful noise above 85 decibels to protect your hearing, but amplifies low level sounds to help you hear range commands. Individual volume controls and amplifier circuits provide stereo sound; built-in automatic shutoff circuit extends battery life. Extra-soft, Coolmax® headband absorbs perspiration. Input jacks with 3.5mm mini-jack let you play audio output from a radio, mobile phone, MP3 player, CD player, or other devices. Folds down for easy storage.
SPECS: Black. NRR 29 dB. Uses (6) AAA batteries, included. Minimum battery life 280 hours. Sounds do not exceed 85dB. 9.2 oz. (261g). Meets ANSI S3.19-1974 standards.
#080-000-546DE Electronic Ear Muffs 6G89D95 . . \$ 149.95



NEW BROWNELLS
PROTECTIVE EYEWEAR

Comfortable & Lightweight;
Impact-Resistant
Eye Protection



Impact-resistant, polycarbonate lens with a lightweight, composite, wrap-around frame provide unobstructed peripheral vision and reduced eye fatigue. Rubber coated temples along with a soft rubber nose piece allow comfortable, all day wear. Removable neck lanyard keeps the glasses handy and prevents loss when not being worn.
SPECS: Polymer composite frame; clear polycarbonate lens with rubber nose piece and rubber coated temples. Meets ANSI standard Z87.1 for impact-resistance. Includes neck lanyard.
#080-000-544DE Clear Glasses 6G09D95 \$ 13.99

NEW GLOKBLOK 1911 AUTO
THE 1911 BLOK

Frees Both Hands & Holds Pistol Securely In
Vise For Easy Cleaning & Maintenance

Solid, high-strength vise block slides into mag well and locks tight using the mag catch to hold your 1911 pistol securely for easy cleaning and maintenance. Keeps both hands free for detailed, precision work, and helps eliminate the chance of dropping the pistol and causing damage. Durable, injection-molded polymer composite construction won't mar or scratch gun and resists most common solvents. Fits Government Model, Commander, and Officers Model.
SPECS: Polymer, black. Stem - 4¼" (10.8cm) long.
#100-003-987DE 1911 Vise Block 6B29X95 \$ 39.95



PISTOL SHOOTER'S BAG - Smaller package that's compact, yet roomy and easy to carry. Central compartment has an adjustable divider that can be removed to store gear. Padded, pull-out pistol rug protects a full-size handgun from damage during transport. Other compartment offers generous storage for magazines. Strong, 2" wide nylon carry straps wrap around the entire bag for extra support. A leather trimmed, clear plastic I.D. window double-stitched on the front holds a business card or luggage I.D. tag.
SPECS: 1000 denier Cordura; plastic bottom insert; leather zipper pull-strap; brass zipper hardware. Dark brown. 12" (30.5cm) long, 6" (15.2cm) wide, 8" (20.3cm) high.
#084-000-306DE Pistol Shooter's Bag 4H59D95 . . . \$ 69.95



NEW ALPHA PRECISION 1911 AUTO
SLIDE TIGHTENING TOOLS

Tighten Slide-To-Frame
Tolerances Without
Over-Squeezing Or
Damage



Tools developed by noted pistolsmith Jim Stroh help you produce an exceptionally tight slide-to-frame fit for better accuracy without loss of clearance for reliable cycling. Eliminate accuracy robbing slide slop and uneven spots to produce a uniform slide/rail gap as small as .0005" on carbon steel guns. All components are precision machined from high-quality steel or aluminum barstock. **Slide Tightening Blocks** use the powerful mechanical advantage of your bench-mounted vise to produce controlled, incremental squeezing of the slide to tighten its fit to the frame. Lets you tighten a stainless steel slide to run on a stainless steel frame with as little as .001"-.002" clearance without risk of galling. Should be used with the **Slide Tightening Stop** to prevent overtightening and damage to the slide. Specially heat-treated aluminum alloy won't deform under pressure and won't mar the slide; kit includes two vise blocks and steel fulcrum rod. **Slide Tightening Stop** fits between the slide rails to set correct dimensions and prevent deformation of the slide while applying pressure with the Tightening Blocks. **Rail Gauge** - Use in conjunction with a caliper's depth-measuring feature or a depth micrometer to measure depth of frame rails for selecting a correct-size spacer bar for peening the rails to eliminate vertical slide movement.
SPECS: **Tightening Blocks** - Aluminum, 1" (2.5 cm) square, 3" (7.6cm) high. **Tightening Stop** - Steel, machined. Adjusts from .701" (17.9mm) to .852" (21.6mm) in width. **Rail Gauge** - Steel. 5⅞"(14.9cm) long, ⅜" (1.9cm) wide.
#012-101-000DE Slide Tightening Blocks 2A45Z00 . \$ 49.95
#012-101-001DE Slide Tightening Stop 2A64Z00 . . . 69.95
#012-100-093DE Rail Gauge 2A31Z00 34.95

NEW 1911 AUTO
FITTING & DEBURRING FILE SET

For Precise Fit & Function



Convenient set of five, round parallel files for deburring mag release hole, slide stop hole, and other frame pin holes to ensure precise fit and smooth function. Also use to fit, shape, and blend beavertail grip safety to frame. American-pattern, single-cut files ensure gradual, even metal removal to help you maintain precise dimensions. Indispensable for any accurizing job.
SPECS: Hardened cutting steel. Round parallel files with approximately 6½" (15.2cm) cutting surface, 2" (5.1cm) tang. Kit contains one each ⅜" (3.2mm), ⅝" (4mm), ⅞" (4.8mm), 1" (25.4mm), 1¼" (3.175cm) diameter.
#191-000-002DE 1911 File Set 1A16Y24 \$ 21.67

NEW EDMUND SCIENTIFIC
POCKET MICROSCOPE

Quick, Easy Inspection Of Any Surface



Handy, pocket size, 25X magnifier lets you see critical details of any work surface. Inspect hammer and sear surfaces for burrs, welds for cracks, etc. Lens system provides a sharp, clear image. Adjustable focus.
SPECS: Aluminum body, 5 ½" (14cm) long. 25 power.
#291-000-001DE Micro-Mike 1B00CHD \$ 24.75

NEW CLYMER 1911 AUTO
GO/NO-GO GAUGE SETS

Checks For Safe Chamber
Dimensions



Convenient kits contain "Go" and "No-Go" gauges for accurately checking chamber length to make sure it meets SAAMI specs. These gauges are essential tools for ensuring a tight, accurate, safe chamber when chambering a new barrel. Always have a set on hand to check for correct headspace before buying or firing a new gun. Comes in a handy, durable plastic carrying case. **SPECS:** Steel, precision machined to SAAMI specs. Each set contains one go gauge and one no-go gauge in a single caliber. Sets available in .45 ACP and 9mm Luger.
#184-000-041DE .45 ACP Gauge Kit 4H00AYT \$ 49.95
#184-000-042DE 9mm Luger Gauge Kit 4H00UAV . . . 49.95

NEW NIC INDUSTRIES
CERAKOTE™ CERAMIC COATINGS

Gives Maximum Protection



Provides a durable, corrosion-proof ceramic-based finish that resists scratching, chipping, and abrasive cleaning solvents. Hardener and paint chemically bond into an ultra-thin coating that applies onto almost any surface for a clean finish. Apply with your airbrush or HVLP touch-up gun for a smooth finish. **Oven Cure Kit** requires oven baking for 2 hours at 250° for optimal cure or 1 hour at 300° for quick cure. For heat-sensitive materials such as plastics, a 2 hour cure at 200° is adequate. **Oven Cure Refill** allows you to order more paint and hardened only. **Air Dry** requires no baking and is tack free in 40 minutes, completely dry in 24 hours, and is fully cured in 5 days.
SPECS: Kit includes 4 fl. oz. (118 ml) Cerakote, .17 fl. oz. (5ml) hardener, 3.4 fl. oz. (100 ml) graduated cylinder, (4) funnel filters, and instructions. **Refill** includes 4 fl. oz. Cerakote, .17 fl. oz. hardener, and instructions. **Air Dry** is premixed and includes 4 fl. oz. Cerakote and instructions. Finishes up to 6 handguns or 2 to 3 long guns.

OVEN CURE CERAKOTE

STOCK # KIT	STOCK # REFILL	COLOR
#100-003-743DE	#100-003-857DE	Graphite Black
#100-003-744DE	#100-003-861DE	O.D. Green
#100-003-747DE	#100-003-859DE	Sniper Gray
#100-003-745DE	#100-003-860DE	Coyote Tan
#100-003-746DE	#100-003-858DE	Stainless

- Advise # - Cerakote Oven Cure Kit 4N35Y96 . . . \$ 44.95
- Advise # - Cerakote Oven Cure Refill 4N24D95 . . . 31.95

AIR DRY CERAKOTE

STOCK #	COLOR	PRICE
#100-003-852DE	Graphite Black	4N24D95 \$ 31.95
#100-003-856DE	O.D. Green	4N24D95 \$ 31.95
#100-003-854DE	Sniper Gray	4N24D95 \$ 31.95
#100-003-855DE	Coyote Tan	4N24D95 \$ 31.95
#100-003-853DE	Stainless	4N24D95 \$ 31.95

NEW M1911A1 TECHNICAL DIAGRAM MANUAL

Eric A. Nicolaus. 98 pages. 8½" x 14". Softbound. Documents every original U.S. government blueprint for each individual component and subcomponent of the M1911A1 pistol. Original factory prints provide critical dimensions and in-depth manufacturing data. Cover and back are 10mil thick polypropylene for complete protection in the workshop. **#100-003-759DE M1911ADiagram Manual 7B24V95 \$ 29.95**



NEW BROWNELLS
SIGNATURE SERIES
SHOOTING BAG

Versatile, Holds All Your Gear
For Competition & Range
Work



We've incorporated many of the same great features of our original Signature Series Range Bag into a slightly smaller version and came up with the perfect shooting bag featuring bellow pockets, adjustable dividers, magazine pouches, six individual shotshell holders and much, much more. Constructed of long lasting, 1000 denier, Cordura® nylon with non-scratching, self-healing, YKK zippers and solid brass pulls. We added top-grain, leather straps to the zipper pulls to make opening and closing the "high-use" compartments easy when wearing shooting gloves. Adjustable shoulder strap is constructed of strong, 1½" wide nylon webbing and includes a comfortable pad lined with non-slip, suede leather. Quick detach, brass-plated swivel clips are spring loaded for extra security and ease of removal. Double-layered, ⅝" thick, corrugated bottom panels provide full support for heavy loads of ammunition, pistols, tools, and other shooting accessories, while retaining the original shape of the bag. Signature Series Shooting Bag is a full-featured bag designed to perform and built to last.
SPECS: 1000 denier Cordura nylon body; plastic bottom support inserts; leather zipper pull-straps; brass zipper hardware; brass-plated D-rings and swivel clips. Dark brown. 15" (38cm) long, 13" (33cm) wide, 9" (23cm) high.
#084-000-306DE Signature Series Shooting Bag, 4H99D95 \$ 124.95



HAVE A GUNSMITHING QUESTION



- “Anyone have a tip on how to fix my gun?”
- “Where can I get news about the gun industry?”
- “Where can I find jobs for gunsmiths?”
- “How do I find a gunsmith?”
- “Is there a source for gun industry events?”

Whether you’re looking for a gunsmith or are a working gunsmith or hobbyist, you’ll want to visit **Gunsmiths.com**, a website packed with great services provided by Brownells. Easily locate specialty gunsmiths, advertise your own shop, post or read gunsmithing articles, find shooting events all over the country, stay in touch with what’s going on in the industry, and much more. At **Gunsmiths.com**, we are dedicated to better gunsmithing.



Gunsmiths.com

DEDICATED TO BETTER GUNSMITHING



FIND TIPS TO REPAIR, CUSTOMIZE & MAINTAIN YOUR GUNS

Presented by our expert Gun Techs and product specialists, Brownells online videos are packed with invaluable information for the gunsmith, hobbyist, and shooter. View product demonstrations and installations, plus how-to videos for the latest new products, as well as your old favorites. Stay better informed about how to care for your firearms, their parts, and accessories. Watch our videos today at Brownells.com, and check back regularly to see what we’ve added.

Visit brownells.com

CASPIAN 1911 AUTO RECEIVER

Choose The Built-In Custom Features You Need; Save Time & Money

Build an outstanding, custom 1911 with one of these top-quality, single-stack receivers as the foundation. Models and features available to suit the needs of any custom 1911 project. Precision cast from 4140 carbon steel and fully CNC machined to tight tolerances. Heat treated to Rc 22-24 for optimum performance and durability. Oversize frame rails allow the gunsmith to achieve an exceptionally tight slide-to-frame fit for more consistent accuracy. Available with smooth front strap or with 20 lpi CNC machine-cut checking. Front strap on all models except Standard is undercut at the triggerguard to ensure the shooter an extra-secure, high-grip hold. **Standard** model offers a robust, economical foundation for a great, all-around shooter. **Race-Ready** features integral, flared magazine well for lightning fast magazine changes. Smooth contours and absence of unsightly seams give your pistol a streamlined look. A mainspring housing is included. **Recon** model has the strength and compactness that combat and action shooters require, with an integral accessory rail that accepts laser sights and tactical lights; mainspring housing not included. **Race-Ready Recon** model includes all the features of the Recon with the addition of an integral, flared, 360° magazine well for high speed reloads, and includes a mainspring housing.

SPECS: 4140 carbon steel, in-the-white. **Race-Ready** and **Race-Ready Recon** models include mainspring housing. Gunsmith fitting required. **FFL required for purchase.**

- #168-000-002DE **Standard Receiver 8F145A81** . . . \$ 182.26
- #168-000-003DE **Checked Std. Receiver, 8F213A45** 266.81
- #168-100-100DE **Race-Ready Receiver, 8F198T67** 234.68
- #168-100-110DE **Checked Race-Ready Receiver, 8F263T97** 312.97
- #168-000-004DE **Recon Receiver 8F208A00** 260.00
- #168-000-005DE **Checked Recon Receiver, 8F275A64** 344.55
- #168-000-006DE **Race-Ready Recon Receiver, 8F265A48** 331.85
- #168-000-007DE **Checked Race-Ready Recon Rec., 8F354A14** 442.68

CASPIAN 1911 AUTO HIGH CAPACITY RECEIVER KIT



Build Your Own, Custom, High Capacity Competition Pistol

Kit includes everything you need to convert an existing 1911 to a high capacity pistol—or build a new one

from the ground up with additional parts available separately. Receiver has integral plunger tube, squared trigger guard, and flared, 360° magazine well. Precision cast from 4140 carbon steel and fully CNC machined to tight tolerances for highly accurate rail specs and pin hole locations. Heat treated to Rc 22-24 for optimum performance and durability. Oversize frame rails allow the gunsmith to achieve a tight slide-to-frame fit. Grip safety, mainspring housing, magazine catch, and ambidextrous safety are CNC-machined from carbon steel castings. Gunsmith fitting required.

SPECS: 4140 carbon steel, in-the-white. Gunsmith fitting required. Kit includes receiver, ambidextrous safety, grip safety, magazine catch, trigger, mainspring housing, grip screws, and die-cut stick-on grips. **FFL required for purchase of receiver kit.**

- #168-000-008DE **High-Cap 1911 Receiver Kit, 8F350A00** \$ 455.00
- #168-000-053DE **High-Cap Grip Safety 8F28P70** 35.88
- #168-000-054DE **High-Cap Trigger 8F23P07** 28.84

CASPIAN 1911 AUTO SLIDES



Superb Strength & Precise Tolerance For The Ultimate Combat Pistol

Custom-quality slide from Caspian, ready to be fitted to the Government model frame of your choice. They start as high-quality forgings for extra strength, then are heat-treated to Rc 38-41 before machining for exceptional dimensional stability. Slides are polished, while the rest of the surface is bead-blasted for non-glare, matte finish. Deep-cut, forward-angled rear cocking serrations prevent slippage when racking, even with a wet hand. Available in 4340 carbon steel (**CS**) and 416 stainless steel (**SS**) with .45 ACP, .40 S&W, and 9mm breechfalls. Choose a slide without sight cuts (**NC**), or between two pre-cut dovetail options: a **Novak Standard Low Mount** or **Bo-Mar BMCS** rear cut, both coupled with a Novak front cut. All slides require the use of a 9mm/.38 Super firing pin.

SPECS: 4340 carbon steel, in-the-white or 416 stainless steel natural finish. Fits full-size Government model frame and 5" barrel. All Caspian slides require the use of a 9mm/.38 Super firing pin.

CARBON STEEL

.45 ACP	.40 S&W/10mm	9mm	SIGHT CUT	PRICE
#168-000-052DE	#168-000-051DE	#168-000-050DE	NC	8F166P57 \$ 208.21
#168-000-073DE	#168-000-069DE	#168-000-065DE	Novak	8F215T01 \$ 268.76
#168-000-071DE	#168-000-067DE	#168-000-063DE	Bo-Mar	8F225T50 \$ 281.88

STAINLESS STEEL

.45 ACP	.40 S&W/10mm	9mm	SIGHT CUT	PRICE
#168-000-074DE	#168-000-070DE	#168-000-066DE	Novak	8F235T76 \$ 294.70
#168-000-072DE	#168-000-068DE	#168-000-064DE	Bo-Mar	8F246T26 \$ 307.82

ESSEX ARMS 1911 AUTO SELECT RECEIVER



Most Often Requested Custom Features Saves Machine Time & Hand Fitting

High quality 1911A1 Government receivers (frames), with additional custom features that save you hours of work. Features an extra high front strap cut, beveled mag well and a .250" radius beavertail cut. Slide "way" tolerances are machined with slightly oversized dimensions for a more precise slide/frame fit. Investment cast from 4140 carbon or 416 stainless steel, each receiver is heat treated to increase hardness, then fully inspected to ensure consistent quality. Precision, CNC machined after heat treating so spacing and tolerances of slide "ways", frame holes, spring guides and recesses on each and every frame are identical. **Accessory Rail** model includes an integral rail ready to accept any laser sight or tactical light that uses a Picatinny or Weaver-style mount.


SPECS: Available as a stripped receiver only. **Blue:** 4140 steel, blue, heavy matte finish. **Stainless:** 416 stainless steel, heavy matte finish. All receivers will require gunsmith fitting. **FFL required for purchase.**

- #285-100-100DE **Blue Select Receiver, 5H147X33** \$ 197.35
- #285-300-100DE **Stainless Select Receiver, 5H161A33** 215.15
- #285-000-011DE **Blue Select Receiver w/Access. Rail, 5H192P54** 234.17
- #285-000-012DE **Stainless Select Receiver w/Access. Rail, 5H203P74** 245.53

- #168-000-055DE **High-Cap Ambi-Safety 8F23P07** 28.84
- #168-000-056DE **High-Cap Mag Catch 8F23P07** 28.84
- #168-000-057DE **High-Cap Die-Cut Grips 8F05P40** 6.75

ESSEX ARMS 1911 AUTO RECEIVER

From G.I. Restoration To Full House IPSC; Build The 1911 Auto That Meets Your Customer's Exact Needs



High quality reproductions of the famous 1911 A-1 Govt. and Commander receiver (frame), ready to fit and finish to fulfill your customer's individual needs and dreams. All receivers are investment cast from 4140 carbon or 416 stainless steel, heat treated for increased hardness and fully inspected to ensure consistent quality. Slide "ways", frame holes, spring guides and recesses are precision CNC machined after heat treating, so spacing and tolerances on each and every frame are identical to provide reliable fit and function. Slide "way" tolerances are machined to minimum G.I. specs to let the gunsmith achieve a tight, reliable fit with **most** slides.

SPECS: Furnished with plunger tube and .45 ACP ejector installed. **Blue:** 4140 steel, blue, heavy matte finish. **Parkerized:** 4140 steel. **Stainless:** 416 stainless steel, heavy matte finish. Commander is same as Govt. with shortened dust cover. All receivers will require gunsmith fitting. **FFL required for purchase.**

- #285-000-002DE **Blued Essex 1911 Auto Receiver, 5H114T00** \$ 152.00
- #285-000-003DE **Stainless Essex 1911 Auto Receiver, 5H128T67** 172.35
- #285-100-001DE **Parkerized Essex 1911 Auto Receiver, 5H120X00** 160.00
- #285-000-004DE **Blued Essex Commander Receiver, 5H114T00** 152.00

OVERSIZED 1911 AUTO RECEIVER - Frame rails are slightly oversized for a more precise slide/frame fit. Most slides will require only light lapping to achieve a tight "match" fit.

SPECS: Available as stripped receiver only - does not include plunger tube or ejector. **Blue:** 4140 steel, matte finish. **Stainless: (SS)** 416 stainless steel, matte finish. All receivers will require gunsmith fitting. **FFL required for purchase.**

- #285-100-150DE **Oversized Blue Essex 1911 Auto Receiver, 5H114X00** \$ 152.70
- #285-300-150DE **Oversized SS Essex 1911 Auto Receiver, 5H128A00** 170.70

ESSEX ARMS 1911 AUTO ENHANCED SLIDE



Ready to Build; For Competition & Carry

Round-top, G.I.-style slides, with many popular modifications already made, ready for fitting to competition and carry guns. Quality investment casting is heat treated, then CNC machined to maintain true, parallel, rail dimensions and prevent tolerance stacking. Features 60° forward angle, front and rear cocking serrations, plus lowered and flared ejection port. Accepts a .330" x 65°, dovetail, front sight and **BM-1 style** or **Novak** rear sight.

SPECS: 4140 steel, blue, matte finish, 416 stainless steel (**SS**), matte finish. Rc 35-40, .45 ACP or 9mm/.38 Super. **Govt** - 7 1/2" (19cm) long, accepts 5" barrels, **Commander** - 6 3/4" (17.14cm) long accepts 4 1/4" barrels.

- #285-150-100DE **Blue Govt .45 BM-1 Slide, 5H140A00** \$ 186.66
- #285-000-009DE **Blue Govt 9mm BM-1 Slide, 5H140P00** 186.00
- #285-000-001DE **SS Govt .45 BM-1 Slide 5H153T33** 191.66
- #285-000-005DE **Blue Comm .45 BM-1 Slide, 5H146T85** 194.45
- #285-000-006DE **Blue Govt .45 Novak Slide, 5H140T00** 186.66
- #285-000-010DE **Blue Govt 9mm Novak Slide, 5H140P00** 186.00
- #285-000-013DE **SS Govt .45 Novak Slide 5H147P96** 184.95
- #285-000-007DE **Blue Comm .45 Novak Slide, 5H140T00** 186.66

ESSEX ARMS 1911 AUTO SLIDE



Made To Original G.I. Specs

Round-top, G.I.-style slides will fit any 1911 Auto Government or Commander length frame. Leave as-is for that original "just issued" look, or customize to meet your customers' exact needs and desires. High quality, investment casting, CNC machined after heat treatment to maintain true, parallel, rail dimensions and prevent out-of-spec tolerance stacking. Features 60°, forward angle on rear cocking serrations and fully-machined front and rear sight cuts.

SPECS: 4140 steel, blue, matte finish. Rc 35-40, .45 ACP and 9mm/.38 Super. Narrow tenon front sight cut, .330" x 65° rear sight dovetail. **Govt** - 7" (19cm) long, accepts 5" barrels, 12 oz. (340 g) wt. **Commander** - 6 3/4" (17.14cm) long accepts 4 1/4" barrels, 11 oz. (312 g) wt.

- #285-150-001DE **Essex .45 Govt Slide, 5H106A67** \$ 142.25
- #285-000-008DE **Essex 9mm Govt Slide, 5H106P67** 142.25
- #285-150-250DE **Essex .45 Comm. Slide, 5H106A67** 142.25



KIMBER 1911 AUTO RIMFIRE TARGET CONVERSION KIT



Train With Economical .22 LR Ammo In Your Full-Size Pistol

Blowback-operated sub-caliber conversion unit lets you shoot

less expensive .22 LR ammunition in any mil-spec 1911 Government model, so you can afford to practice more. Preserves pistol's weight, balance, and overall feel to help you develop specific skills and "muscle memory" to shoot better with full-power ammo. Simply remove the factory slide and barrel, replace them with the conversion unit, and load up the included .22 magazine with premium-grade high-velocity ammunition. Manufactured to the same rigorous quality standards as Kimber's full-power 1911 pistols; slide is precision machined from aluminum billet, with wide front and rear cocking serrations and Kimber's tough, scratch-resistant, KimPro II™ finish. Comes with plain black target sights installed; rear sight is click adjustable for windage and elevation, with flat, finely serrated rear face and a square notch. Includes ramped, match-grade 5" barrel with a 1:16" left-hand twist and stainless steel match-grade bushing. Reinforced polymer 10-round magazine is designed for a secure fit in a standard .45 ACP mag well, and has an anti-tilt polymer follower to ensure smooth feeding of rounds. Slide does not lock open after last shot; pistol may be dry fired with kit installed.

SPECS: Aluminum slide, steel barrel, polymer magazine. Available with matte black or silver slide. Fits 1911 Govt model pistols chambered in .45 ACP with 4" or 5" non-ramped barrels and dimensional tolerances that meet U.S. Government specs, including Series 70 and 80 Colt pistols and clones. Requires high-velocity ammunition for proper operation.

- #387-000-045DE **Rimfire Target Conversion Kit, Black, 7H00UAV** \$ 314.00
- #387-000-046DE **Rimfire Target Conversion Kit, Silver, 7H00XCH** 314.00
- #387-000-047DE **Spare 10-Rd Rimfire Magazine, 7H19A95** 25.95

Selection • Service • Satisfaction

GUARANTEED



On The Cover: Springfield Armory, .45 ACP Custom built by Brownells Gun Tech, Tony Barnes.

- A** Custom steel rear sight by Brownells Gun Tech Tony Barnes.
- B** #207-871-410DE McCORMICK "EXTREME CONTROL" GRIP SAFETY See Page 13.
- C** #087-113-100DE ED BROWN FLAT BLANK MAINSPRING HOUSING (Custom 25 lpi.) See Page 19.
- D** #965-000-050DE WILSON COMBAT ELITETACTICAL MAGAZINE See Page 24.
- E** #080-831-004DE **BROWNELLS** ALLEN HEAD GRIP SCREWS See Page 34.
- F** #100-003-189DE VZ GRIPS G10 OPERATOR'S GRIPS See Page 34.
- G** #377-000-001DE GREIDER PRECISION LONG SOLID V-SERIES MATCHTRIGGER See Page 26.
- H** #160-119-210DE COLT RECOIL SPRING PLUG See Colt Factory Parts.
- I** #296-410-011DE EGW GUNSMITH FIT ANGLE BORED BUSHING See Page 7.
- J** #662-005-175DE NOVAK .175" TRITIUM DOVETAIL FRONT SIGHT See Page 38.
- K** #472-020-045DE KART PRECISION QALTY BARREL See Page 4.
- L** #965-414-000DE WILSON COMBAT BULLET PROOF™ SLIDE STOP See Page 9.
- M** #160-115-100DE COLT MAGAZINE CATCH See Colt Factory Parts.
- N** #087-145-890DE ED BROWN WIDE EXTENDED SAFETY See Page 11.

LES BAER CUSTOM FRAME



Precision Forged & Machined In The USA; Ready To Assemble With Custom Features

The only 1911 Auto frames available with true, custom features that save the pistolsmith time and expense when building his customer's favorite gun. Fully forged and are machined by CNC equipment to close, rigorous tolerances, fully finish-machined and ready to fit, then assemble. Available in chrome-moly **Steel**, in-the-white, or non-galling stainless steel (**SS**). All these single-stack frames come standard with the extra-high, front strap cut and beveled magazine well. Frame tangs on Standard (**Std**) model are in Commander length or, choose the Beavertail Cut (**B/T Cut**) model with a .250" radius cut that fits the S&A, Les Baer or Brown, beavertail grip safeties. Frames with the Beavertail Cut are also available with the front straps Checkered (**Chk**) in flawless, machine cut, 30 lpi checkering. **SPECS:** Steel, in-the-white, stainless steel (**SS**). Stripped, govt. length receiver only. Rails are .001" oversize to the Les Baer Slides and will require fitting (mtg. suggests light filling only). **FFL required for purchase.**

STOCK #	STYLE	MODEL	PRICE
#124-050-001DE	Steel	Standard	4B262H66 \$ 328.32
#124-050-010DE	Steel	B/T Cut	4B265D34 \$ 331.65
#124-050-011DE	Steel	B/T Cut/Chk	4B420D00 \$ 525.00
#124-050-111DE	SS	B/T Cut/Chk	4B490D67 \$ 593.45



STI 1911 AUTO SINGLE STACK RECEIVER



Precise Dimensions For A Match-Grade Fit That Gives Superb Accuracy

Fully machined single stack receiver is ready for the slide, barrel, and fire-control components of your choice to build a rugged, precision-shooting competition, combat, or carry pistol. Gives you the high quality of STI's 2011 competition frames in a traditional, all-metal package with the popular enhancements you expect on high-performance custom 1911s. Machined to precise tolerances from a high-quality 4140 carbon steel forging, then heat-treated to Rc 28-32 for exceptional wear resistance. Bead blasted to produce a smooth, non-reflective surface ready for the finish of your choice. Rails are cut slightly oversized, ready for honing to a tight, smooth, slop-free slide-to-frame fit to help ensure best accuracy. Holes for all pins and controls are precisely located, with a .250" tang radius to accommodate a beavertail grip safety. Available in two models, both with a standard dust cover. **Standard** model has a smooth, plain, front strap with a rounded, undercut triggerguard and a Wilson/Nowlin-style feed ramp. **Checkered** has a straight, rounded triggerguard, a standard ramp, and 30 lpi checkering on the front strap that helps you maintain a firm grip. **SPECS:** 4140 carbon steel, in-the-white. **FFL required for purchase.**

- #791-000-071DE Standard Receiver 1F170A00 . . . \$ 204.00
- #791-000-054DE Checkered Receiver 1F274Y95 . . . \$ 327.00

LES BAER CUSTOM 1911 AUTO SLIDE



Precision-Machined From Steel Bar Stock With The Custom Features You Need & Want

Bar stock slides with lowered ejection port, surface-ground flats and bead-blasted rounds. Available with rear only (R) or front and rear (DBL) serrations, and with or without (NS) sight cuts. Front sight cut accepts 65° x .330", dovetail front sights. Rear sight cuts accept the Bo-Mar (Bo-Mar) BMCS or the Novak (Novak) Low Mount Sight (.495") dovetail. Lengths listed in specs are nominal barrel lengths the slides will accept. **SPECS:** Chrome-moly steel, in-the-white (**CM**) or stainless steel (**SS**). .38 Super or .45 ACP (.45) breech face. Long, (L) 6", Government (G) 5", Commanche (**Cmch**) 4 1/4". All models require a .38 Super/9mm firing pin.

#124-055-451DE	CM .45 ACP G/Bo-Mar/Db1 Slide, 4B324Z00	\$ 405.05
#124-055-452DE	CM .45 G/Novak/Db1 Slide, 4B324Z00	405.05
#124-055-381DE	CM .38S G/Bo-Mar/Db1 Slide, 4B324D00	405.05
#124-055-382DE	CM .38S G/Novak/Db1 Slide, 4B324D00	405.05
#124-055-461DE	SS .45 G/Bo-Mar/Db1 Slide, 4B353Z35	441.65
#124-055-462DE	SS .45 G/Novak/Db1 Slide, 4B353Z35	441.65
#124-055-383DE	.38S G/NS/Db1 Slide 4B257D35	350.95
#124-055-453DE	CM .45 G/NS/Db1 Slide 4B257Z35	350.95
#124-056-453DE	CM .45 Cmch/NS/R 4B232Z00	310.75
#124-056-452DE	CM .45 Cmch/Novak/R 4B321Z35	408.50
#124-055-454DE	CM .45 L/Bo-Mar/Db1 Slide, 4B420Z00	525.05

STI 1911 AUTO 2011 MODULAR FRAME

Composite & Steel Frame Kit For Building Lightweight Pistols



Ready-to-build, high-tech, double stack frame can be fashioned into your customer's dream, competition or self-defense pistol. The 2011's modular grip frame is made from fiber-filled, nylon composite that's married to a CNC machined, 4140 steel upper, for the very best combination of durability, precision fit and lighter weight. Features: 20 lpi checkering on the front strap and triggerguard; heavy-duty dust cover for scope mounting; pre-contoured to accept aftermarket grip safeties with .250" radius; integral magazine well, oversized rails. Ready for gunsmith fitting. Frames are available in two models: **Standard** - Features a Govt. length dust cover. **Long/Wide** - Dust cover is approximately the same width and length as a Govt. length slide for increased weight. Both models are available either **Non-Ramp** - with standard, non-caliber-specific feed ramp or **Ramped** - pre-machined to accept the Nowlin/Wilson-style ramped barrels.

SPECS: Grip Frame - fiber-filled polymer composite, black. Upper Frame - 4140 steel, in-the-white, matte finish. Kit includes checkered, nylon mainspring housing and pin; titanium/composite trigger (long) and blued mag catch (complete). Frames accept most 1911 auto slide, barrel assemblies. **FFL required for purchase.**

- #791-250-010DE Std. Non-Ramp Frame 1F349D95 \$ 410.00
- #791-250-100DE Std. Ramped Frame 1F425D55 . . . \$ 481.56
- #791-251-001DE Long/Wide Non-Ramp Frame, 1F418D75 \$ 502.45
- #791-251-100DE Long/Wide Ramped Frame, 1F496D35 \$ 620.45

COLORED GRIP FRAME - Four colors permit personal matching of your gun and accessories. Replaces the standard black grip frame, attaches to your upper frame unit. Constructed from the same polymer composite material as the standard black frame. **SPECS:** Fiber-filled polymer composite. Includes frame and mainspring housing.

- #791-255-002DE Red Poly. Grip Frame 1G100D00 \$ 125.00
- #791-255-004DE Blue Poly. Grip Frame 1G100D00 . \$ 125.00
- #791-255-006DE Gray Poly. Grip Frame 1G100D00 . \$ 125.00
- #791-000-004DE Black Poly. Grip Frame 1G102Z81 . \$ 123.45


Shop

brownells.com

STI 1911 AUTO 2011 SLIDE & FRAME KIT

Pre-Fit For Accuracy

Full contact, slide rails matched to the nylon and steel composite grip frame for superior fit. All are non-ramped, double-stack with checkered front strap, triggerguard and mainspring housing, plus EDM-cut breech face, lowered and scalloped ejection port and rear cocking serrations. Includes composite/titanium match trigger and magazine catch. **.38 Super** has standard length dust cover and no sight cuts. **.40 S&W** and **.45 ACP** have long and wide dust cover; cut for Bo-Mar BMCS rear and 60°x.300" dovetail front sight.



SPESCS: Frame: 4130 steel, in-the-white. Fiber-filled polymer, black. **Slide:** 4140 steel, in-the-white. 7.5" (19cm) long. Accepts 5" barrel and collar style reverse plugs. **FFL required for purchase.**
#791-210-038DE .38 S Slide/Frame Kit 1F567H48 . \$ 681.00
#791-210-040DE .40 S&W Slide/Frame Kit 1F655H05786.00
#791-210-045DE .45 ACP Slide/Frame Kit 1F659H98 792.00

STI 1911 AUTO 2011 LONG SLIDE & FRAME



Stable Sighting Platform; Enhanced Recoil Reduction

6 inch Slide/Frame combination adds

3.5 oz. of forward weight to help reduce recoil and muzzle rise. Bar stock slide has full contact rails, lowered ejection port, matte finished top, front and rear cocking serrations and no sight cuts. Gunsmith fitting is required. Lightweight, nylon polymer, composite double stack grip frame is checkered for a secure grip with an undercut triggerguard.

SPESCS: Slide and rails, 4140 steel, in-the-white. Grip, fiber-filled nylon polymer. Frame includes nylon mainspring housing, titanium composite trigger and mag catch. Slide is 8 1/2" (21.5 cm) long, accepts 6" (15.2cm) long, Nowlin/Wilson ramped barrels. **Frame: FFL required for purchase.**

#791-113-038DE .38 S 2011 Long Slide 1G182B62 . \$ 219.35
#791-113-040DE .40 S&W 2011 Long Slide 1G220B00264.00
#791-113-045DE .45 ACP 2011 Long Slide 1G205X00 246.00
#791-114-000DE 2011 Long Frame 1F498X75 598.50

STI 1911 AUTO PRE-FIT SLIDE & FRAME COMBO

Precise, Match-Grade Fit For Superb Accuracy



Pre-fit combo eliminates one of the most tedious jobs

of building a top-quality pistol—getting a tight, smooth, slide-to-frame fit. Forged frame of 4140 carbon steel is precision machined and heat-treated to Rc 28-32, before mating with the slide fully machined from 4140 bar stock. Serial number of the frame is stamped inside the slide at the factory to make sure the two stay together. 30 lpi front strap checkering helps you maintain a firm grip, and tang is cut with a .250" radius for a beavertail grip safety. Slide has EDM wire cut breech face for precise angle, lowered and flared ejection port, and deep-cut, extra-wide rear cocking serrations. Choose a slide without sight cuts or with Bo-Mar BMCS or Novak rear, both with a 60° x .300" front sight dovetail. Accepts 5" non-ramped .45 ACP barrels.

SPESCS: 4140 carbon steel, in-the-white. For use with .45 ACP non-ramped, 5" barrels only. FFL required for purchase.
#791-000-069DE Combo w/o sight cuts 1F510U81 . \$ 613.00
#791-000-067DE Combo w/Bo-Mar cut 1F560U82 . . . 673.00
#791-000-068DE Combo w/Novak cut 1F560U00 . . . 673.00

STI 2011 SHORT BLOCK KIT

Pre-Fitted Slide, Frame & Barrel For Zero-Tolerance Fit



STI does the major component fitting, you add the fire control parts, sights and final finish. CNC machined slide has full contact, parallel rails that are carefully matched to the grip frame for superior fit and reliability. Air gauged, stainless steel, button-rifled bull barrel, with link, pin and slide stop is carefully fitted to ensure consistent lockup. Short chambered. Full-length recoil spring guide improves reliability. Double-stack frames feature Wilson/Nowlin ramp cut, checkered front strap, triggerguard and mainspring housing. Includes composite/titanium match trigger and complete magazine catch. Slides feature EDM-cut breech face, lowered, scalloped ejection port, front and rear cocking serrations. Includes 10-round magazine. **5.5 .38 Super Kit** - Supplied with installed, 5-port compensator blend to slide. Standard length dust cover on frame; classic slide with no sight cuts. **.40 S&W/.45 ACP Kit** - Long and wide dust cover on frame. Unique slide cut for Bo-Mar BMCS rear and 60° x .300" dovetail front sight.

SPESCS: Frame & Rails - 4130 steel, in-the-white, matte finish. **Grip** - Fiber-filled nylon polymer, black. **Slide** - 4140 steel, in-the-white, matte finish. 7.5" (19cm) long. **Barrel** - 416 Stainless Steel. **Compensator** - 3 top ports, 2 side ports. 2 3/8" (6cm) long. 2 3/8" (6cm) long. **FFL required for purchase.**

#791-000-001DE 5.5 .38S Short Block Kit, 1F1308Z71 \$ 1,565.81
#791-118-040DE .40 S&W Short Block Kit, 1F1177X18 1,450.95
#791-118-045DE .45 ACP Short Block Kit, 1F1177X18 1,412.50

NEW TACTICAL SOLUTIONS 1911 AUTO 2211 CONVERSION KIT



Hone Critical Shooting Skills Using Economical .22 LR Ammo

Complete .22 LR conversion system comes fully assembled and ready to install on your

1911 Government model or Commander to help you practice critical shooting skills with economical rimfire ammo. Concentrate on improving grip, sight alignment, trigger pull, breath control, and other skills without burning up expensive, full-power ammo. Simply remove the slide as if you're field stripping, and replace with the 2211 slide/barrel assembly and 10-round rimfire magazine. With the 2211 installed, the gun functions normally—the slide even locks open after the last round is fired. Precision machined entirely from high-grade steel to the same high standards of workmanship as a custom-quality competition pistol, with a lustrous, matte blue finish. Custom features include wide, crisply milled front and rear cocking serrations, 4 1/2" bull barrel with integral feed ramp, full-length steel guide rod, and a "flattop" sight rail with front and rear competition sights already installed. Champion rear target sight is fully click adjustable for windage and elevation, with an easy-to-acquire .110" wide square notch and flat, serrated rear face. Plain black front sight has glare-inhibiting serrations on front and rear faces. Lightweight milled aluminum 10-round magazine has flared baseplate to aid positive seating in oversized magwells; base removes easily for cleaning.

SPESCS: Slide/Barrel - Steel, blued, matte finish. Magazine - Aluminum, black. 7 1/4" (18.4cm) overall length. 23.1 oz. (655g) total weight. Fits centerfire single-stack 1911 Govt/Commander and clones chambered in .45 ACP, .40 S&W, .38 Super, and 9mm. Conversion kit's ejector may require fitting to ensure proper clearance of frame-mounted ejector on some pistols.
#100-003-848DE 2211 Conversion Kit, 8K00BXC \$ 425.95

STI 1911 AUTO 2011 BAR STOCK SLIDE



CNC Machined From Bar Stock With Most Wanted Custom Features

Ready-to-fit, premium-grade slides improve function, reliability and accuracy on any 1911 Auto. Precision CNC machined from solid 4140 steel bar stock, featuring an ultra-smooth breech face for improved feeding, a relieved and lowered ejection port, full-contact rails and a pre-smoothed barrel bore. Plus, it's machined for collar reverse plugs and all edges are radiused. **Classic Slides** feature relief cuts above the recoil spring plug housing and either rear (R) or front and rear (F/R) serrations. **Classic Flat Top Slides** feature a .400" wide, flat, sighting plane along the top of the slide. **Unique** slides are straight cut with 1/2 oz. more weight forward for better recoil control, and have rear cocking serrations only. All require gunsmith fitting. **SPESCS: 4140 steel, in the white. Semi-polished sides, matte finish top. 7 1/2" (19cm) long, accepts 5" barrels and collar reverse plugs. Available with no sight cuts (NC); or with a 60° x .300" x .060" front dovetail and Bo-Mar BMCS (BMC).**

CLASSIC SLIDES

STOCK #	CAL.	SIGHT	SERR.	PRICE
#791-201-038DE	.38S	NC	R	1G176C24 \$ 211.47
#791-201-040DE	.40 S&W	NC	R	1G176C25 \$ 211.49
#791-201-045DE	.45 ACP	NC	R	1G176C25 \$ 211.50
#791-202-038DE	.38S	BMC	R	1G226C24 \$ 271.49
#791-202-040DE	.40 S&W	BMC	R	1G226C24 \$ 271.49
#791-202-045DE	.45 ACP	BMC	R	1G226C25 \$ 271.50
#791-202-138DE	.38S	BMC	F/R	1G232C50 \$ 300.36
#791-202-140DE	.40 S&W	BMC	F/R	1G232C50 \$ 290.65
#791-202-145DE	.45 ACP	BMC	F/R	1G232C50 \$ 300.36

FLATTOP CLASSIC SLIDES

STOCK #	CAL.	SIGHT	SERR.	PRICE
#791-000-040DE	.38S	NC	R	1G226Y26 \$ 271.52
#791-000-041DE	.40 S&W	NC	R	1G226Y25 \$ 271.50
#791-000-042DE	.45 ACP	NC	R	1G226Y26 \$ 271.52
#791-000-043DE	.38S	BMC	R	1G276Y25 \$ 331.50
#791-000-044DE	.40 S&W	BMC	R	1G276Y25 \$ 331.48
#791-000-045DE	.45 ACP	BMC	R	1G288Y75 \$ 346.50
#791-000-046DE	.38S	NVC	R	1G276Y25 \$ 331.50
#791-000-047DE	.40 S&W	NVC	R	1G261Y24 \$ 313.49
#791-000-048DE	.45 ACP	NVC	R	1G276Y25 \$ 331.50

UNIQUE SLIDES

STOCK #	CAL.	SIGHT	SERR.	PRICE
#791-204-038DE	.38S	NC	R	1G176C25 \$ 211.47
#791-204-040DE	.40 S&W	NC	R	1G176C25 \$ 211.45
#791-204-045DE	.45 ACP	NC	R	1G176C24 \$ 211.47
#791-205-038DE	.38S	BMC	R	1G236C25 \$ 283.47
#791-205-040DE	.40 S&W	BMC	R	1G226H26 \$ 271.46
#791-205-045DE	.45 ACP	BMC	R	1G226H25 \$ 271.47

1911 AUTO SLIDE RACKERS

BRILEY - Retro-fits pistols equipped with Bo-Mar® low-mount sights. Other slides can be machined to accept. Fits down, into the slide for a clean look. Clears popular scopes and mounts. **SPESCS: Aluminum, black anodized.**

#129-400-001DE Cocking Sight, 9B30X00 \$ 375.00

G & B CUSTOM SLIDE RACKER - For right- or left-handed shooters; locks into dovetail with Allen head set screw. **SPESCS: Aluminum, black anodized.**



TJ'S CUSTOM FRAME SLOT BLANK

Fills Series 80 Frame Cutout

Fits in the firing pin block frame cuts, permitting Series 70 slides and components to be fitted to Series 80 frames. No alteration, drop-in fit. **SPESCS: Precision ground steel, in-the-white.**

#876-011-780DE Frame Slot Filler, each, 6GOODZA \$ 4.25



WILSON COMBAT CHECKERED FRONT STRAP



Fast, Easy, Grip Improver

Add the secure feel of a checkered front strap to any 1911 Auto in minutes. No filing, no alterations. Remove the grips, slip the Wilson Checkered Front Strap over the frame; replace grips. **SPESCS: 2" (5.1cm) long, .006" (.1524mm) thick steel.**

#965-100-001DE Blued Front Strap 5F08Z16 \$ 9.95
#965-100-002DE SS Front Strap 5F08Z16 9.95

BRILEY 1911 AUTO PRE-FIT BARREL & SPHERICAL BUSHING



Minimum Fitting Required For Match Accuracy

Matched components, with hood and lugs pre-cut, only minor fitting required for a true custom fit. Bottom feet are cut to lock up with a Wilson #3 link and pin. Includes Briley's Spherical Bushing with titanium-nitrided insert for better functioning.

SPESCS: Barrel - Stainless steel, 5" (12.7cm) long, .45 ACP Bushing - Stainless steel, gold, titanium nitride steel insert. Bushing O.D. : .698" (drop-in) or .703" (minor turning required).
#129-115-698DE Bbl with .698" Bushing 9B180H00 \$ 225.00
#129-115-703DE Bbl with .703" Bushing 9B180H00 . 225.00

BRILEY .45 BARREL & SPHERICAL BUSHING



Superb, Match-Grade Quality Stainless Steel; With Or Without A Pre-Fit Bushing

Chamber, lands and grooves are Electro-Cathode machined for closest tolerances and maximum accuracy. Precision bore is concentric with chamber and completely seals expanding gases behind the bullet for higher velocities with lower pressures. Exclusive **Spherical Bushing** with titanium nitrided insert fits perfectly to the barrel for less friction and increased accuracy. **SPESCS: Barrel** - Stainless steel, 5" (12.7cm) or 6" (15.2cm) long, .583" ± .001" O.D. ramped (R) or non-ramped (N/R). All are .45 ACP caliber. **Bushing** - Stainless steel, gold, titanium-nitrided steel insert, O.D. must be turned to fit slide. Barrels require gunsmith fitting. Ramped barrels require machining of frame. **#129-110-245DE 245 5" NR Bbl & Bshng 9B180Y00 \$ 225.00**
#129-110-145DE 145 5" R Bbl & Bushing 9B201Y42 . 251.78
#129-106-235DE 235 6" NR Bbl & Bshng 9B180Y00 . 225.00

SPESCS: Stainless steel or aluminum, matte, silver finish. Fits 60° x .359" dovetails. 1 1/2" (3.8cm) long, .318" (9.6mm) diameter.
#375-101-100DE SS Slide Racker, 5G28V00 \$ 35.00
#375-101-110DE Aluminum Slide Racker, 5G24V00 30.00



Custom Cylinder & Slide, .45 ACP
Courtesy of Cylinder & Slide, Inc.



- A** #662-255-046DE NOVAK LOW MOUNT WHITE DOT SIGHT See Page 39.
- B** #206-103-050DE CYLINDER & SLIDE TACTICAL MATCH TRIGGER PULL KIT See Page 16.
- C** #206-037-152DE CYLINDER & SLIDE AMBI HIGH GRIP THUMB SAFETY See Page 11.
- D** #087-868-000DE ED BROWN MEMORY GROOVE GRIP SAFETY See Page 12.
- E** #206-000-025DE CYLINDER & SLIDE SOLID ALUMINUM MATCH TRIGGER See Page 25.
- F** #087-928-450DE ED BROWN COMMANDER DROP-IN MATCH BARREL & BUSHING See Page 4.
- G** #654-263-004DE NOWLIN MFG. MAGAZINE RELEASE See Page 21.

**CLARK CUSTOM
MATCH-GRADE BARREL**



Superb Clark Accuracy In Both Ramped & Standard

Hardened, heat-treated and fully machined from long-wearing, solid billet, chrome-moly steel. (Jimmy's favorite for continuous, long-wearing accuracy from full power and mid-range ammo). These are the same barrels the Clarks use to build super accurate bullseye and full-house IPSC pistols for top shooters everywhere. **Ramped** models feature an extended, integral ramp that fully supports the case head to end head separations and bulged cases. Rounds feed directly onto the ramp, no frame-to-barrel gap for bullet noses to hang up on. **SPECS:** 4150 CM steel, blued, Rc 34-38. 6" (15.2cm) long can be

cut to fit most slide lengths. Available **Threaded** and **Plain**, **Ramped (R)** and **Non-Ramped (NR)**. Threaded .575"-40 tpi to a length of 2 1/2" from tip of muzzle to fit most cone-style compensators and bushings. Oversized hood, top lugs and bottom feet require gunsmith fitting.

STOCK # PLAIN	STOCK # THREADED	TYPE	CALIBER
#181-200-096DE	#181-211-109DE	R	9mm
#181-200-386DE	#181-211-138DE	R	.38 Super
#181-200-106DE	#181-211-110DE	R	10mm
NA	#181-211-140DE	R	.40 S&W
#181-200-456DE	#181-211-145DE	R	.45 ACP
#181-111-106DE	#181-211-045DE	N/R	.45 ACP

- Advise # - Clark 1911 Plain Barrel, 1H132T00 \$ 165.00
- Advise # - Clark 1911 Threaded Barrel, 1H140B00 175.00

**CLARK CUSTOM 1911 AUTO
DROP-IN COMP KIT**



Drop Right In & It's Ready To Work

No fitting or gunsmithing required to get the increased muzzle control and accuracy of Clark's dual-port compensators and match-grade barrel. Comp helps control recoil and muzzle flip for improved accuracy and a faster follow-up shot. Match-grade, button-rifled barrel and pre-fit bushing provide a close fit on most slides for increased accuracy, function and reliability. **SPECS:** Steel, blued. **Kit includes:** 5 1/2" (14cm) barrel, threaded .580"-40 tpi, .45 ACP; blued comp; barrel bushing; .278" c-to-c link and pin. Increases pistol length by 1 1/2" (3.8cm). Fully chambered. **#181-165-000DE .45 Comp Kit 1H216A58** \$ 276.25


**CLARK CUSTOM 1911 AUTO
.460 ROWLAND CONVERSION KIT**



Gives .44 Mag Power To The 1911 Auto

Button rifled, drop-in barrel chambered for the .460 Rowland cartridge, turns the 1911 into a high performance, hunting pistol. Fitted with a match grade bushing that fits most slides tightly for excellent accuracy. Dual port comp controls recoil and muzzle flip. Includes Wolff 24 lb. recoil spring, extra power firing pin spring, full-length guide rod and recoil plug. **STD** fits Colt and clones. **ENH** fits Colt Gold Cup and Enhanced models. **SPECS:** Barrel - Stainless steel 5 1/2" (14cm) long, Threaded .580"-40 tpi. Increases pistol length by 1 1/2" (3cm). **Blue (BL)** features blue finish Comp and recoil plug. **Stainless (SS)** features stainless steel Comp and recoil plug. 1 1/2" (3cm) long. May require minor fitting. Uses standard .45 ACP magazines. **NOTE: May not fit all frames and slides. Factory recommends installation only on Colt, Kimber, Springfield Armory, S&W, Dan Wesson, Essex and Caspian.**
#181-100-460DE BL STD .460 Conversion Kit, 1H255U67 \$ 319.58
#181-000-001DE BL ENH .460 Conversion Kit, 1H250X55 295.00
#181-000-003DE SS STD .460 Conversion Kit, 1H255X67 319.58
#181-000-004DE SS ENH .460 Conversion Kit, 1H250X55 295.00

**ED BROWN
DROP-IN MATCH BARREL & BUSHING**



Delivers Match-Grade Accuracy

CNC machined with slightly oversized dimensions for tighter barrel lockup and a "Match Quality" drop-in fit. Premium stainless steel bar stock is machined, heat treated and cryo stress relieved before final rifling to improve accuracy and barrel life. Precision, broach cut rifling gives outstanding accuracy with all bullet types, including lead. Complete kit includes pre-fit, match-grade barrel, bushing, link and pin for fast installation. May require minor fitting. **SPECS:** T-416 SS, Cut Rifled, Rc 38-42. 3.5" (8.89 cm), Commander (CO), 4.25" (10.8cm), Government Model (GM), 5" (12.7cm) long.

STOCK #	CALIBER	FITS	PRICE
#087-928-450DE	.45 ACP	CO	7H157T25 \$ 196.60
#087-925-450DE	.45 ACP	GM	7H157T25 \$ 196.60

**EFK FIRE DRAGON 1911 AUTO
PORTED PISTOL BARRELS**



Integral Comp Cuts Muzzle Flip

Stainless steel barrels offer drop-in fit and improved accuracy. Forward-angled comp ports direct muzzle blast away from shooter and reduce muzzle rise. Broached rifling and polished feed ramp handle both lead and jacketed bullets. Extends approximately one inch past front of slide. Includes bushing, link and pin, pre-fitted bushing. **SPECS:** 416 stainless steel, 6" (15.2cm) long. **#503-101-911DE 1911 Govt Barrel, .45 ACP, 3K166C67** \$ 205.00

**KART 1911 AUTO
PRECISION QUALITY BARREL**



Uncompromising Quality
For Added Performance & Better Accuracy

Forged from ordnance steel to strict, national match specs; rifled by a proprietary technique that holds lands and grooves to exceptionally close tolerances and leaves the surface finish mirror smooth. Air gauged to maintain .0002" tolerance through the bore. Feed ramps are throated for wadcutter ammo. **Standard Barrel** - Non-ramped, oversize hood, top and bottom lugs to achieve an exact fit for optimum match accuracy. **Ramped Barrel** - Fully supports the case head; gives direct feeding from magazine to chamber. **SPECS:** 4150 ordnance steel, in-the-white. Available in 5" (12.7cm), 6" (15.2cm), or Commander 4.25" (10.8cm) lengths. **Std** - Standard barrel, non-ramped. **W/N** - Wilson/Nowlin ramp. **C/P** - Clark/Para Ordnance ramp. Ramped barrels require machining of frame. Gunsmith fitting required.

5" 1911 AUTO BARREL			
STOCK #	CALIBER	TYPE	PRICE
#472-020-045DE	.45 ACP	Std	2G112A00 \$ 140.00
#472-000-002DE	.45 ACP	W/N	2G145U18 \$ 160.00
#472-000-004DE	.45 ACP	C/P	2G136U00 \$ 170.00
#472-000-006DE	.40 S&W	Std	2G145U18 \$ 160.00
#472-000-007DE	.40 S&W	W/N	2G144U00 \$ 180.00
#472-000-008DE	.40 S&W	C/P	2G152U00 \$ 190.00
#472-020-038DE	.38 Super	W/N	2G144A00 \$ 180.00
#472-020-138DE	.38 Super	C/P	2G152V00 \$ 190.00
#472-000-009DE	9mm	Std	2G145U18 \$ 160.00
#472-000-010DE	9mm	W/N	2G144U00 \$ 180.00
#472-000-011DE	9mm	C/P	2G152U00 \$ 190.00

6" 1911 AUTO BARREL			
STOCK #	CALIBER	TYPE	PRICE
#472-021-045DE	.45 ACP	Std	2G145V18 \$ 160.00
#472-000-003DE	.45 ACP	W/N	2G144U00 \$ 180.00
#472-000-005DE	.45 ACP	C/P	2G152U00 \$ 190.00
#472-021-038DE	.38 Super	W/N	2G152V00 \$ 190.00
#472-021-138DE	.38 Super	C/P	2G160V00 \$ 200.00

4.25" COMMANDER BARREL			
STOCK #	CALIBER	TYPE	PRICE
#472-000-013DE	.45 ACP	Std	2G145U18 \$ 160.00
#472-000-012DE	.40 S&W	Std	2G172U00 \$ 215.00

ASK ABOUT **OVERNIGHT** DELIVERY!

KART 1911 AUTO EASY FIT BARREL KIT



Achieve A Match Quality Barrel Installation Using Only Hand Tools

Install a precision quality barrel using just four small hand tools. The only fitting required is to adjust lockup with the two raised pads located on either side of the rear locking groove, cut the barrel hood to correct length and fit the bushing to the slide. A national match bushing is pre-fit to the barrel; has oversize O.D. for precise fitting to slide. Bottom lugs are fully finished and the correct length link installed to save hours of work. **SPECS:** 4150 ordnance steel. In-the-white. Available in 5" (12.7cm) or 6" (15.2cm) long. **(N/R)** Non-ramped. **(W/N)** Wilson/Nowlin ramp. **(C/P)** Clark/Para ramp. Ramped barrels require machining of frame. Requires gunsmith fitting. Includes instructions.

5" 1911 EASY FIT BARRELS

STOCK #	CALIBER	TYPE	PRICE
#472-001-045DE	.45 ACP	EZ fit N/R	2G148U13 \$ 185.00
#472-002-045DE	.45 ACP	EZ fit W/N	2G164U13 \$ 205.00
#472-003-045DE	.45 ACP	EZ fit C/P	2G172U00 \$ 215.00
#472-001-009DE	9mm	EZ fit N/R	2G164U13 \$ 205.00
#472-000-001DE	.38 Super	EZ fit N/R	2G164U13 \$ 205.00
#472-002-040DE	.40 S&W	EZ fit W/N	2G180U37 \$ 225.00
#472-003-040DE	.40 S&W	EZ fit C/P	2G188U13 \$ 235.00

6" 1911 EASY FIT BARRELS

STOCK #	CALIBER	TYPE	PRICE
#472-010-045DE	.45 ACP	EZ fit N/R	2G164A13 \$ 205.00
#472-010-009DE	9mm	EZ fit N/R	2G172A00 \$ 215.00
#472-011-045DE	.45 ACP	EZ fit W/N	2G180A37 \$ 225.00
#472-012-045DE	.45 ACP	EZ fit C/P	2G188A00 \$ 235.00

EASY FIT TOOL KIT - Includes barrel locating block, bench bushing, Swiss file and feeler gauge to help you do a precision job with Easy Fit barrels. Can be used to fit several barrels. **SPECS:** Steel bench bushing. Aluminum barrel fitting block. File - 6" (15.2cm) long, .172" (4.38mm) wide. File handle included. #472-015-000DE Easy Fit Tool Kit 2G35A20 \$ 44.00

NIGHTHAWK CUSTOM 1911 AUTO MATCH GRADE BARREL & BUSHING



Custom-Quality Set Ready For Fitting To Deliver Outstanding Accuracy

Premium-quality, .45 ACP barrel is precision machined from solid 416 stainless steel barstock to tolerances +/- .001" or less in critical areas. Heat treated to Rc 40-42 to maintain those dimensions, even under the battering of hard competition. These unramped barrels are broach rifled with a left-hand 1-16" twist. Some fitting required, so you can produce a tight, no-play fit for maximum accuracy from your gun. The match grade bushing is machined from the same premium-grade stainless steel, with I.D. and O.D. left slightly oversized to allow custom fitting to your barrel, further ensuring precise lockup and excellent accuracy. **SPECS:** 416 stainless steel. Rc 40-42. .45 ACP, 1-16" twist, left hand. Govt. - Barrel: 5" (12.7cm) long. Bushing: .829" long (21.1mm) long, .573" (14.6mm) I.D., .698" (17.7mm) O.D. **Commander** - 4 1/2" (10.8cm). Bushing: .515" (13.1mm) long, .573" I.D., .698" O.D. Gunsmith fitting required.

#100-003-275DE	Govt. Match Grade Barrel/Bushing, 2B151U96	\$ 189.95
#100-003-274DE	Comm. Match Grade Barrel/Bushing, 2B151U96	189.95

LES BAER CUSTOM 1911 AUTO MATCH GRADE BARREL



Cathode Discharge Machining Increases Accuracy

Mirror-like bore increases accuracy and boosts velocity with all bullet types plus, decreases fouling with lead bullets. **SPECS:** 4350 CM steel, in-the-white. Heat treated. .578" (14.1mm) O.D. .45 ACP Caliber. 5" (12.7cm) fits Govt. length slide. 6" (15.2cm) available with ramp **(R)** or plain **(P)**. Oversized, gunsmith fit, installation requires alterations to frame and slide. #124-011-045DE 5", .45 ACP Plain Bbl 4B129H75 . . \$ 165.55 #124-011-046DE 6", .45 ACP Plain Bbl 4B157H35 . . . 205.25 #124-011-146DE 6", .45 ACP Ramped Bbl 4B172H50 224.74

NOWLIN MFG. 1911 AUTO MATCH-GRADE ECM BARREL



Ultra-Smooth Rifling Gives Superb Accuracy

Triple heat treated, highest quality, super match-grade barrels deliver maximum accuracy. Groove and bore tolerances held to an amazing .0002" by Electro Cathode Machining. Rifling is ultra-smooth, uniform and precise. Unique, pre-cut design of the top lugs requires only minor fitting to achieve maximum lug engagement. Smoother bore boosts velocity with all barrel lengths. Angled fouling on the driving band increases gas seal for reduced fouling with all types of bullets, plus longer barrel life. Threaded barrels fit tapered sleeve or cone-style bushings and compensators only. Short chambered, requires reaming to achieve correct headspace. Reamer pilot diameters: 9mm/.38S - .3445"; 40 S&W, 10mm - .3895"; .45 ACP - .4405". **SPECS:** 416 Stainless steel, heat treated to Rc 40. 6" (15.2cm) long. .581" (14.7mm) O.D. All barrels are ramped. Available Plain or Threaded. .575"-40 to a length of 1.810" (4.5cm) from tip of muzzle to fit most cone-style compensators and bushings. Over-size hood and feet require gunsmith fitting.

PLAIN STOCK #	THREADED STOCK #	CALIBER
#654-603-109DE	#654-603-209DE	9mm
#654-603-138DE	#654-603-238DE	.38 Super
#654-603-923DE	NA	9x23mm
#654-604-140DE	NA	.40 S&W
#654-602-145DE	NA	.45 ACP
- Advise # - Plain Barrel 4E188D76		\$ 235.95
- Advise # - Threaded Barrel 4E222D63		278.28

NOWLIN MFG. 1911 AUTO ULTRA COMPACT E.C.M. BARREL



Improved Accuracy & Function For Sub-Compacts; Drop-In Fit

Improve the accuracy and the functioning capabilities of any Kimber Ultra Compact or Springfield Armory Micro semi-auto pistol by installing this match-grade barrel. Long-wearing and dependable because it's CNC-finished from a solid forging, then heat-treated. Barrel features the exclusive Nowlin ECM rifling that produces outstanding accuracy. Bull-style barrel uses the factory oversize bushing, includes pre-fit link and pin. Pre-fit external barrel dimensions at hood and feet require little to no additional gunsmithing; integral ramp will require machining of frame. **SPECS:** 416 stainless steel, heat-treated to Rc 40. 3.2" (8.1cm) long, .695" (17.65mm) O.D. at muzzle, chambered. .45 ACP Chamber may require finish reaming, check with headspace gauge before firing. #654-000-047DE Ultra Compact Barrel 4E222U63 \$ 278.28

NOWLIN MFG. PRE-FIT MATCH-GRADE ECM BARREL KIT



Pre-Fit Complete With Bushing, Link & Pin

The easiest way to install the superb performance of Nowlin's ECM Match-Grade Barrels in your 1911 Auto. Barrel Kit comes complete with a pre-fitted, stainless steel bushing, barrel link and pin with little-to no fitting required for installation. Barrels feature pre-fitted hood, top lugs and bottom feet that give a very close fit for increased accuracy in most 1911 Autos. Includes factory-standard link and hardened, oversize pin. Gold Cup has narrow, .385" width hood to fit Colt-style, Gold Cup, Enhanced and Flat Tops with narrow hood. Non-ramped, 5" long, .45 ACP only. **SPECS:** 416 stainless steel, heat treated to Rc 40. Barrel - 6" (15.2cm), 5" (12.7cm) or 4 1/4" (10.8cm) long. .581" (14.7mm) O.D. Available ramped or non-ramped in calibers listed. Bushing - .582" (14.8mm) I.D., .701" (17.8mm) O.D. Link - .278" c-to-c.

STK # RAMPED	STK # N-RAMPED	LENGTH	CALIBER
#654-358-109DE	#654-605-109DE	4 1/4"	9mm
#654-358-209DE	#654-606-109DE	5"	9mm
#654-358-009DE	#654-359-009DE	6"	9mm
#654-358-038DE	NA	6"	.38 Super
NA	#654-359-923DE	6"	9x23mm
#654-358-040DE	#654-359-040DE	6"	.40 S&W
#654-358-010DE	NA	6"	10 mm
#654-358-545DE	#654-359-545DE	5"	.45 ACP
NA	#654-359-645DE	6"	.45 ACP
- Advise # - Pre-Fit M/G Barrel Kit, 4E205Z29			\$ 256.62
#654-000-037DE	Gold Cup Barrel Kit 4E218A63		273.28

NOWLIN MFG. 1911 AUTO BULL BARREL



Improves Lockup, Reduces Recoil

Extra large diameter muzzle replaces the bushing for greater barrel/slide contact area and improved lockup. Ultra-smooth ECM rifling provides a precise bore that delivers exceptional accuracy and higher velocities. Pre-fit (PF) models include link and pin; feature fully fitted bottom feet and hood. Installation requires only minor fitting. Gunsmith-fit (GF) are oversize in all dimensions and will require fitting. Available Plain or with Nowlin/Wilson ramp. **SPECS:** 416 stainless steel, heat treated, Rc 40. 5" (12.7cm) long. .690" (17.71mm) O.D. Ramp barrel installation requires milling of frame.

STOCK # PF	STOCK # GF	CALIBER	RAMP
#654-610-145DE	#654-610-245DE	.45 ACP	Plain
#654-610-141DE	#654-610-241DE	.40 S&W	Nowlin/Wilson
- Advise # - Nowlin Bull Barrel, 4E222B63			\$ 278.28

Shop

1911 barrel

Search

brownells.com

STI 1911 AUTO BULL BARREL



Match Quality Heavy Barrels

Eliminates the barrel bushing for increased lockup area and improved accuracy. Machined from billet forging, button rifled and air gaged to ensure exact bore size and finish. Fully ramped with Wilson/Nowlin-style ramp for reliable feeding. Extra material at feed ramp, hood, locking lugs and muzzle allow precise fitting. Barrels are supplied with a generic short chamber which can be opened up to accept any of the popular pistol cartridges. **SPECS:** 416 stainless steel. Installation requires machining of frame. All have .697" (17.7mm) muzzle diameter. Available in 5" (12.7cm) and 6" (15.2cm) lengths.

#791-106-400DE	5" .400 Bull Barrel 1G145V01	\$ 174.00
#791-106-450DE	5" .450 Bull Barrel, 1G145B01	174.00
#791-106-135DE	6" .355 Bull Barrel, 1G152V51	183.00
#791-106-140DE	6" .400 Bull Barrel, 1G152V51	183.00
#791-106-145DE	6" .450 Bull Barrel, 1G152V51	183.00

STI 1911 AUTO ONE-PIECE S-2 COMP & BARREL



Minimum Recoil & Muzzle Flip; Suberb Accuracy

Non-threaded, matched combo effectively controls muzzle flip from high pressure 9mm ammunition while adding match-grade accuracy. First chamber has a 15° forward wall to increase lockup time. .932" wide comp provides clean, precise fitting to slide. Stainless steel, button rifled, bull barrel machined from a billet forging, then air gaged to ensure exact bore size and finish. Eliminates the barrel bushing for increased lockup area and improved accuracy. Fully ramped with Wilson/Nowlin-style ramp for reliable feeding. Extra material at feed ramp, hood, locking lugs and muzzle allow precise fitting. Supplied with a generic, short chamber which can be opened up to accept any of the popular pistol cartridges. **SPECS:** 416 stainless steel. Barrel - 5.4" (13.7cm) long, .697" (17.7mm) muzzle diameter. Installation requires machining of frame. Available in 9mm only.

#791-000-052DE	.355" One-Piece Comp Barrel, 1G262Y50	\$ 315.00
----------------	---	-----------

SCHUEMANN 1911 AUTO .355" THREADED HYBRID BARREL




Dual System For Maximum Recoil Reduction

Significantly reduces muzzle rise and recoil when combined with conventional compensators. Four integral comp ports exhaust high pressure gases. Short chambered, easily lengthened to accept any .355" pistol cartridge. Use 1-32 twist rate for 135 grain or lighter bullets. 1-16 twist for heavy bullets. **SPECS:** 416 stainless steel, matte finish. Heat treated to Rc 40-42. 5.375" (13.6cm) long. Threaded .685"-40. Requires machining of slide and frame. Short chambered, lengthen with finish reamer. Wilson/Nowlin **(W/N)** and Clark/Para **(C/P)** ramps.

#836-011-160DE	1-16 W/N Ramp 3D314V67	\$ 393.34
#836-011-161DE	1-16 C/P Ramp 3D314V67	393.34
#836-011-320DE	1-32 W/N Ramp 3D314V67	393.34
#836-011-321DE	1-32 C/P Ramp 3D314V67	393.34



Caspian, .38 Super Custom built by Brownells Gun Tech, Mike Watkins.



- A** #466-001-038DE MILLENNIUM CUSTOM .38 SUPER COMPETITION EXTRACTOR See Page 10.
- B** #168-000-008DE CASPIAN HIGH CAPACITY RECEIVER KIT See Page 1.
- C** #296-000-076DE EGW MAGAZINE WELL See Page 20.
- D** #181-117-105DE CLARK CUSTOM RECOIL SPRING GUIDE/REVERSE PLUG See Page 13.
- E** #296-114-101DE EGW HYBRID-STYLE SEVEN CHAMBER COMPENSATOR See Page 8.
- F** #168-000-050DE CASPIAN SLIDE WITH 9mm BREECHFACE See Page 1.
- G** #836-011-160DE SCHUEMANN 1-16 TWIST .355" THREADED HYBRID BARREL See Page 5.

**SCHUEMANN 1911 AUTO
ULTIMATE BULL BARREL**



Integral Cone Increases Lockup & Accuracy

Heavy, bull-style barrel puts extra weight at the muzzle plus increases lockup area for improved accuracy and control. Precision machined on an eleven axis, CNC machining center for outstanding adherence to specification and tolerances - each and every barrel is accurate and uniform. Integral ramp helps support the round and improves reliable chambering. Available pre-threaded and short-chambered to save the pistolsmith time and inventory dollars; chamber can be finish-reamed to any appropriate semi-auto cartridge. **USA**
SPECS: Stainless steel, .693" (17.6mm) diameter. **Bore dia.:** 9mm/.38-.3550", .40-.400", .45-.4500". Available **Plain** - 5" (12.8cm) long or **Threaded** - 5 3/8" (13.6cm) long. Threaded .685"-40 tpi to a length of .4" (10.2mm). Short chamber requires reaming to achieve correct headspace. Installation requires machining of frame.

THREADED BULL BARRELS - Wilson/Nowlin Ramp			
STK # 9MM/.38	STK # .40	STK # .45	PRICE
#836-200-509DE	#836-200-540DE	NA	3D240B00 \$ 300.00
THREADED BULL BARRELS - Clark/Para-Ordnance Ramp			
#836-250-509DE	#836-250-540DE	NA	3D240B00 \$ 300.00
PLAIN BULL BARRELS - Wilson/Nowlin Ramp			
#836-300-509DE	#836-300-540DE	#836-300-545DE	3D224X00 \$ 280.00
PLAIN BULL BARRELS - Clark/Para-Ordnance Ramp			
#836-350-509DE	#836-350-540DE	#836-350-545DE	3D224X00 \$ 280.00

**STORM LAKE 1911 AUTO
PRE-FIT BARREL KIT**



Complete, Ready-To-Install With Little To No Fitting Required

Save time and gain accuracy when re-barreling Government or Commander 1911 Autos. Includes stainless steel, match-grade barrel complete with prefitted bushing, link and pin that makes building an accurate pistol faster and easier. Little to no gunsmithing for most 1911 Auto slides. **USA**

SPECS: Stainless steel barrel, bushing, link and pin. .45 ACP or 40 Cal. Govt. and Gold Cup, 5" (12.7cm) long. Commander, 4 1/4" (10.8cm) lg. **STD** fits 1911 Auto.

STOCK #	STD	FITS	LENGTH	PRICE
#842-100-045DE	STD	Govt	5"	2D130C00 \$ 190.00
#842-100-244DE	STD	Comm	4.25"	2D130C00 \$ 190.00
#842-100-345DE	STD	Officers	3.75"	2D130C00 \$ 190.00
#842-000-032DE	.40 Cal.	Comm.	4.25"	2D130B00 \$ 190.00

**STORM LAKE 1911 AUTO
PRE-FIT BULL BARREL**



Flared Muzzle Eliminates The Barrel Bushing

Drop-in, government-length bull barrel eliminates the need for a bushing and adds weight at the muzzle for additional recoil control. Made of stainless steel and held to tolerances within .001" in the critical areas to ensure accuracy. Heat treated after machining to Rc 40-42 hardness for strength and durability. Features cut broach rifling for superb accuracy

**WILSON COMBAT 1911 AUTO
DROP-IN BARREL & BUSHING**



Pre-Fit, No-Gunsmithing Installation Increases Accuracy

Drops right into most .45 ACP, 1911 Auto slides without fitting. You get the increased accuracy of Wilson's forged, button rifled barrels and machined bushings without gunsmithing or custom fitting. Barrel hood must be narrowed for installation on Colt "Enhanced" and Gold Cup. **USA**

SPECS: Stainless steel, .45 ACP, 5" (12.7cm) long. Includes bushing and installation instructions.

#965-033-645DE Drop-In Bbl & Bushing 5F161P46 \$ 189.95

**WILSON COMBAT 1911 AUTO
MATCH BARREL/BUSHING SET**



Stainless Steel - Match-Grade Bushing Included

Made from a one-piece, 17-4 stainless forging, beautifully finished inside and out to help you achieve the finest in accuracy. Matching stainless steel bushing supplied. Barrel and bushing are left slightly oversized at lockup areas to allow precise final fitting. Chamber is fully cut. Rc 38-42. **USA**

SPECS: Machined 17-4 stainless steel, heat treated Rc 38-40. Non-ramped, fits 1911 Auto. Available in 3 1/2" (8.8cm) Officers ACP, 4.25" (10.7cm) Commander, and 5" (12.7cm) Govt./Gold Cup.

STOCK #	LENGTH	CALIBER	PRICE
#965-033-345DE	3 1/2"	.45 ACP	5F169P96 \$ 199.95
#965-033-445DE	4 1/4"	.45 ACP	5F169P96 \$ 199.95
#965-033-545DE	5"	.45 ACP	5F169P96 \$ 199.95

6" MATCH BARREL/BUSHING SET - Made from a one-piece, 17-4 stainless forging. Barrel and bushing are left slightly oversized at lockup areas to allow precise final fitting. 6" barrel features Wilson/Nowlin ramp to fully support .38 Super rounds.

SPECS: Machined 17-4 stainless steel, heat-treated to Rc 40. 6" barrel length. Includes bushing. Chambered for .38 Super. Requires machining of frame and gunsmith fitting.

#965-000-032DE 6" Match Barrel/Bushing Set, 5F126C96 \$ 219.95



**CLARK CUSTOM 1911 AUTO
BARREL BUSHING**

Improve Accuracy, Eliminate Excess Play

Two sizes: **Standard** fits most barrels with only minor polishing/fitting; **Oversize** especially made to give you enough metal to custom-fit it to a barrel that is undersized due to wear, G.I. barrel, etc. Fully machined. Favorite bushing of experienced pistolsmiths. Requires gunsmith fitting. **USA**

SPECS: .875" (22.22mm) long, .714" (18.13mm) O.D. **Std** - .575" (14.55mm) I.D., **Oversize** - .553" (14.05mm) I.D. Blued steel.

#181-001-145DE Std Barrel Bushing 1H14Y00 \$ 20.00
 #181-001-045DE Oversize Barrel Bushing, 1H14Y00 20.00

.45 ACP model is non-ramped; .38 Super has Wilson/Nowlin ramp for full case support and reliable feeding. **USA**
SPECS: 416 stainless steel. 1-16 twist, left-hand. 5" (12.7cm) long. .700" O.D. at muzzle.

#842-000-001DE .45 ACP Pre-Fit Bull Barrel, 2D118V95 \$ 160.00
 #842-000-025DE .38 Super Pre-Fit Bull Barrel, 2D124B95 160.00

Shop brownells.com

BRILEY SPHERICAL BUSHING

Maximum Accuracy;
Drop-In Convenience



Separate, ultra-hard, spherical, internal ring pivots on its horizontal axis inside the unique, precision-machined bushing. Absolutely prevents barrel spring. Provides the easiest, longest wearing, closest fitting barrel bushing setup available. Models available to fit full-size Government or Commander pistols, in two configurations: **Drop-in Bushing/Ring** requires no fitting on the O.D. **Oversized Bushing/Ring** has an oversized skirt that requires turning to fit most slides. I.D.'s of Govt. Oversize Bushing skirts are threaded to accept the exclusive **Briley Bushing Mandrel** that makes turning the O.D. in a lathe simple and fast. Comm. Oversize Bushings are not threaded for use with the mandrel. **SPECS:** Bushing - 17-4 stainless steel. **Ring** - 17-4 stainless steel, titanium nitrided to Rc 60. Drop-in - .698" (17mm) O.D. **Oversized** - .703" (17.8mm) O.D. **Bushing Mandrel** - Stainless steel, 2" (5cm) long. To select correct bushing, measure barrel O.D. and select **Bushing/Ring** .001" larger than barrel O.D.

DROP-IN BUSHING & RING		
STK # GOVT	STK # COMM.	SIZE
#129-100-578DE	#129-000-250DE	.578"
#129-100-579DE	#129-000-251DE	.579"
#129-100-580DE	#129-000-252DE	.580"
#129-100-581DE	#129-000-253DE	.581"
#129-100-582DE	#129-000-254DE	.582"
#129-100-583DE	#129-000-255DE	.583"

— Advise # — Drop-in Bushing 9B47A14 \$ 58.93

OVERSIZED BUSHING & RING		
STK # GOVT	STK # COMM.	SIZE
#129-101-578DE	#129-000-244DE	.578"
#129-101-579DE	#129-000-245DE	.579"
#129-101-580DE	#129-000-246DE	.580"
#129-101-581DE	#129-000-247DE	.581"
#129-101-582DE	#129-000-248DE	.582"
#129-101-583DE	#129-000-249DE	.583"

— Advise # — Oversized Bushing, 9B47A14 \$ 58.93

#129-200-000DE Bushing Mandrel 9B13Z84 17.30

SPHERICAL RING ONLY		
#129-150-578DE .578"	#129-150-579DE .579"	#129-150-580DE .580"
#129-150-581DE .581"	#129-150-582DE .582"	

— Advise # — Spherical Ring, only 9B21D42 \$ 26.78

ED BROWN 1911 AUTO SOLID BARREL BUSHING

Long-Wearing,
Solid Steel Increases Accuracy



Machined, steel, barrel bushings provide a tight, slide to barrel fit; available in both Government and Commander. Heat treated and hardened for outstanding durability. **Drop-In** - Close, drop-in fit on Colt slides. Requires no fitting with Ed Brown Barrel and Colt slides. Other brands may require minor fitting. **Oversize** - Requires turning of O.D., and reaming of I.D., to achieve a true match fit. Commander available in **Drop-In, Stainless Steel** only. **SPECS:** Steel, blue or stainless steel (SS), silver, matte finish. **Drop-In (DI)** - .581" (14.6mm) I.D., .699" (17.7mm) O.D. **Oversize (OS)** - .575" (14.6mm) I.D., .705" (17.9mm) O.D. Commander available in **Drop-In, (SS)** only.

GOVT.			
STOCK # DI	STOCK # OS	FINISH	PRICE
#087-045-832DE	#087-046-832DE	Blue	7H16D11 \$ 20.15
#087-045-833DE	#087-046-833DE	SS	7H16D96 \$ 21.20
#087-000-021DE	Commander Barrel Bushing, 7H16D96		\$ 21.20

EGW ANGLE BORED BUSHING

Pre-Machined With The Proper Lockup Angle



Less time-consuming fitting because the proper lockup angle is pre-machined right into the bushing. **Pre-Fit** requires only minor fitting for installation onto Colt factory barrels. **Gunsmith Fit** requires fitting of both dimensions. **SPECS:** 416 stainless steel, silver or chrome-moly steel, blued. **Pre-Fit (P/F)** - .702" (17.8mm) O.D., .579" (14.7mm) I.D. **Gunsmith Fit (G/F)** - .702" O.D., .574" (14.6mm) I.D. Govt. (Govt.) or Commander (Comm.) length.

STOCK # BLUE	STOCK # SS	MODEL	LENGTH
#296-410-010DE	#296-410-110DE	P/F	Govt.
#296-410-020DE	#296-410-120DE	P/F	Comm.
#296-410-011DE	#296-410-111DE	G/F	Govt.
#296-410-021DE	#296-410-121DE	G/F	Comm.

— Advise # — WCPI Blue Bushing 6B16Z00 \$ 21.00
— Advise # — WCPI SS Bushing 6B16Z00 21.00

OVERSIZED 1911 BARREL BUSHINGS - Slightly oversize, machined bushings for Government Model 1911's take less time to fit because the proper lockup angle is pre-machined right into the bushing. Gunsmith fitting required. Available in **Blue or Stainless Steel**.

SPECS: 416 Stainless steel, silver or chrome-moly steel, blued. **.703"** (17.8mm) O.D., .574" (14.5mm) I.D. **.705"** (17.9mm) O.D., .563" (14.3mm) I.D.

STK # BLUE	SIZE	STK # SS	SIZE
#296-000-082DE	.703	#296-000-083DE	.703
#296-000-084DE	.705	#296-000-085DE	.705

— Advise # — BO/S Blue or SS Bushing 6B16D00. \$ 20.00

ANGLED BORED BUSHING WITH CARRY BEVEL - Beveled flange looks right on "melted" guns. Bored at an angle to prevent barrel bind for smooth cycling. Provides a snug drop-in between barrel and bushing.

SPECS: Stainless steel. .580" (14.7mm) I.D., .70" (17.8mm) O.D. **#296-000-066DE** Carry Bevel Bshing, Govt 6B16D00 \$ 21.00 **#296-000-067DE** Carry Bevel Bshing, Comm 6B16D00 21.00

EGW 1911 AUTO "MELT" BUSHING

Gives Slide A Finished Look



Large flange eliminates the sharp edges and step of conventional bushings. **1911** fits Govt.; **Comm.** fits Commander; **Off.** fits Officers ACP.

SPECS: Machined, **Blue, matte finish** or stainless steel (**SS**). Has .575" (14.6mm) I.D. and .702" (17.8mm) O.D. Flange is .930" (23.6mm) outside dia. May require gunsmith fitting.

STOCK # BLUE	STOCK # SS	FITS	PRICE
#296-012-100DE	#296-012-101DE	1911	6B18Z00 \$ 22.50
#296-012-104DE	#296-012-105DE	Comm.	6B18Z00 \$ 22.50
#296-012-103DE	#296-012-102DE	Off.	6B18Z00 \$ 22.50

MELT BUSHING WRENCH - Machined Delrin®. **#296-000-001DE** Melt Bushing Wrench 6B04U00 ... \$ 5.00

KART 1911 AUTO NATIONAL MATCH BUSHING

Slightly Oversize For Custom Fitting



Designed for a tight, exact fit to the barrel and slide to ensure superb accuracy. Slightly oversize O.D. and I.D. allow for custom turning of exterior and reaming of interior for precision fitting to your gun's specific slide and barrel combination. Bottom lugs are fully finished to save hours of work. Made of extra-hard ordnance steel for superb dimensional stability and wear resistance, even on hard-running competition guns. Gunsmith fitting required. **SPECS:** 4150 ordnance steel, in-the-white. .856" (21.74mm) long, .703" (17.86mm) O.D., .575" (14.61mm) I.D. **#472-000-014DE** National Match Bushing 2G12U00. \$ 15.00

MGW 1911 AUTO BUSHING

Drop-In Or Oversized;
4340 Or Stainless



Installs in 1911 Autos with little to no fitting. **Drop-In** model fits snug in most slides, accepts standard barrels with no reaming. **Oversize** model has smaller I.D. that can be fitted to exactly match the barrel. **SPECS:** .701" (17.8mm) O.D. 4340 CM or 416 Stainless steel. **Drop-In:** .580" (14.7mm) I.D. **Oversize:** .575" (14.6mm) I.D.

STOCK # DROP-IN	STOCK # OVERSIZE	STEEL
#584-579-434DE	#584-571-434DE	4340
#584-579-416DE	#584-571-416DE	Stainless

— Advise # — 1911 Auto Bushing 4H11V48 \$ 15.49

NIGHTHAWK CUSTOM 1911 AUTO BARREL BUSHINGS

Precise Fit Eliminates Play
For Superb Accuracy



Match grade bushings machined from the same premium-grade stainless steel as Nighthawk 1911 barrels for a precision fit that improves accuracy and provides years of reliable service. I.D. and O.D. are left slightly oversized to allow custom fitting to your barrel, further ensuring precise lockup and excellent accuracy. **SPECS:** 416 stainless steel. Rc 40-42. 1-16" twist, left hand. **Govt. Bushing** - .829" long (21.1mm) long, .573" (14.6mm) I.D., .698" (17.7mm) O.D. **Commander Bushing** - .515" (13.1mm) long, .573" I.D., .698" O.D. Gunsmith fitting required.

#100-003-242DE Govt. Barrel Bushing, 2B14P36. ... \$ 17.95
#100-003-241DE Comm. Barrel Bushing 2B14P36 ... 17.95

WILSON COMBAT 1911 AUTO BARREL BUSHING

Blued Or Stainless, Target Grade



Installs in most 1911 Autos with little to no fitting. O.D.'s fit nicely in most slides. Blued version may need fitting. **SPECS:** **#29B Blue** - .825" (20.9mm) long, .575" (14.6mm) I.D., .703" (17.9mm) O.D. **#29S Stainless** - .825" (20.9mm) long, .581" (14.8mm) I.D., .702" (17.8mm) O.D. **#29CO Officer's Model Stainless** - .695" (17.7mm) I.D., .756" (19.2mm) O.D. **#965-029-001DE** Wilson #29B Bushing 5F16T36 ... \$ 19.95 **#965-029-002DE** Wilson #29S Bushing 5F16T36 ... 19.95 **#965-000-049DE** Wilson #29CO Officer's Model Bushing, 5F16H36 19.95

BROWNELLS 1911 AUTO MATCH GRADE LINK PIN

Precision Ground To .0005" Tolerance



The strongest, most accurately ground link pin available for building Match Grade 1911 Autos. Centerless ground, hardened steel pins accurately sized and sorted according to diameter for faster, easier selection. Oversized for additional strength, chamfered on both ends for solid, problem-free installation. For best installation results link pin hole should be reamed. **SPECS:** Steel, heat treated. .368" (9.3mm) long. .154" (3.9mm) or .156" (4mm) diameter.

#080-816-154DE	.154" Match Link Pin 8K05P79 \$ 7.49
#080-816-156DE	.156" Match Link Pin, 8K05P80 6.11
#080-816-654DE	.154" Match Grade Link Pins, 6 each, 8K31P05 39.97
#080-816-656DE	.156" Match Grade Link Pins, 6 each, 8K31P08 35.45

EGW 1911 AUTO BARREL LINK KIT

Stress-Proof Links To Fit Most
Barrel/Frame Combinations



Set of six, stress-proof, stainless steel barrel links helps correct most barrel-to-frame fit and feeding problems on 1911 auto. Includes the following link sizes (measured center-to-center from barrel link pin hole to slide stop hole): factory standard #3 (.278"), as well as #0 (-.015"), #1 (-.010"), #2 (-.005"), #4 (+.005"), and #5 (+.010"). #0 is for Accurall-equipped guns with rails that have been moved down. **SPECS:** Stainless steel, natural finish.

#296-000-087DE Barrel Link Kit, 6B20Z00 \$ 25.00



KING'S GUNWORKS 1911 AUTO NATIONAL MATCH LINK & PIN SET

Set Of Long Links Help You Get
Precise, Repeatable Lockup



Set of four precision-ground, heat-treated "long" links and pins makes it easy to find the exact length to give the tightest, most consistent lockup for maximum accuracy. Standard hole spacing is .278" center-to-center; these links measure .281" to .290" in .003" steps. **SPECS:** 4130 steel. Kit contains 4 pins and 4 links. Link sizes c-to-c: **#1** - .281" (7.14mm); **#2** - .284" (7.21mm); **#3** - .287" (7.29mm); **#4** - .290" (7.37mm).

#487-100-004DE Link & Pin Set, 7H16A35 \$ 24.50

MARVEL 1911 AUTO BARREL LINK

Oversize & Undersize Links Give Precise
Barrel Lockup & Better Accuracy



Oversize and undersize links, in .003" increments so you can choose the exact amount of vertical lockup needed for maximum accuracy. Precision stamped from 1075 steel, reamed, then hardened. **SPECS:** 1075 steel, heat treated, Rc 40-47. **Undersized:** stamped -3, -6, -9. **Oversized:** stamped +3, +6, +9.

#583-012-003DE	-3 Barrel Link, 3H03U60 \$ 4.50
#583-012-006DE	-6 Barrel Link, 3H03U60 4.50
#583-012-009DE	-9 Barrel Link, 3H03U60 4.50
#583-012-103DE	+3 Barrel Link, 3H03U60 4.50
#583-012-106DE	+6 Barrel Link, 3H03U60 4.50
#583-012-109DE	+9 Barrel Link, 3H03U60 4.50

1911 AUTO NATIONAL MATCH BARREL LINK - A too-short link can keep barrel from unlocking and returning to battery properly. A "long" link fixes it. **SPECS:** Steel. Center-to-center distances: **#13**, .291" (7.39mm); **#17**, .295" (7.50mm); **#21**, .299" (7.59mm). **#583-013-291DE** #13 NM Link 3H03U60 \$ 4.50 **#583-017-295DE** #17 NM Link 3H03U60 4.50 **#583-021-299DE** #21 NM Link 3H03U60 4.50

BROWNELLS WebBench™

Your #1 Internet Newsletter
for Professional Gunsmithing Information



Ed Brown Special Forces, .45 ACP
Courtesy of Ed Brown Products, Inc.®



- A** #662-002-003DE NOVAK 2-DOT TRITIUM LO-MOUNT SIGHT See Page 38.
- B** #087-000-009DE ED BROWN BARSTOCK HARDCORE® HAMMER See Page 17.
- C** #087-813-070DE ED BROWN SERIES 70 HARDCORE® EXTRACTOR See Page 9.
- D** #087-867-000DE ED BROWN SERIES 70 MEMORY GROOVE GRIP SAFETY See Page 12.
- E** #087-000-041DE ED BROWN FLAT CHAINLINK MAINSPRING HOUSING See Page 19.
- F** #087-847-450DE ED BROWN 7-ROUND MAGAZINE See Page 22.
- G** #087-011-004DE ED BROWN ALLEN HEAD GRIP SCREWS See Page 34.
- H** #087-000-012DE ED BROWN NATIONAL MATCH TRIGGER See Page 26.
- I** #087-881-001DE ED BROWN GOVT. RECOIL SPRING PLUG See Page 14.
- J** #087-925-450DE ED BROWN GOVT. DROP-IN MATCH BARREL & BUSHING See Page 4.
- K** #087-815-001DE ED BROWN HARDCORE® SLIDE STOP See Page 9.
- L** #087-011-100DE ED BROWN EXTENDED TACTICAL MAGAZINE CATCH See Page 21.
- M** #087-245-890DE ED BROWN TACTICAL SAFETY See Page 11.

**NIGHTHAWK CUSTOM 1911 AUTO
BARREL LINKS**



Choose From Five Sizes For Most Precise Lockup

Fully machined from solid 416 stainless steel, these premium-quality links are critical for ensuring you have the precise amount of vertical lockup needed for best accuracy from your pistol. Available in nominal Colt spec .278" between the centers of the holes, with two oversized and two undersized models in .005" increments. Available individually or in a set of all five. Perfect for fine-tuning the lockup of a Nighthawk Match Grade Barrel. **USA**
SPECS: 416 stainless steel. **Kit includes all five.**
#100-003-276DE .268" Barrel Link 2B06U36 \$ 795
#100-003-277DE .273" Barrel Link 2B06U36 795
#100-003-278DE .278" Barrel Link 2B06U36 795
#100-003-279DE .283" Barrel Link 2B06U36 795
#100-003-280DE .288" Barrel Link 2B06U36 795
#100-003-281DE Barrel Link Kit 2B19U60 24.50

**WILSON COMBAT
BARREL LINK**

Adjusts Lockup For Best Accuracy

Long and short barrel links kit; select the one giving best lockup and functioning. Nominal Colt spec is .278" hole center-to-center. **USA**
SPECS: 416 stainless. **Kit includes all 5.**



STOCK #	C-to-C	STOCK #	C-to-C
#965-142-268DE	.268" (6.8mm)	#965-142-283DE	.283" (7.19mm)
#965-142-273DE	.273" (6.9mm)	#965-142-288DE	.288" (7.36mm)
#965-142-278DE	.278" (7.1mm)		

— Advise # — **Wilson Barrel Link 5F04Z88 \$ 5.95**
#965-142-000DE Wilson Barrel Link Kit 5F22D10 . . . 26.95

**BEDELL CUSTOM 1911 AUTO
PROGRESSIVE 7-PORT COMP**

More Efficient Recoil Reduction & No More Scope Hazing



Progressive 7-port design virtually eliminates muzzle flip. Each top port decreases in size gradually, offering balanced pressure release, and is angled 7° forward to eliminate scope lens hazing. Plenty of room for a relief cut on the bottom to allow a government-length guide rod and reverse plug on commander-length guns. Precision CNC machined from high-grade steel, stainless steel, and titanium. **USA**
SPECS: Available in steel (in-the-white), stainless steel, and titanium. Threaded .685"-40 tpi for bull or hybrid threaded barrels only. Measures 2.295" (5.83cm) long, .995" (2.53cm) in dia., and .930" (2.36cm) wide from flat-to-flat. Through hole must be align reamed to .368" (9.35mm) minimum for 9mm, .355", and .356" dia. bullets.

#100-001-156DE Steel Progressive Comp, 3A110P67 \$ 138.33
#100-001-157DE SS Progressive Comp 3A124P00 . . . 155.00
#100-001-158DE Ti Progressive Comp 3A133P33 . . . 166.67

**EFK 1911 AUTO
TRIPLE PORT BUSHING COMP**

Quick Installation, Compact Profile, Reduces Recoil



Simply replace your barrel bushing for instant recoil reduction. 3 gas ports reduce muzzle flip and felt recoil; allows faster return to target and quicker follow-up shots. Fits all Government length slides, and only adds a little over an inch in length to your gun. May require minor fitting. **USA**

**EGW 1911 AUTO
SEVEN CHAMBER
COMPENSATOR**

Seven, Full Ports Stop Recoil & Steady Your Red Dot



Eliminates red dot bounce and recoil. Forward canted ports diminish powder fouling on scope. Available with integral cone or threaded for use with Hybrid Compensated Barrel Systems. **USA**

SPECS: Steel, in-the-white. **Hybrid-Style** - 2.3" (5.8cm) long. Threaded .685"-40 tpi. **Cone-Style** - 3/4" (8.2cm) long, 926" (23mm) wide, 3.4 oz. (111g). **Conversion Cone** - Stainless steel 1 3/4" (4.4cm) long, .705" (18mm) diameter. Threaded .685"-40 tpi male, .575"-40 tpi female. Comps available in 9mm/.38 only.
#296-114-100DE Cone-Style Compensator, 6B120D00 \$ 150.00
#296-114-101DE Hybrid-Style Compensator, 6B120D00 150.00
#296-114-000DE Conversion Cone 6B32H00 40.00

**EZ EQUALIZER 1911 AUTO
BUSHING COMP**

Easy Installation, Reduces Felt Recoil; No Threading Or Alterations



Fast, simple installation gives instant reduction in felt recoil and muzzle rise for an easier shooting 1911 Auto; fits all calibers, no gunsmithing required. Heat treated for less erosion. **SPECS:** Machined 17-4 PH stainless steel, matte finish. 1 5/8" (4.1cm), 3/4" (19mm) diameter. Includes instructions.
#720-100-000DE EZ Equalizer Comp 2G44H76 \$ 68.85

**WILSON COMBAT 1911 AUTO
MULTI-COMP**

Instant Comp & Bushing Give Muzzle Control, Less Recoil



Three full chambers and seven exhaust ports combine to help control recoil and muzzle climb to put you back on target faster. Installation is as easy as fitting a new barrel bushing. Fits all calibers of Govt.-length barrels with O.D. of .576" to .580". Requires minor fitting and a full-length, two-piece guide rod. **USA**
SPECS: Steel, blued, matte finish. 2" (4.8cm) long.
#965-397-001DE Multi-Comp, 5F65U56 \$ 79.95

**CYLINDER & SLIDE 1911 AUTO
FORGED SLIDE STOP**

Forged For Superior Strength & Reliability



High-quality replacement slide stop is produced using proven manufacturing methods to ensure this vital part won't fail you when the situation goes critical. Precision CNC machined to Mil-Spec dimensions from a true, steel forging, then heat-treated after machining for superior strength and long service life. **USA**
SPECS: Steel, blued, matte finish.
#206-000-027DE Forged Slide Stop, 6K36B76 \$ 45.95

SPECS: 416 stainless steel. **Matte Black Long** - Black, matte finish. 1 3/4" (4.4cm) overall length. 2.2 oz. (63 g) weight. **2-Tone Long** - Polished-and-natural finish. 1 3/4" (4.4cm) overall length. 2.2 oz. (63 g) weight. **2-Tone Short** - Polished-and-natural finish. 1 1/8" (3.7cm) overall length. 1.2 oz. (42 g) weight.
#503-100-011DE Matte Black Long Comp, 3K52C32 \$ 69.99
#503-000-001DE 2-Tone Long Comp 3K52X32 69.99
#503-000-002DE 2-Tone Short Comp 3K52X32 69.99

EGW 1911 AUTO OVERSIZE SLIDE STOP

.200" Diameter Pin For Tightest
Lockup On Worn Barrels & Frames

Built to the maximum specification to restore the tolerances on worn or over-cut barrel feet and oversize frames. Can also be used when fitting new barrels and frames to give increased lockup surface area and greater strength. Perfectly round, machined pin measures an exact .200" in diameter +/- .0005". Fits .45 ACP standard or high-capacity, 1911 Auto frames. **SPECS:** Matte blue steel or matte stainless steel.
#296-104-001DE Blue O/S Slide Stop, 6B16H00 \$ 20.00
#296-104-002DE Stainless O/S Slide Stop, 6B16H36 21.80



ED BROWN 1911 AUTO HARDCORE® SLIDE STOP

Maximum Dimensions
For Maximum Reliability

Pin is machined to maximum dimensions for a tighter lockup and increased accuracy. Oversize lip gives positive, last round engagement. Fits all .45 ACP 1911 Autos, including high-capacity. Specially heat-treated steel gives unlimited service; includes Ed's LIFETIME GUARANTEE. **SPECS:** Steel, blue or stainless steel, silver finish. Pin diameter .200" (5.08mm) +/- .0005".
#087-815-001DE Blue Hardcore Slide Stop, 7H29Z71 \$ 37.15
#087-815-101DE Stainless Steel Hardcore Slide Stop, 7H30Z56 38.20



ED BROWN 1911 AUTO SLIDE STOP

Hardened Tool Steel
For Increased Durability

Made from extra-hard, tool steel that works great, without deforming. Gives positive, last-round engagement and tight, long-lasting lockup with custom barrels. **SPECS:** Steel, blued or stainless steel. Pin diameter .200" (5.08mm) +/- .0005". Fits 1911 Auto, .45 ACP only.
#087-810-000DE Blue ACP Slide Stop 7H24D61 ... \$ 30.76
#087-810-100DE Stainless ACP Slide Stop, 7H25Z46 31.83



NEW KING'S GUNWORKS 1911 AUTO EXTENDED SLIDE STOP

Releases Slide Without
Changing Hand Position

Unique design makes it easy for the shooter to release the slide without changing hand position on grip. Deeply grooved, non-slip surface further ensures solid thumb contact. Made slightly oversize to fit all 1911 variations; may need some fitting. **SPECS:** Steel, blued (BL) or stainless (SS). 2" (5.1cm) overall.
#487-202-001DE .45ACP BL Slide Release, 7H21B31 \$ 31.95
#487-202-002DE .45ACP SS Slide Release, 7H21B31 31.95
#487-000-004DE .38Super BL Slide Release, 7H21A31 35.95
#487-000-003DE .38Super SS Slide Release, 7H21A31 35.95



MASEN EXTENDED SLIDE STOP

Extra Length For Fast Release

Moves the contact pad rearward and out for fast, easy release, especially for shooters with smaller hands. Available with serrated (SR) or 20 lpi checkered (CK) thumb pad. Hardened and heat treated pin. **SPECS:** Steel, blue (BL) or stainless (SS), matte finish. Fits .45ACP only. Thumb pad - .890" (22mm) long, .250" (6.3mm) wide.

STOCK #	FINISH	PAD	PRICE
#555-105-101DE	BL	SR	6E15V11 \$ 19.50
#555-105-111DE	SS	SR	6E14V00 \$ 20.50
#555-105-201DE	BL	CK	6E14V00 \$ 20.50
#555-105-211DE	SS	CK	6E16V65 \$ 21.50



NIGHTHAWK CUSTOM 1911 AUTO TACTICAL SLIDE STOP

Fast, No-Slip
Engagement & Low-Profile

Standard-length replacement for factory slide stop gives you the benefit of an oversized stop without the added bulk. The low, deeply serrated thumb pad sits at a 90° angle to the frame for fast, solid, fumble-free engagement. Rounded edges won't snag on holster or clothing during a fast draw. Cut from a solid, carbon steel forging, then precision machined to exact dimensions and hardened for maximum strength before receiving Nighthawk's tough Perma Kote™ finish for outstanding wear resistance. Pin is machined to maximum .200" (5.1mm) diameter to give a tight barrel-to-slide lockup for better accuracy. **SPECS:** Steel, blued, matte finish. Thumb pad is .650" (16.5mm) long, .125" (3.2mm) wide.
#100-003-239DE Tactical Slide Stop 2B42P36 \$ 52.95



WILSON COMBAT 1911 AUTO BULLET PROOF™ SLIDE STOP

Reinforced In Critical Areas For
Improved Function & Durability

Fully-machined from bar stock, then heat treated and hardened for fail-proof durability. Radiused corners won't catch on holsters or clothing. Thumb pad extends slightly at a 90° angle for increased leverage and faster, more positive engagement. Maximum-diameter pin increases barrel lockup. **SPECS:** Steel, blue or stainless steel (SS), matte finish. Models for .45 ACP or .38 Super/9mm.
#965-414-000DE Blue Bullet Proof Slide Stop, .45 ACP, 5F43V42 \$ 52.95
#965-000-010DE SS Bullet Proof Slide Stop, .45 ACP, 5F45X88 55.95
#965-000-028DE Blue Bullet Proof Slide Stop, .38S/9mm, 5F43C42 52.95
#965-000-039DE SS Bullet Proof Slide Stop, .38S/9mm, 5F45C88 55.95



WILSON COMBAT 1911 AUTO EXTENDED SLIDE RELEASE

Easy-To-Reach, To Speed
Magazine Changes

Wider and longer than the factory lever so the shooter can keep his eyes on the target during magazine changes. Reduces recovery time greatly. Deeply grooved for no-slip grip. **SPECS:** 1 1/8" (2.8cm) long x 3/16" (4.8mm) wide contact area. Matte finish.
#965-601-045DE Blue Ext. Slide Release 5F24A56 ... \$ 29.95
#965-601-145DE SS Ext. Slide Release 5F27A02 32.95



WILSON COMBAT SLIDE STOP

Standard Length Preferred
By Combat Shooters

Exact reproduction of the standard-length, factory slide stop; the style and length most preferred by combat shooters. Made from long-wearing, hardened, heat treated steel. Precision machined pin and lip engagement surface ensures positive, last-round, slide lock open and tighter lockup with custom barrels. **SPECS:** Steel, blued carbon or stainless (SS), matte finish. Fits 1911 Auto. No fitting required.

STK # .45 ACP	STK # .38S/9mm	FINISH	PRICE
#965-102-045DE	#965-102-038DE	Blue	5F24Z56 \$ 29.95
#965-102-145DE	#965-102-138DE	SS	5F27Z02 \$ 32.95



ED BROWN 1911 AUTO PLUNGERTUBE

Direct Replacement
For The Factory Tube

High-quality, machined from Barstock, plunger tube that fits just like the factory part, but the studs are slightly over-length for a positive crimp. **SPECS:** Steel, blued, or stainless steel, matte finish.
#087-821-000DE Blue Plunger Tube 7H12A71 \$ 15.90
#087-821-100DE SS Plunger Tube 7H13A56 16.95



NIGHTHAWK CUSTOM 1911 AUTO BAR STOCK PLUNGERTUBE

Machined To Tight Tolerances
For Precise Fit Inside & Out

Precision machined from solid bar stock to ensure this small but critical part is strong and dimensionally accurate inside and out. Exact internal dimensions allow smooth operation of both plungers. Extra-long staking studs provide plenty of material for a solid attachment to the frame that won't work loose. **SPECS:** Steel, blued, matte finish. Fits 1911 Auto.
#100-003-253DE Plunger Tube 2B12P76 \$ 15.95



NOWLIN MFG. 1911 AUTO PLUNGERTUBE

Fully Machined, With Parallel Sides
For Accurate Installations

Machined from stock to exacting tolerances, eliminates need for time-consuming reaming. Smooth internal finish lets plunger detents function reliably. Parallel sides and extra length staking studs enhance fit so tube won't shoot loose. **SPECS:** CM steel, blue or Stainless steel, matte finish.
#654-020-001DE Blue Plunger Tube 4E14X32 \$ 17.90
#654-020-101DE Stainless Plunger Tube, 4E15X92 19.90



WILSON COMBAT 1911 AUTO PLUNGERTUBE

Rugged Bar Stock For Long Life

Fully machined plunger tube milled to exact specifications for a perfect fit. Smooth, internal finish for proper spring action without binding. **SPECS:** Steel, Blue or Stainless steel matte finish.
#965-000-026DE Plunger Tube, Blue 5F13C08 \$ 15.95
#965-000-027DE Plunger Tube, Stainless 5F13C08 ... 15.95



BROWNELLS 1911 AUTO EXTRACTOR



Extra-Tough For Long Life & Reliable Extraction

Machined steel extractors for 70 and 80 series 1911 pistols are hardened and heat-treated for consistent operation in competition and tactical use. Available in blue or stainless steel. Stainless models have a unique copper color from the heat-treating process. Leave as is or buff off for a traditional look. **SPECS:** Heat-treated machined steel. Blue (BL) or stainless steel (SS). Available for 70 & 80 series pistols, .45 ACP
#078-000-031DE 70 Series Extractor, BL, 8G23A89 \$ 27.95
#078-000-032DE 80 Series Extractor, BL, 8G25A48 29.98
#078-000-033DE 70 Series Extractor, SS, 8G30A00 35.10
#078-000-034DE 80 Series Extractor, SS, 8G30A72 36.10

EGW 1911 AUTO HEAVY DUTY EXTRACTOR

Updated Design For Reliable Extraction & Long Service Life

Redesigned, ruggedly built extractor uses the tighter tolerances and improved geometry possible with 21st century materials and manufacturing technology to deliver outstanding reliability, strength, and durability. Proprietary steel alloy is precision machined with the latest CNC equipment, then vacuum heat-treated to Rc 49-51 for superb strength and tension-retaining properties. All inside corners are radiused to eliminate the sharp 90° corners where failures often occur. Claw is wider than factory specification and undercut and positioned closer to the bolt face for a tighter grip on the case rim. Body is longer, so it can be custom fitted to your slide, and nearly three times as thick as factory original for greater strength. **SPECS:** Steel, heat-treated, blued. Fits .45 ACP 1911 Auto pistols.
#296-000-092DE 1911 Auto HD Extractor 6B32Z00 ... \$ 39.99



ED BROWN 1911 AUTO HARDCORE® EXTRACTOR

Harder, Stronger For Longer Life

Pre-fitted shape helps eliminate feeding problems before they start. Made from premium-grade carbon steel and specially heat treated for longer service life and peak performance. Includes Ed's LIFETIME GUARANTEE. **SPECS:** 4340 tool steel, blue. Approximately 2 1/16" (6.8cm) long. Fits .45 ACP only, Series 80 (S80) or Series 70 (S70).
#087-813-080DE S80 Hard Core Extractor 7H25Z46 \$ 31.83
#087-813-070DE S70 Hard Core Extractor 7H24Z61 30.76



Shop

slide stop

Search

brownells.com



J Custom STI International, 9mm
Courtesy of Brownells Public Relations Manager,
Larry Weeks.

- A** #087-000-010DE ED BROWN BARSTOCK HARDCORE® HAMMER See Page 17.
- B** #965-101-738DE WILSON COMBAT SERIES 70 9mm HEAVY DUTY EXTRACTOR See Page 11.
- C** #087-868-000DE ED BROWN SERIES 70 MEMORY GROOVE GRIP SAFETY See Page 12.
- D** #791-000-058DE STI 140mm 21-ROUND MAGAZINE See Page 23.
- E** #791-000-027DE STI 9mm MAGAZINE FOLLOWER See Page 23.
- F** #791-252-010DE STI STAINLESS STEEL MAGAZINEWELL See Page 20.
- G** #791-255-002DE STI RED POLYMER GRIP FRAME See Page 2.
- H** #823-110-002DE INFINITY BLUE TRI-GLIDE TRIGGER SYSTEM See Page 26.
- I** #823-106-112DE INFINITY INTERLOCKING TRIGGER INSERT See Page 26.
- J** #791-250-100DE STI STANDARD RAMPED 2011 MODULAR FRAME See Page 2.
- K** #791-000-006DE STI 6" REVERSE PLUG See Page 13.
- L** #654-358-009DE NOWLIN MFG. 6" 9mm PRE-FIT MATCH-GRADE ECM BARREL KIT See Page 5.
- M** #296-065-200DE EGW 65° FIBER OPTIC FRONT SIGHT See Page 36.
- N** #296-000-045DE EGW BIG DOT FIBER OPTIC ROD PAK See Page 36.
- O** #965-102-138DE WILSON COMBAT .38S/9mm STAINLESS STEEL SLIDE STOP See Page 9.
- P** #340-100-045DE GUNSITE LOW MOUNT THUMB SAFETY See Page 11.

**ED BROWN
MATCH EXTRACTOR**



Positive Extraction For Competition & Carry Pistols

Extra-deep hook with competition-style relief, smoothly engages the rim edge for positive extraction. Machined from tool steel for durability and reliable function, round after round. **SPECS:** 4340 alloy steel, blue. Approximately 2 1/16" (6.8cm) long, .080" (2mm) thick shank. Fits 1911 Auto. Series 80 cut for firing pin block.

STOCK #	CALIBER	SERIES	PRICE
#087-130-100DE	.45 ACP	70	7H20A36 \$ 25.45
#087-130-300DE	9mm/.38S	70	7H21A21 \$ 26.51
#087-130-200DE	.45 ACP	80	7H21A21 \$ 26.51
#087-130-400DE	9mm/.38S	80	7H22A06 \$ 27.58
#087-130-500DE	.40 S&W/10mm	80	7H22Y06 \$ 27.57

**MILLENNIUM CUSTOM 1911 AUTO
ADVANCED
COMPETITION EXTRACTOR**



Dual Coil Springs End Extractor Failure

No-fail extractor operates with long-lasting coil springs for increased service life; provides enhanced, reliable performance for self-defense and competition. Machined from super strong, alloy steel; specially hardened and heat treated to last indefinitely. Installs easily in Series 70 1911 Autos without slide modifications. **SPECS:** Steel, in-the-white, heat treated. Includes two sets of springs, complete instructions. **NOTE on 9mm:** If your slide has a true, 9mm breech face (like the SVI interchangeable, some Caspans and Nowlins, order extractor #466-001-038. If your 9mm is built on a .38 Super Slide (most are) order extractor #466-001-009.

STOCK #	FITS	PRICE
#466-001-009DE	9x19, 9x21, 9x23, .38S Comp	5A66V08 \$ 82.08
#466-001-038DE	.38 Super	5A61V95 \$ 76.95
#466-001-040DE	.40 S&W/10mm	5A61V95 \$ 76.95
#466-001-045DE	.45 ACP	5A61V95 \$ 76.95

EXTRACTOR REPLACEMENT SPRINGS & CAP - Steel springs

replace worn springs in Aftec's Advanced Competition Extractor. Steel cap replaces worn or damaged cap for restored performance. Springs available in 4-paks, caps sold each. **SPECS:** Steel springs. Steel cap. Works with Aftec Advanced Competition Extractor only.

#466-000-001DE	Extractor Springs for 9x19-.40, 4-pak, 5A04V00	\$ 5.95
#466-000-002DE	Extractor Springs for .45, 4-pak, 5A04V00	5.95
#466-000-003DE	Extractor Spring Cap, each, 5A16V00	20.00



**NIGHTHAWK CUSTOM 1911 AUTO
TOOL STEEL EXTRACTOR**



**Extra Strong For Positive Extraction;
Radiused Corners Prevent Stress Cracking**

Tough, long-wearing extractor is precision machined from exceptionally strong, hardened tool steel to provide years of reliable, positive extraction without breakage. The perfect choice for a working gun that will be run hard in competition where a broken or poorly functioning extractor can be a disaster. All inside corners are radiused to get rid of the weak spots where stress cracks can start and lead to premature failure. The entire part is polished to further eliminate small nicks and imperfections that can lead to stress failure, then given a black, matte, oxide finish. May require minor tension adjustment. **SPECS:** Steel, black, matte, oxide finish. **#100-003-254DE Tool Steel Extractor, 2B22P36** \$ 27.95

**NOWLIN MFG.
"TUFF STUFF" EXTRACTOR**



Fully Machined For Dependability & Long Life

The same, high-quality extractors that John uses on his own match-winning pistols. Not a casting, but fully machined from solid steel, then specially hardened and cryogenically treated for extra long life and dependable extraction, without taking a set or going flat. Contoured hook helps ensure reliable extraction and chambering. Series 80 is relieved for firing pin block. **SPECS:** Steel, machined, blue, matte finish. Fits 1911 Auto only.

STOCK #	SERIES	CALIBER	PRICE
#654-228-038DE	70	9mm/.38	4E24X91 \$ 31.13
#654-228-045DE	70	.45 ACP	4E24X91 \$ 31.13
#654-229-038DE	80	9mm/.38	4E26X97 \$ 33.72
#654-229-045DE	80	.45 ACP	4E26X97 \$ 33.72

**WILSON COMBAT 1911 AUTO
BULLET PROOF® EXTRACTOR**



Extra-Tough, Machined From Solid Bar Stock

Machined, not cast, from solid, Bullet Proof, barstock for durability and abrasion resistance that will last for thousands and thousands of rounds. Radiused corners on the hook help ensure extended life and reliable feeding. **SPECS:** Steel, blue, matte finish. Approximately 2 1/16" (6.8cm) long, .45 ACP only. **#965-415-070DE Series 70 Bullet Proof Extractor, 5F24V56** \$ 29.95 **#965-415-080DE Series 80 Bullet Proof Extractor, 5F24V56** 29.95

BULLET PROOF® STAINLESS STEEL EXTRACTOR - Super-tough extractor milled from bar stock to maintain proper tension, properly extract shells, and withstand constant shock and abrasion. Fully machined to maintain optimal dimensions. Drop-in part for most Series 70 1911's; may require minor tension adjustment for proper fit. **SPECS:** Stainless steel. Approximately 2 1/16" (6.8cm) long, Fits Series 70 1911 Auto, .45 ACP. **#965-000-030DE Bullet Proof SS Extractor, 5F27C02** \$ 32.95



Shop

brownells.com

**SATISFACTION GUARANTEED
SINCE 1939**

WILSON COMBAT 1911 AUTO HEAVY-DUTY EXTRACTOR

Improved Function & Reliability In .45 ACP & .38 Super

Thicker and stiffer than the factory model with an extra-deep hook that grabs cases firmly, pulls even hot reloads out for positive ejection. Thicker-than-standard shank stops breakage. Cheap insurance for any Colt or other 1911 Autos. **USA**
SPECS: Approximately 2 1/16" (6.8cm) long, .080" (2mm) thick shank. Blued 4140 steel. Series 80 have firing pin block notch.
#965-101-738DE Series 70 .38S/9mm Extractor, 5F22Z92 \$ 27.95
#965-101-838DE Series 80 .38S/9mm Extractor, 5F24Z56 29.95
#965-101-070DE Series 70 .45 Extractor 5F22Z92 27.95
#965-101-080DE Series 80 .45 Extractor 5F24Z56 29.95

EGW 1911 AUTO EXTENDED EJECTOR

Oversized At Both Ends
For Precise Fitting

Hardened, competition-grade ejector is left long at both ends so you can fit for different calibers and slide contours. Additional metal at the rear can be ground off flush with the slide after barrel fitting so there's no unsightly gap between the ejector and the slide. Extra long ejector post can be shaped to achieve the precise ejection angle required. **USA**
SPECS: Steel, in-the-white. Hardened to Rc 40-42. Fits 1911 Auto, standard and high-capacity frames.
#296-100-038DE 9mm/.38S Extended Ejector, 6B16A00 \$ 20.00
#296-100-045DE .45 ACP Extended Ejector, 6B16A00 20.00

ED BROWN 1911 AUTO EXTENDED EJECTOR

Flips Fired Cases Clear;
Helps Prevent Jams

Additional length engages and flips fired cases clear of the slide to help prevent jams and "smokestacking". Replaces the standard ejector with no modifications to frame. Machined from hardened steel to resist wear. Installation may require minor fitting. **USA**
SPECS: Hardened steel, blued. Fits 1911 Auto.
#087-041-305DE .45 ACP Extended Ejector, 7H18C66 \$ 23.33
#087-041-306DE 9mm/.38S/10mm Extended Ejector, 7H18C66 24.40

NIGHTHAWK CUSTOM 1911 AUTO EXTENDED EJECTOR

Extra Length For Reliable Ejection;
Tough, Hardened Steel
Construction

High quality replacement for your gun's factory ejector has an extended nose to ensure solid contact that consistently boots the spent case clear of the ejection port. Helps prevent jamming, smokestacking, and other ejection-related problems that compromise reliability. Cut from solid bar stock then hardened before bluing, so it'll stand up to a pounding. Part may need minor fitting; does not require modifications to frame. **USA**
SPECS: Steel, blued. Fits 1911 Auto. Separate models for .45 ACP and 9mm/.38 Super/.40 S&W.
#100-003-245DE .45 ACP Extended Ejector, 2B22P36 \$ 27.95
#100-003-246DE 9mm/.38/.40 Extended Ejector, 2B22P36 27.95

KING'S GUNWORKS 1911 AUTO EXTENDED EJECTOR

Long, Commander Style Helps
Prevent Ejection Problems

Commander-style ejector is longer than standard Government Model ejector to flip fired cases clear of the slide. Ensures reliable ejection with both low- and high-velocity ammo. Precision machined from 4130 steel bar stock, then heat-treated for extra hardness to resist wear from heat and friction. Replaces standard ejector with no modifications to frame or slide; may require minor fitting. **USA**
SPECS: Hardened 4130 steel, blued (BL), or stainless (SS). 1.11" (2.8cm) long, .137" (3.5mm) thick.
#487-405-045DE .45 ACP BL Ejector 7H14D65 \$ 21.95
#487-405-145DE .45 ACP SS Ejector 7H14D65 21.95
#487-405-038DE .38 Super BL Ejector 7H14D65 21.95
#487-405-138DE .38 Super SS Ejector 7H14D65 21.95

WILSON COMBAT 1911 AUTO EXTENDED COMBAT EJECTOR

Positive Ejection;
Helps Cure "Smokestacking"

Positively kicks cases out to prevent jams caused by incomplete ejection. Replaces factory unit, no alterations to the gun. **USA**
SPECS: Heat treated, .38 Super/9mm - 4130 bar stock, blued, .45 ACP - 4130 bar stock, blued or stainless steel (SS), natural finish. Minor fitting required.
#965-034-389DE .38S/9mm Ext. Combat Ejector, Blued, 5F24P56 \$ 29.95
#965-034-045DE .45 ACP Ext. Combat Ejector, Blued, 5F24P56 29.95
#965-000-023DE .45 ACP Ext. Combat Ejector, SS, 5F27C02 32.95

AMERICAN SHOOTING CENTER 1911 AUTO SWENSON THUMB SHIELD SAFETY

Dual Or Single Shield Prevents
Thumb-To-Slide Contact

Patented extra-high shield provides a safer "high thumb" position. Prevents even the slightest thumb-to-slide contact for more consistent cycling and less chance of jams. Large, oversized thumb contact area is comfortably curved to match the natural shape of the thumb; provides increased leverage for better recoil control. **USA**
SPECS: Stainless steel. Serrated contact pad .950" (24mm) long x .315" (8mm) wide. Ambidextrous (Ambi) models. Fits 1911 Auto only, gunsmith fitting required.
#136-102-002DE Ambi Thumb Shield Safety, 6C73T34 \$ 91.70

CYLINDER & SLIDE 1911 AUTO HIGH GRIP THUMB SAFETY

Shaped For A High-Thumb Hold

Bottom edge matches frames contoured for high-grip beavertails. Narrow thumb pad. **USA**
SPECS: Steel, blued or stainless steel, matte finish. **Thumbpad** - .988" (25mm) long, .145" (3.7mm) wide. Requires minor fitting.
#206-037-051DE Blue Single Safety 6K23A96 \$ 29.95
#206-037-052DE Blue Ambi Safety 6K43A96 54.95
#206-037-151DE Stainless Single Safety 6K25A56 31.95
#206-037-152DE Stainless Ambi Safety, 6K46A36 57.95

ED BROWN 1911 AUTO TACTICAL SAFETY

Slender, Trimmed-Down Thumb
Pads For Carry Guns

Thinner thumb pads with the famous Ed Brown angle and slope. Works with the natural, sweeping motion of the thumb for a faster, easier safety release. Trimmed down style is lighter and more comfortable when used on concealed carry guns or with full coverage holsters. Meets all requirements for U.S.P.S.A. Limited Class. **USA**
SPECS: Available in Blue and stainless steel (SS), Single and ambidextrous (Ambi). Contact area: .150" (3.8mm) wide, 1" (2.5cm) long. Gunsmith fitting required.
#087-245-890DE Blue Single Tactical Safety, 7H25D46 \$ 31.85
#087-245-891DE SS Single Tactical Safety 7H27D16 33.95
#087-245-892DE Blue Ambidextrous Tactical Safety, 7H46D71 58.40
#087-245-893DE SS Ambidextrous Tactical Safety, 7H49D26 61.60

ED BROWN 1911 AUTO WIDE EXTENDED SAFETY

Easy-To-Hit, Extra-Wide Pad
Matches Natural Thumb Angle

Big, wide, extended thumb surface slopes down and away from the gun - made to work with the natural sweeping motion used to release the safety. Extended model replaces "left side only", adds minimum weight and bulk. Ambi model is great in "weak hand" matches and for both right- and left-handers. **USA**
SPECS: Blued or SS .986" (25mm) long x .276" (7mm) wide contact surface. Gunsmith fitting required.
#087-145-890DE Blue Wide Ext Safety 7H25Y46 \$ 31.85
#087-145-891DE SS Wide Extended Safety 7H27Y16 33.95
#087-145-892DE Blue Wide Ambi Safety 7H46Y71 58.40
#087-145-893DE SS Wide Ambi Safety 7H49Y26 61.60

GUNSITE 1911 AUTO LOW MOUNT THUMB SAFETY

Easier To Reach, Faster To Snap On & Off

Places the thumb closer to the centerline of the bore; gives greater leverage and recoil control for shooters that use a high thumb hold. For shooters with smaller hands, the lower position is easier to reach and deactivate. Seriations on thumb pad help ensure positive thumb engagement. **USA**
SPECS: Steel, blued or stainless steel, matte as-cast finish. Contact pad, 1.9" (2.8cm) long, .314" (8mm) wide. Installation requires gunsmith fitting.
#340-100-044DE Low Mount Safety, Blue 4C33T55 \$ 41.90
#340-100-045DE Low Mount Safety, SS, 4C33T55 41.90

KING'S GUNWORKS 1911 AUTO EXTENDED THUMB SAFETY

Longer Pad For Faster Release

Serrated, easy-to-hit thumb pad is longer and wider than factory safety for a faster release. Minimum bulk and weight. Curved shape matches the King's Slide Stop and does not require alteration of standard grips. **USA**
SPECS: Blue and stainless steel (SS). Contact Surface - 1.06" (2.7cm) long, .21" (5.5mm) wide. Gunsmith fitting required. Fits 1911 Auto and Para-Ordnance.
#487-201-001DE Blue Extended Safety 7H19B98 \$ 29.95
#487-201-002DE SS Extended Safety 7H19B98 29.95

LES BAER CUSTOM 1911 AUTO AMBIDEXTROUS SAFETY

Designed To Clear
Thumb Guards & Scope Mounts

Left-side thumb pad sets slightly out from the frame to move your thumb away from most popular thumb guards and scope mounts. Large, gracefully-contoured shape with serrated top surface provides an easy-to-reach support for shooters that use a high-thumb hold. Thinner, right-side thumb pad gives true, ambidextrous operation and is less likely to snag. **USA**
SPECS: Steel, Blue, matte finish or stainless steel (SS) polished finish. **Contact Areas:** Left Side - .960" (24mm) long x .400" (10mm) wide. Right Side - .960" long x .150" (3.8mm) wide.
#124-111-001DE Blue Ambi Safety 4B49P35 \$ 61.65
#124-111-101DE SS Ambi Safety 4B49P35 61.65

MUESCHKE AMBIDEXTROUS SAFETY

Either Hand Release; Minimum Bulk

Compact, non-extended safety puts a lever on both sides of gun for right- or left-handed shooters. Fits Series 70 and 80 Govt. Model, Gold Cup, Commander and Officers ACP. May require fitting. **USA**
SPECS: Blued or stainless steel (SS), matte finish. .830" (21.1mm) long, .203" (5.2mm) wide contact area. Includes hammer and sear pin. **Pin Set - Replacement hammer and sear pin.**
#621-145-002DE Blue Ambi Safety 1B25A00 \$ 35.70
#621-145-102DE SS Ambi Safety 1B26A66 38.09
#621-145-901DE Blue Pin Set, only 1B02A21 3.00
#621-145-900DE SS Pin Set, only 1B02A00 3.00

MUESCHKE 1911 AUTO EXTENDED AMBIDEXTROUS .45 SAFETY

Longer Than Original; Less Bulk
Than Extra-Long

Same style as used by the factory on custom installations. Gives positive release of the safety from either side of Govt. Model, Commander and copies. Longer than original but less bulk than Long Extended types. Grooved, no-slip contact area. **USA**
SPECS: Blued or stainless steel (SS), matte finish. 5/32" (3.97mm) wide x 1 1/16" (17.6mm) long contact area. Includes hammer and sear pin. **Pin Set - replacement hammer and sear pin.**
#621-145-001DE Blue Ext. Ambi Safety 1B18A17 \$ 25.95
#621-145-101DE SS Ext. Ambi Safety 1B21A67 30.95
#621-145-901DE Blue Pin Set, only 1B02A21 3.00
#621-145-900DE SS Pin Set, only 1B02A00 3.00

NIGHTHAWK CUSTOM 1911 AUTO EXTENDED THUMB SAFETY

Generous Thumb Pad
For Easy Engagement

Extended safety lever has a curved, serrated thumb pad with plenty of surface area. Pad is positioned to provide maximum leverage, even for the shooter who prefers a high-thumb hold, and it can be reshaped to a custom contour by a gunsmith. All edges are beveled or rounded to eliminate sharp spots that could snag on clothing or other gear—excellent for concealed carry, tactical, or competition guns. The side plate is thicker at the front to prevent the safety lock plunger from riding over it, and tapers toward the rear to reduce bulk. Finished in Nighthawk's proprietary ceramic-based, self-lubricating Perma Kote™ finish that has been tested to stay rust-free even after 5,000 hours in a salt spray. **USA**
SPECS: Steel, matte black finish. Contact pad 7/32" (5.6mm) wide, 1 1/16" (2.38cm) long. Some fitting required.
#100-003-240DE Extended Thumb Safety 2B34P80 \$ 43.50



Nighthawk Custom Talon II, .45 ACP
Courtesy of Nighthawk Custom®.



- A** #100-003-241DE NIGHTHAWK CUSTOM COMMANDER BARREL & BUSHING See Page 7.
- B** #100-003-259DE NIGHTHAWK CUSTOM COMMANDER RECOIL SPRING PLUG See Page 13.
- C** #100-003-239DE NIGHTHAWK CUSTOM TACTICAL SLIDE STOP See Page 9.
- D** #100-003-270DE NIGHTHAWK CUSTOM LIGHTWEIGHT TRIGGER See Page 26.
- E** #100-003-252DE NIGHTHAWK CUSTOM TACTICAL MAGAZINE RELEASE See Page 21.
- F** #087-000-023DE ED BROWN BOBTAIL MAINSPRING HOUSING See Page 19.
- G** #100-003-240DE NIGHTHAWK CUSTOM EXTENDED THUMB SAFETY See Page 11.
- H** #100-003-268DE NIGHTHAWK CUSTOM HAMMER See Page 17.
- I** #662-002-003DE NOVAK 2-DOT TRITIUM LO-MOUNT SIGHT See Page 38.

STI

EXTENDED SAFETY

Serrated Pads Give Positive Disengagement

Contoured, serrated thumb pads feature a slight downward angle that lets your thumb contact the pad in a natural, sweeping motion. Provides a comfortable thumb position for shooters using a high-



thumb hold. Rounded edges resist snagging, plus give minimal bulk on carry guns. **SPECS:** CM steel, Blue, or stainless steel (SS). Single and Ambidextrous (Ambi). Thumb pad: .976" (24.8mm) long, .223" (5.6mm) wide. Gunsmith fitting required.

- #791-000-023DE Blue, Single Extended Safety, IG20A83 \$ 25.00
- #791-000-024DE Blue, Ambi Extended Safety, IG37A50 45.00
- #791-000-025DE SS, Single Extended Safety, IG20A83 25.00
- #791-000-026DE SS, Ambi Extended Safety IG37A50 45.00

WILSON COMBAT 1911 AUTO EXTENDED THUMB SAFETY



Wide Or Narrow For Fast, Positive Disengagement

Single side design with serrated surface provides fast, positive disengagement and comfortable thumb position with minimum bulk for easier carry. Available in either **Wide** or **Narrow**. **Wide** - Extra large, full-length thumb pad can be used full size for maximum thumb engagement or custom contoured to meet special requirements. **Narrow** - Shorter, slimmer thumb pad won't snag on holster or clothing; helps prevent accidental disengagement during the draw. Minimum size; best for concealed carry or tactical use.

SPECS: Steel, blued or stainless, matte finish. Gunsmith fitting required. Pad Size; **Wide** - 1" (2.5cm) long, 3/16" (4.8mm) wide. **Narrow** - .750" (19mm) long, 1/8" (3.1mm) wide.

STOCK #	STYLE	FINISH	PRICE
#965-600-006DE	Wide	Blue	5F25C80 \$ 31.50
#965-600-106DE	Wide	SS	5F25C83 \$ 31.50
#965-600-007DE	Narrow	Blue	5F25C83 \$ 31.50
#965-600-107DE	Narrow	SS	5F25C83 \$ 31.50

WILSON COMBAT 1911 AUTO HIGH-RIDE AMBI THUMB SAFETY

Increased Comfort & Control With A "High-Thumb" Hold

Wider, longer thumb pads with a slight downward angle give increased comfort, faster safety operation, plus better recoil control for shooters that prefer a high-thumb hold. Ambidextrous for right- and left-handed shooters.

SPECS: CM steel, polished blue or stainless steel bright finish. 1.05" (26.6mm) wide x .239" (6.05mm) long left-side contact area, 1.05" wide x .279" (7.7mm) long right-side contact area. Installation may require minor gunsmithing.

- #965-423-001DE Blue Ambi Safety 5F48V34 \$ 58.95
- #965-423-101DE Stainless Ambi Safety 5F49V16 59.95



WILSON COMBAT 1911 AUTO EXTENDED AMBI SAFETY

Blued Or Stainless; Elegant, Classy; Works With Either Hand; The Choice Of Professional Shooters & Pistolsmiths

Gracefully curved, grooved, extended safety for the 1911 and its copies makes this fine gun even better. Left and right handers benefit from the extra length - it's easier to find and release - while the ambidextrous feature makes "weak hand" shooting simpler. Beautifully contoured and finished, a first class addition to any 1911. Slightly oversized sear stud allows precise gunsmith fitting.

SPECS: Blued or stainless steel. 3/16" (4.8mm) wide x 1" (2.5cm) long left side contact area, 1/8" (3.2mm) wide x 1" (2.5cm) long right side contact area.

- #965-602-045DE Blued Ambi Safety 5F48A34 \$ 58.95
- #965-602-145DE SS Ambi Safety 5F49A16 59.95

Shop

nighthawk
brownells.com

ED BROWN 1911 AUTO MEMORY GROOVE BEAVERTAIL GRIP SAFETY



Helps Promote A Consistent, Positive Grip

Now your hand can "feel" when your grip is correct. Ed's exclusive, deep-hold grip safety drops the gun farther into the web, plus three memory grooves on the lower portion guide the hand of the hand into the correct position. Raised surface area helps depress the safety and ensure positive disengagement, even for a shooter who uses a high-thumb hold.

SPECS: Matte finish. .878" (22.3mm) from rear of hole to tip. Clearanced for Commander hammer. Available in blue and stainless steel (SS) to fit series 70 or 80. .250" (6.3mm) radius, requires alteration of frame.

- #087-867-000DE Blue Series 70 Safety 7H29Y71 \$ 37.15
- #087-867-100DE Blue Series 80 Safety 7H30Y56 38.20
- #087-868-000DE SS Series 70 Safety 7H29Y71 37.15
- #087-868-100DE SS Series 80 Safety 7H30Y56 38.20

KING'S GUNWORKS 1911 AUTO GRIP SAFETY

Improves Comfort, Drop-In Fit



Extended grip safety protects your hand from hammer bite and ensures a fast, secure grip, better control, and improved accuracy. Available in four models to fit your gun and your needs. #203 - Wide, downswept "tail" gives better grip and control. Fits Govt. model frames with standard hammers. #204 - Narrow, upswept "tail" positions the hand higher for a faster grip and better recoil control. Fits Commander, Officers ACP, and Springfield Armory Govt. frames with Commander hammer. #205 - Wide, downswept "tail" same as #203 except notched for hammer clearance. Allows Commander-style hammers to be used on Govt. frames. #207 - Gracefully upswept beavertail allows a super-high hand hold to get your hand as close to the axis of the bore as possible for less felt recoil, greater comfort, and faster follow-up shots. Raised pad ensures solid palm contact for positive engagement of safety. Available with crisp 20 lpi checkering on pad for extra secure hold.



SPECS: 4130 CM steel, blued (BL) or 416 stainless steel (SS). Models to fit series 70 or 80. Drop-in design, fits frames listed with little or no fitting. Distance from rear of hole to tip: #203/205, .880" (22.3mm); #204, .834" (21.2mm). #207 - .250" radius requires alteration of frame. Available with 20 lpi checkering (CHK) on palm pad.

STOCK # BL	STOCK # SS	MODEL	PRICE
#487-203-001DE	#487-203-002DE	203/70	7H19B31 \$ 28.95
#487-204-001DE	#487-204-002DE	204/70	7H19X98 \$ 29.95
#487-204-801DE	NA	204/80	7H19X98 \$ 29.95
#487-205-001DE	#487-205-002DE	205/70	7H19X98 \$ 29.95
#487-207-117DE	NA	207/70	7H19X98 \$ 29.95
#487-207-127DE	NA	207/70/CHK	7H19X98 \$ 29.95
NA	#487-207-227DE	207/70/CHK	7H19X98 \$ 29.95

LES BAER CUSTOM 1911 AUTO BEAVERTAIL GRIP SAFETY

Contact Pad Assures Engagement

Lowers the pistol deeper into your hand for less felt recoil and more comfortable, more accurate shooting. Raised contact pad increases engagement and helps ensure proper safety operation for shooters that use a high-thumb hold.

SPECS: Steel, blue or stainless steel, polished finish. Fits Series 70, modify to fit Series 80. .250" (6.3mm) radius, requires alteration of frame.

- #124-152-100DE Blue Grip Safety 4B33P35 \$ 41.65
- #124-152-101DE Stainless Grip Safety 4B33P35 41.65



**McCORMICK 1911 AUTO
"EXTREME CONTROL"
GRIP SAFETY**

**Keeps Hand In Proper Position
To Control Muzzle Flip**

Forces the gun into your hand for excellent recoil control. Extra-wide beavertail with hammer recess prevents pinching the web of your hand. Beveled edges eliminate snags and raised palm pad ensures positive deactivation.
SPECS: Steel, blued, 7/8" (22.2mm) from rear of hole to tip. .250" (6.3mm) radius requires alteration of frame.
#207-871-410DE Extreme Control Grip Safety, 7B25Z81 \$ 37.95



**STI 1911 AUTO
COMPETITION GRIP SAFETY**

**Performance Features
Enhance Function & Reliability**



Saves the pistolsmith hours of extra work with many functional, custom features built right in. Notched trigger stop speeds take-down and reassembly; insert and remove the safety without touching the mainspring housing. Raised locator pad and sculptured

beavertail ensure positive safety engagement, even with a high thumb hold. Deeper strut channel prevents hammer strut interference. Thicker overall dimensions allow easier blending with a wide variety of custom frames.
SPECS: CM steel, matte blue. Stainless steel (SS), matte finish. Fits series 70 only. .250" 6.3mm) radius, requires alteration of frame.
#791-107-101DE Blue STI Series 70 Safety 1G22B46 \$ 28.10
#791-107-100DE SS STI Series 70 Safety 1G24B59 30.73

SMITH & ALEXANDER HIGH GRIP SAFETY

**.220" Radius
Fits Springfield Armory
Frame Contour**



.220" radius eliminates the unsightly gap at the top edge of the frame tangs on Springfield Armory guns. Raised palmwell gives positive release with any style grip. Curved shape lets the pistol set lower in your hand for better recoil control. Extra width and a long trigger block arm help you get a precise, custom-looking fit.
SPECS: Steel, matte Blue or stainless steel (SS) finish. .886" (22mm) from rear of hole to tip. Available in Standard and Palmwell. Fits Series 70, can be modified to fit Series 80. .220" (5.6mm) radius requires alteration of frame.

STOCK # BLUE	STOCK # SS	MODEL
#849-009-017DE	#849-009-117DE	Standard
#849-009-027DE	#849-009-127DE	Palmwell

— Advise # — S & A .220" Grip Safety 9D26B25 . . . \$ 36.95

GUNSMITH .220" INSTALLATION JIG - Hardened steel buttons provide correct .220" radius for perfect fit using only simple hand tools. Hardened to Rc 55, includes teflon washers and Ny-Lok nut for no scratch installation
#849-009-000DE .220" S&A Installation Jig, 9D11B50 \$ 16.50

**SMITH & ALEXANDER
"E-Z FIT HI-GRIP"
SAFETY**

**Lowers The Pistol's Line
Of Sight In Your Hand**



Curved shape drops the pistol deeper into the hand and lowers the line of sight for less felt recoil and a faster pointing gun. Wide beavertail shape prevents the hammer from "bit-ing" the web of the hand. Palmwell™ model features a raised pad that maintains constant hand contact for the shooter using a high thumb hold.
SPECS: Steel, matte BLUE or satin stainless (SS). .866" (22mm) from rear of hole to tip. Available Standard or Palmwell. Series 70 or 80. .250" (6.3mm) radius requires alteration of frame.

STOCK # BLUE	STOCK # SS	SERIES	MODEL
#849-007-071DE	#849-007-171DE	70	Standard
#849-007-072DE	#849-007-172DE	70	Palmwell
#849-007-081DE	#849-007-181DE	80	Standard
#849-007-082DE	#849-007-182DE	80	Palmwell

— Advise # — S&A Hi-Grip Safety 9D26A25 \$ 36.95

GUNSMITH INSTALLATION JIG - Hardened steel "buttons" provide the correct .250" radius for perfect grip safety installation with simple hand tools. Hardened to Rc 55, includes teflon washers, lock nut and instructions.
#849-007-000DE S&A Safety Install. Jig 9D11A50. . . \$ 16.50

**WILSON COMBAT 1911 AUTO
BEAVERTAIL GRIP SAFETY**

**Competition Proven
Design That Ends Hammer Bite;
High Grip Helps Minimize Muzzle Flip**



Wide grip safety spreads recoil out over a larger area of the hand for increased comfort. High, upswept, flared tail quickly guides hand into position and totally eliminates hammer bite on the web between the thumb and finger.

Pushes the wrist into a straight position for faster sight pickup and recovery. The raised pad gives positive palm contact to make certain the safety disengages.
SPECS: Satin finished stainless or blued steel. .835" (21.2mm) from rear of hole to tip. Fits Series 70 & 80/90 with firing pin block. Wilson/Clark compound radius requires alteration of frame.
#965-298-001DE Blue High-Grip Beavertail Safety, 5F29X48 \$ 35.95
#965-298-002DE Stainless High-Grip Beavertail Safety, 5F31X12 37.95

**WILSON COMBAT 1911 AUTO
DROP-IN BEAVERTAIL
GRIP SAFETY**

**High Ride Comfort For Colts,
Without Frame Cutting**



Install the comfort and convenience of a high ride beavertail safety on your Colt 1911 Auto without cutting or altering the frame. Deeply curved shape lets the pistol sink farther into the web of your hand for improved recoil control and shooting comfort. Raised pad at the base ensures positive safety engagement even with a high-thumb hold. Wide beavertail eliminates painful hammer bite. All models must be used with Commander-style or bobbed hammers only. Minor fitting of trigger engagement area may be required for proper operation.
SPECS: CM steel, blue or stainless steel, matte finish. Fits Colt Series 70 and 80 1911 Auto only. Commander also fits Officers ACP.

STK # GOVT.	STK # COMM.	FINISH	PRICE
#965-429-100DE	#965-429-110DE	Blue	5F29V48 \$ 35.95
#965-429-101DE	#965-429-111DE	SS	5F31V12 \$ 37.95

BRILEY 1911 AUTO REVERSE PLUG

**Contains The Recoil
Spring On Cone Comp
& Bull Barrel Guns**



Support plugs fill in the empty space under the muzzle on bull barrel installations. Provides support and gives a clean, finished look to the front of the slide. Sprinco fits Sprinco guide rod system with .308" diameter guide rod. Standard plug retains the recoil spring and guide rod on guns using cone comps or tapered sleeve bushings.

SPECS: 17-4 Stainless steel.
#129-105-001DE Govt. Support Plug 9B21A42 \$ 26.78
#129-105-002DE Comm. Support Plug 9B21A42 26.78
#129-105-003DE Off ACP Support Plug 9B21A42 26.78
#129-105-101DE Govt. Sprinco Plug 9B21A42 26.78
#129-105-103DE Comm. Standard Plug 9B21Y42 26.78

**NIGHTHAWK CUSTOM 1911 AUTO
FULL-SHOULDER REVERSE PLUG**



**Retains Recoil Spring On Guns
With Bull & Tapered Barrels**

Precision-turned, carbon steel reverse plug securely retains the recoil spring on pistols with barrel configurations that don't use a bushing, including bull and tapered (coned) barrels. A generous 3/8" long, full-circumference shoulder provides abundant surface area to stand up to years of hard shooting. Government and Commander sizes available.

SPECS: Steel, in-the-white. Use only with full-length guide rod; some machining of slide required.
#100-003-249DE Govt. Reverse Plug 2B20P76 \$ 25.95
#100-003-251DE Commander Reverse Plug 2B20P76 25.95

**NIGHTHAWK CUSTOM 1911 AUTO
RECOIL SPRING PLUG**

**Fully Finished Replacement
For Worn Or Lost Factory Plug**



High-quality steel replacement for a lost or dinged up recoil plug is available in both Government and Commander sizes. Blued, semi-gloss finish and fine, diamond pattern checkering on tip. Easy to lose during field stripping, and your gun won't work without it, so have a spare ready.

SPECS: Steel, blued, semi-gloss finish. Govt. - 1 1/2" (3.8cm) long, 1/2" (1.3cm) O.D. Commander - 1 1/16" (2.7cm) long, 1/2" O.D.
#100-003-258DE Govt. Recoil Spring Plug, 2B07P96 \$ 9.95
#100-003-259DE Commander Recoil Spring Plug, 2B07P96 9.95

CLARK CUSTOM RECOIL SPRING GUIDE

**Stops Spring Bind -
Standard & Reverse Plugs**

Full-length guide keeps the recoil spring from kinking and binding. You get smooth, reliable cycling and extraction. Two-piece design threads together for fast and easy take-down. Centerless ground, hardened steel, reverse plug is pre-drilled for use with tapered-sleeve compensators or cone bushings.

SPECS: Steel, blued, 3/16" (7.9mm) diameter. Fits 1911 Auto only. Includes 3/32" Allen wrench.

STOCK #	FITS/LENGTH	PLUG	PRICE
#181-117-005DE	Govt./5"	Standard	1H14A00 \$ 20.00
#181-117-105DE	Govt./5"	Reverse	1H21A00 \$ 30.00

MORE REVERSE PLUGS

ACCU-LOCK - "Eared" band design fills the unsightly holes around barrel when fitting a bull barrel or cone bushing. Oversized band allows precise fitting to your slide for increased barrel support. Flange plug retrofits existing slides with cone-style bushings. Collar plug fits STI/SVI slides.
SPECS: GM: Steel, in-the-white. 1.7" (43.2mm) long, .50" (12.7mm) diameter.
#448-191-100DE GM Collar Plug, 8D24P00 \$ 29.95
#448-191-101DE GM Flange Plug, 8D24P00 29.95



EGW COLLAR REVERSE PLUG & REAMER - Reverse Plugs include integral collar. Piloted Reamer cuts the spring guide tunnel to proper depth and diameter.
SPECS: Reverse Plugs - 1018 machined steel. 1.70" (4.3cm) long 1/2" (12.7mm) dia. body. .530" (13.5mm) dia. collar. All reverse plugs will require fitting. Long Plug - fits Govt. slides. Short Plug - face back for shortened Govt. or Commander slides. 6" Plug - 2.73" (6.9cm) long, fits 6" long slide. Reamer - Tool Steel (TS) or Carbide (Carb.) blades. 8" (20cm) long, 7/16" (11.1mm) dia. shank.



#296-108-102DE Long Reverse Plug, 6B13Y00 \$ 16.00
#296-108-101DE Short Reverse Plug, 6B13Y00 16.00
#296-108-103DE 6" Reverse Plug, 6B20Y00 25.00
#296-108-100DE Tool Steel Reverse Plug Reamer, 6B00HDD 53.35
#296-108-200DE Carb Reverse Plug Reamer, 6B00YTP 80.00

STI REVERSE PLUGS - For slides with tapered bushings, bull barrels and cone-comps. 5" fits standard Govt. slides. 6" fits long slides, uses standard 5" recoil springs.
SPECS: 4140 steel, in-the-white. 5" - 1.7" (4.3cm) long. 6" - 2.7" (6.9cm) long. Requires full-length guide rod, machining of slide.
#791-000-005DE 5" Reverse Plug 1G05Z50 \$ 6.60
#791-000-006DE 6" Reverse Plug, 1G06Z50 7.80



**COMINOLLI 1911 AUTO
TUNGSTEN GUIDE ROD**



**Heavyweight
Rod Fights
Recoil; Drop-In
Installation**

Adds over three ounces of recoil-killing weight directly beneath the barrel for improved muzzle control and a faster follow-up shot. Machined tungsten rod includes cushioned "Frame Saver" rod head that helps prevent frame damage. One-piece rod fits all Govt. length slides with 5" barrels without modification.
SPECS: Tungsten, silver finish. 3.2 oz. (92 g) wt. Includes extra Frame Saver cushions.
#213-103-100DE Tungsten Guide Rod 3A65V00 \$ 86.70

TUNGSTEN GUIDE ROD PLUGS - Put additional weight right where you need it to diminish recoil by simply replacing the guide rod plug. Fully machined plugs come in two models. Standard fits 5", Govt. length slides. Reverse fits STI/SVI factory slides and other slides modified to accept collar reverse plugs.
SPECS: Tungsten, silver finish. Standard - 1.4" (3.6cm) long .7 oz. (20 g) wt. Reverse 1.6" (4.2cm) long, .9 oz. (26 g) wt.
#213-103-001DE Standard Tungsten Plug, 3A38V34 \$ 52.25
#213-103-002DE Reverse Tungsten Plug, 3A38V34 52.25



Shop
grip safety Search
brownells.com

1911 AUTO
GRIP SAFETIES
GUIDE RODS/BUFFERS



Custom Springfield Armory, .45 ACP
Courtesy of Heinie Specialty Products.



- A** #394-102-306DE HEINIE SPECIALTY STRAIGHT EIGHT SLANTPRO™ SIGHTS See Page 36.
- B** #206-039-003DE CYLINDER & SLIDETACTICAL II HAMMER See Page 17.
- C** #087-245-892DE ED BROWN AMBITACTICAL SAFETY See Page 11.
- D** #849-009-027DE SMITH & ALEXANDER .220" RADIUS HIGH GRIP SAFETY See Page 13.
- E** #791-000-063DE STI MATCH GRADE TRIGGER See Page 27.
- F** #654-359-545DE NOWLIN MFG. PRE-FIT MATCH-GRADE ECM BARREL KIT See Page 5.
- G** #087-011-100DE ED BROWN EXTENDED TACTICAL MAGAZINE CATCH See Page 21.

COMINOLLI FRAME SAVER GUIDE ROD



Helps Prevent Cracked Frames; Lessens Recoil

Puts a recoil-absorbing cushion on both sides of the guide rod head to help prevent shock damage to the frame and the slide.

SPECS: Machined stainless steel. Fits 1911 Auto. **Type-II** fits Frame Saver II. Red outside cushion, black inside.

STOCK #	FITS/BBL LENGTH/STYLE	PRICE
#213-100-105DE	Govt. 5" One-piece	3A25V00 \$ 34.00
#213-105-104DE	Sprgflld Compact 4" One-piece	3A25T00 \$ 35.00
#213-000-005DE	Commander 4 1/4" One-piece	3A26V00 \$ 35.00
#213-100-002DE	Std. Guide Plug Only	3A04V07 \$ 5.08
#213-000-002DE	Type II Recoil Cushions 3 inside/3 outside	3A04T00 \$ 6.00
#213-000-003DE	Type II Outside Cushions 6-pak	3A04T00 \$ 6.00

**EGW 1911 AUTO
GUIDE ROD SYSTEM**



Weight-Adding Tungsten Or Tough Stainless Steel

Heavy, tungsten guide rod adds muzzle-steadying weight to help counter recoil. Stainless steel model improves functioning without adding weight. **Two-piece** - full-length, centerless ground construction simplifies disassembly. **One-piece** - gives extra weight, plus superior support to recoil spring for smoother function.

SPECS: .326" (8.2mm) diameter. Fits 1911 Auto, or STI, Govt. length slides with 5" (12.7cm) barrels. **Tungsten** 3.1 oz.(88 g). **Stainless Steel** 2 oz. (57 g). Supplied with stainless steel, standard spring plug. Stainless Steel model includes Allen wrench.

#296-405-000DE	Two-Piece 1911 Auto Tungsten Rod, 6B66Z67	\$ 82.24
#296-000-003DE	One-Piece 1911 Auto Tungsten Rod, 6B66U67	83.35
#296-407-000DE	Two-Piece 1911 Auto SS Rod, 6B20Z36	27.15

EGW 1911 AUTO ONE-PIECE GUIDE ROD



Simple, Robust Design For Smooth Function & Reliability

Simple, strong, one-piece guide rods provide smooth function and outstanding reliability on competition and carry guns. Machined from solid bar stock without through hole for extra strength and resistance to battering. Additional weight up front improves recoil control, and flat face helps recoil buffers fit securely. Short, **G.I. Style** has rounded front end that resists snagging the recoil spring. Available in Government and Commander sizes, blued carbon steel only. **Full Length** stainless steel rod guards against recoil spring bind for improved feeding and extraction. True, one-piece design with takedown hole has no threads to loosen or wear. Fits Government models with 5" barrels.

SPECS: **G.I. Style** - Carbon steel, blued. Government: 1 1/4" (4.6cm) long. Commander: 1 1/4" (3.2cm) long. **Full Length** - Stainless steel, natural finish. 4" (10.2cm) long.

#296-000-075DE	G.I. Style Guide Rod, Govt., 6B12D00	\$ 15.00
#296-000-080DE	G.I. Style Guide Rod, Comm., 6B12D00	15.00
#296-000-081DE	Full Length Guide Rod, Govt., 6B20D00	24.99

**ED BROWN 1911 AUTO
RECOIL PLUG & GUIDE**

Quality "Factory" Replacement

Made to original specifications for rebuilding existing guns or assembling new guns built to factory Government or Commander configurations. Heat-treated, recoil spring guide resists wear and battering. Checkered recoil spring plug gives a traditional look - just like the Colt factory part.

SPECS: **Govt:** Plug/Guide Steel, blue matte finish. Plug - 1 1/2" (4cm) long, 1/2" (13mm) O.D. Guide - 1 3/8" (4.1cm) long. **Commander:** Plug - Steel blue matte finish or Stainless steel, bead blasted silver finish. 1 5/8" (2.7cm) long, 1/2" O.D. Guide - Steel, matte blue finish. 1 3/16" (3cm) long.

#087-881-001DE	Govt. Recoil Spring Plug, Blue, 7H06Y76	\$ 8.45
#087-882-001DE	Govt. Recoil Spring Guide, Blue, 7H12Y75	15.95
#087-000-020DE	Commander Recoil Spring Plug, Blue, 7H06D76	8.45
#087-000-030DE	Commander Recoil Spring Plug, Stainless 7H07D61	9.51
#087-000-031DE	Commander Recoil Spring Guide, Blue, 7H12D75	15.95

**ED BROWN
TWO-PIECE GUIDE ROD**



Prevents Recoil Spring Bind; Makes Takedown Easier

Full-length, two piece design fully supports the recoil spring to help the pistol chamber, extract and cycle smoother. Helps prevent spring bind, makes slide takedown fast and simple. Long wearing, shock-resistant head and hardened stainless steel shaft stand up to both competition and duty use.

SPECS: Stainless steel. Includes guide rod plug and 5/32" Allen wrench.

STOCK #	FITS/BBL LENGTH	PRICE
#087-045-889DE	Govt. 5"	7H23D38 \$ 29.25
#087-045-890DE	Commander 4 1/4"	7H23D38 \$ 29.25
#296-000-047DE	Two-Piece STI Tungsten Rod, 6B73H33	91.64
#296-000-048DE	One-Piece STI Tungsten Rod, 6B73H32	91.64

**GUN RUNNERS 1911 AUTO
RECOIL SPRING GUIDE**



Factory-Style Replacement For Repair, Restoration Or Building New

Machined from tough, solid barstock to factory configuration. Heat treated, one-piece design resists recoil battering.

SPECS: Steel, blue, matte finish or parkerized, matte gray finish. 1 3/4" (4.4cm) long.

#634-000-006DE	Blue Recoil Spring Guide, 4C08B88	\$ 11.10
#634-000-007DE	Parkerized Spring Guide, 4C08B88	11.10

**NIGHTHAWK CUSTOM 1911 AUTO
FULL-LENGTH GUIDE ROD WITH PLUG**

Robust, One-Piece Rod Prevents Recoil Spring Bind



High-quality, drop-in, one-piece guide rod with matching, correct-size guide plug aids in smooth, reliable cycling by completely capturing recoil spring to prevent it from binding or deforming. Also adds extra weight up front to reduce muzzle flip for improved control and fast follow-up shots. Machined from solid stainless steel, with no threads to work loose or through hole to compromise strength. Flat face provides a snug fit and aids in proper positioning of recoil buffers.

SPECS: Stainless steel, natural finish. models for Government and Commander.

#100-003-248DE	Government FL Guide Rod w/Plug, 2B29P56	\$ 36.95
#100-003-247DE	Commander FL Guide Rod w/Plug, 2B29P56	36.95

NOWLIN CUSTOM GUIDE ROD ASSEMBLY



Extra Length For Extra Support & Better Cycling

Full-length design eliminates spring bind and provides more reliable feeding, extraction and ejection. 6" model provides increased support for government-length pistols equipped with full-style compensators or extended reverse plugs. Centerless ground and heat-treated for better function and decreased wear.

SPECS: 416 stainless steel. Heat treated to Rc 42. Available in **One-piece** and **two-piece** with standard (STD) plug or reverse (Rev.) plug. One-piece drilled for takedown pin. Two-piece includes Allen wrench. **Standard** or **Reverse** plug only, drilled for full-length guide rod.

STOCK #	FITS/LENGTH	PLUG/PIECE	PRICE
#654-108-151DE	Govt./5"	Std/1-Piece	4E25D87 \$ 32.33
#654-108-152DE	Govt./5"	Std/2-Piece	4E27D79 \$ 34.73
#654-108-162DE	Comp./6"	Std/2-Piece	4E29D71 \$ 37.13
#654-108-125DE	Govt./5"	Rev./2-Piece	4E37D12 \$ 46.40
#654-108-231DE	Comm./4 1/4"	Std/2-Piece	4E27D79 \$ 34.73
#654-108-235DE	Govt. plug only	Standard	4E05D20 \$ 6.50
#654-108-233DE	Govt. plug only	Reverse	4E13D35 \$ 16.68

Shop

heinie sights

Search

brownells.com

SPRINCO 1911 AUTO RECOIL MANAGEMENT SYSTEM



Reduces Felt Recoil, Muzzle Climb & Frame Damage

Drop-in system provides significant reduction in felt recoil and grip fatigue. Plus, it keeps the gun "flat" so your sights stay on target to help you shoot faster. Bright polished, stainless steel guide rod fitted with a chrome silicon, secondary spring that reduces slide-to-frame impact with no loss of reliable cycling. Softens the recoil impulse by gradually slowing the slide to prevent frame battering; helps extend your pistol's service life. Drop-in installation requires no modifications to your pistol. **SPECS:** 17-4 stainless steel (SS), heat treated to Rc 38-42. Polished finish. Select Bushing Plug (BP) or Reverse Plug (RP). Includes instructions.

STOCK #	FITS	PRICE
#943-100-011DE	1911 Govt/5" clones, SS, BP	3D63V71 \$ 84.95
#943-100-003DE	1911 Govt/5" clones, light loads 9mm, .38S, .45 wad, SS, BP	3D63V71 \$ 84.95
#943-000-002DE	1911 Govt/5" clones, heavy loads, (+P+) .40-.45 Super, .460 Rowland, SS, BP	3D67A46 \$ 89.95
#943-000-005DE	1911 "short" (CMP ball match legal) SS, BP	3D59A95 \$ 79.94
#943-100-012DE	Commander and 4.25" clones, SS, BP	3D63V71 \$ 84.95
#943-000-008DE	Delta Elite 10mm, SS, BP	3D67A47 \$ 89.96
#943-100-001DE	1911/SVI Limited, SS, RP	3D67A46 \$ 89.95
#943-100-002DE	1911/SVI Open Gun, SS, RP	3D67V46 \$ 89.95
#943-000-009DE	Kimber 4" Pro Carry & Compact, SS, RP	3D63A71 \$ 84.95

STI 1911 AUTO RECOIL MASTER



Softens Felt Recoil For Smooth Cycling,
Reliable Feeding, Fast Sight Recovery

Dual-spring, guide rod system gives smooth, gentle slide movement to significantly reduce muzzle flip and felt recoil. Proprietary, tuned springs help control muzzle rise to get you back on target faster. Primary recoil spring absorbs initial slide movement as the secondary spring gently slows and stops the slide. Softens initial chambering impulse to gently strip rounds from magazine. Improves feeding reliability, reduces sensitivity to magazine lip style. **Twin-Pack** contains one light system and one heavy system. Shooter preference and experience will help determine choice of heavy or light system. **SPECS:** Steel, blue finish. Fits 5" barrel guns. Includes full length guide rod, main and secondary springs, recoil plug and take down tool. **Light** - Comp guns and 9mm, plus guns with lightened slides require light system. .40/.45 caliber guns, with a loose-fit slide, can use the light system. **Heavy** - New, tightly-fitted guns and .40/.45 caliber use heavy system. Factory recommends not trimming or replacing springs.

#943-000-033DE	Bull Barrel, Light Recoil Master, 1G70A84	\$ 85.00
#791-000-034DE	Bull Barrel, Heavy Recoil Master, 1G70A84	85.00
#791-000-035DE	Bull Barrel, Twin-Pack Recoil Master, 1G125Y00	150.00
#791-000-036DE	Bushing Barrel, Light Recoil Master, 1G70Y84	85.00
#791-000-037DE	Bushing Barrel, Heavy Recoil Master, 1G70Y84	85.00
#791-000-038DE	Bushing Barrel, Twin-Pack, 1G125Y00	150.00

STI 1911 AUTO ONE-PIECE GUIDE ROD



Improves Function; Relieves Spring Bind

One-piece, solid steel rod improves function and reliability of competition and carry guns. Helps prevent recoil spring bind for improved feeding and extraction. **Hollow Spring Tube** requires no slide modification to install a one-piece guide rod in bushing-equipped guns. **SPECS:** 4140 steel, blue finish. **Guide Rod** - 5.1" (12.9cm) long. 1.6 oz., (45 g). Fits 1911 Govt or 5" models. Does not include Hollow Spring Tube. **Hollow Spring Tube** - Steel, blue (BL) finish. 1.095" (27.8mm) long.

#791-110-001DE	Steel Guide Rod, 1G13B13	\$ 16.50
#791-000-011DE	BL Steel Hollow Spring Tube, 1G07A67	9.19

WILSON COMBAT 1911 AUTO RECOIL SPRING GUIDE



Eliminate Spring Kink & Bind;
One- & Two-Piece Styles

With a full-length guide rod in place giving no chance for recoil spring bind, a 1911 will chamber, cycle and extract more reliably. One-piece style available for Government/Gold Cup and Commander; Two-piece for Government/Gold Cup in both standard full-length and long slide for pistols equipped with partial or full-style compensators. Reverse Plug model fits Govt. length slides altered to accept tapered sleeve bushing. **SPECS:** Stainless steel. .325" (8.25mm) diameter shaft. All include correct plug.

STOCK #	FITS/BBL LENGTH/STYLE	PRICE
#965-025-002DE	Comm/4 3/4"/1-Pc.	5F22T92 \$ 27.95
#965-025-001DE	Govt/.5"/1-Pc.	5F22T92 \$ 27.95
#965-148-500DE	Govt/.5"/2-Pc.	5F24P56 \$ 29.95
#965-025-021DE	Govt/.5"/1-Pc. w/reverse plug	5F30T30 \$ 36.95

WILSON COMBAT 1911 AUTO TUNGSTEN GUIDE ROD



Extra Weight Fights Recoil

Puts additional weight directly beneath the centerline of the bore to fight the effects of recoil and muzzle flip. Helps keep the muzzle steady for a faster, follow-up shot and more consistent accuracy. Full-length rod helps reduce spring bind, improve cycling and reliability. Same diameter as a standard, full-length guide rod; uses standard guide plug. **SPECS:** Tungsten rod, includes guide plug. Fits Govt. length slides with 5" (12cm) barrels.

#965-419-000DE	Tungsten Guide Rod 5F77V86	\$ 94.95
----------------	-----------------------------------	----------


Shop

guide rod

brownells.com

Search

WILSON COMBAT 1911 COMPACT FULL-LENGTH GUIDE ROD KIT



Ends Officers ACP & Springfield Compact Spring Plug Failures

Full length rod replaces the short, factory spring plug and guide rod for increased spring support, better reliability and smoother functioning. Two-piece, hex head guide rod and one-piece recoil spring are fast and easy to install. Installation requires only slight modification to slide. **SPECS:** Machined stainless steel guide rod/head and plug. Heavy duty recoil spring. **Officers ACP Rod (Officers):** .326" (8.2mm) diameter. **Springfield Compact Rod (SC):** .326" (8.2mm) diameter.

#965-025-003DE	Officers Guide Rod Kit 5F30T30	\$ 36.95
#965-025-004DE	SC Guide Rod Kit 5F30T30	36.95

WILSON COMBAT 1911 AUTO "GROUP GRIPPER" GUIDE ROD & PLUG



Easy, Drop-In Kit Squeezes Maximum Accuracy From Standard Barrels

Exclusive Dwyer "Group Gripper" acts like an instant accurizing job for standard or factory barreled guns. Full-length guide rod with heavy, internal spring forces barrel top lugs upward into the slide. Gives maximum lug engagement, positive lockup and far more consistent shot-to-shot repeatability. **SPECS:** Stainless steel. Kit includes two-piece, full-length guide rod, guide plug, barrel link and instructions. Available for Govt./Gold Cup (G/GC) and Commander (CM) length slides.

#965-203-001DE	G/GC Group Gripper, 5F39B32	\$ 47.95
#965-203-002DE	CM Group Gripper, 5F39B32	47.95

WILSON COMBAT 1911 AUTO SHOK-BUFF RECOIL SYSTEM



Improves Accuracy, Functioning;
Eliminates Frame Cracking From Recoil

Easy-to-install kit instantly improves cycling, reliability and accuracy without modifying the frame or the slide. Exclusive, injection-molded, polyfiber buffers slip onto the guide rod between the head and spring and keep the slide from hitting the frame. Prevents expensive frame damage and softens the felt recoil of high power competition loads. Full-length guide rod keeps the recoil spring straight for smoother functioning and longer spring life. Together they provide consistent barrel lockup and increased accuracy. **SPECS:** Kit includes stainless steel full length guide rod and plug, 6 Shok-Buff washers, 1 light recoil spring, 1 heavy recoil spring, 1 extra power firing pin return spring. Fits 1911 Auto models and calibers listed only.

STOCK #	FITS	CALIBER	PRICE
#965-064-045DE	Govt/Gold Cup	.45 ACP	5F31C94 \$ 38.95
#965-064-145DE	Commander	.45 ACP	5F31C94 \$ 38.95

WILSON COMBAT 1911 AUTO SHOK-BUFF RECOIL KIT



Improves Functioning Reduces Recoil Sharpness & Frame Battering

Balanced kit comes with two buffers and one steel recoil spring to help reduce frame cracking and battering. Buffers should be replaced every 1,000 rounds, and spring should be replaced every 2,000 rounds. When buffers are gone, replace the spring - an easy way to remember to replace the spring. **SPECS:** Steel spring, plastic buffers. Fits Govt. model only.

#965-002-001DE	SHOK-BUFF Recoil Kit 5F05A70	\$ 6.95
----------------	-------------------------------------	---------

BUFFERTECHNOLOGIES 1911 AUTO RECOIL BUFFER™

Softens Felt Recoil, Stops Frame Battering

Polyurethane spacer fits on the recoil spring guide to cushion slide impact against the frame. Gently slows the slide; helps prevent the constant frame battering that causes premature wear or cracking. Extends the service life of competition and carry pistols. Softens felt recoil, reduces muzzle rise for faster follow-up shots. Change every 1000 rounds for best results. **SPECS:** Polyurethane, gray. 1 per pack. 1911 Auto, polyurethane, yellow. 8 per pack.

#071-000-005DE	1911 Auto Recoil Buffer 1G06C97	\$ 9.95
----------------	--	---------

CP BULLETS 1911 AUTO SUPERTUFF RECOIL BUFFERS

Eliminates Frame Damage From Recoil

Prevents the slide from contacting the frame and causing serious damage during recoil. An absolute must for any shooter using major power factor ammunition in their 1911 Auto. Long-wearing, hard, nylon washers absorb the shock but won't flatten out and cause cycling problems as they begin to wear. Fits easily over full length or short, factory guide rods. Replace every 1,000 rounds for best results. **SPECS:** Hard nylon, clear. Fits 1911 Auto only, 5 per pak.

#169-001-000DE	CP Super Tuff Recoil Buffers, 9F03D91	\$ 6.95
----------------	---	---------

ED BROWN 1911 AUTO SLIDE BUFFERS

Prevent Slide-To-Frame Contact & Damage

Eliminates frame damage caused by slide/frame battering during the recoil cycle. A single, extra-defense, polyurethane buffer fits between the guide rod head and the recoil spring; completely prevents the slide from contacting the frame. Precisely molded so they won't drag on the frame and cause malfunctions. For best results, change every 1,000 rounds. **SPECS:** Polyurethane. Fits 1911 Auto only. 6 per pak.

#087-805-006DE	Slide Buffers 7H05D06	\$ 6.33
----------------	------------------------------	---------

WILSON COMBAT 1911 AUTO SHOK-BUFFS®

Softens The Blow Of Recoil

Prevent expensive frame damage when shooting high-pressure loads. Poly-fiber washer installs behind the recoil spring on any length guide rod. Shock absorbing action stops the slide from battering the frame. Injection molded to provide the optimum balance between shock absorption and longevity. Replace every 1,000 rounds. **SPECS:** Poly-fiber, blue. 6-pak. Not for use in Officer's Models.

#965-002-004DE	Shok-Buffs Pak 5F05C70	\$ 5.95
----------------	-------------------------------	---------



- A** #965-463-101DE WILSON COMBAT TRITIUM TACTICAL SIGHT SET See Page 40.
- B** #965-337-001DE WILSON COMBAT STAINLESS STEEL ULTRALIGHT HAMMER See Page 17.
- C** #965-415-070DE WILSON COMBAT BULLET PROOF® EXTRACTOR See Page 10.
- D** #965-298-002DE WILSON COMBAT STAINLESS STEEL BEAVERTAIL GRIP SAFETY See Page 13.
- E** #965-000-050DE WILSON COMBAT ELITETACTICAL MAGAZINE See Page 24.
- F** #965-351-102DE WILSON COMBAT COCOBOLO EXOTIC WOOD GRIPS See Page 34.
- G** #965-190-045DE WILSON COMBAT ULTRALIGHT MATCH TRIGGER See Page 26.
- H** #965-025-001DE WILSON COMBAT 1-PIECE RECOIL SPRING GUIDE See Page 15.
- I** #965-033-545DE WILSON COMBAT MATCH BARREL/BUSHING SET See Page 6.
- J** #965-000-010DE WILSON COMBAT BULLET PROOF™ SLIDE STOP See Page 9.
- K** #965-031-020DE WILSON COMBAT TACTICAL MAGAZINE RELEASE See Page 21.
- L** #965-600-107DE WILSON COMBAT NARROW EXTENDED THUMB SAFETY See Page 12.

**CYLINDER & SLIDE 1911 AUTO
1911 AUTOTRIGGER PULL KIT**



**Match Quality Trigger Pull
In A Drop-In Kit**

Kits are tested on a Series 70-style frame to make certain they will produce the specified pull weight with little or no fitting. Parts are wire EDM cut from bar stock, honed and polished, then heat treated for years of service life. All profiles and through-holes are mechanically correct to function without hand fitting. Sear nose has correct relief angle, sear spring is narrowed to reduce pull weight. Each kit contains a hammer, sear, disconnector, sear spring and hammer spring. Professional kit has 5 lb. of pull weight and is designed for military and police shooters. Gives complete trigger control in high-stress situations. **SPECS:** Billet alloy steel, in-the-white. Hammer, Rc 50-54, .5 oz. (14.1 g) weight. Sear, .2 oz. (5.6 g) weight. Disconnector, .2 oz. (5.6 g) weight. 23 lb. hammer spring, tactical sear spring included.

#206-000-019DE Professional 5 lb. Trigger Kit, 6K119B96 \$ 149.95

**CYLINDER & SLIDE
ULTRA LITE, ULTRA
MATCH & SUPER
MATCH COMPONENTS**

**Premium-Quality Parts
To Produce A Long-Wearing,
Match-Quality Trigger Pull**



Super Match and **Ultra Lite** components are CNC machined from aerospace-quality, maraging alloy tool steel that's age-hardened to prevent stress, warpage and tolerance loss. All profiles are mechanically correct, through-holes are properly aligned so they function the first time without time consuming fitting. Exposed hammer edges are chamfered to minimize slide drag and clothing wear. **Sets** contain either the **Ultra Lite** or the **Super Match Hammer** plus matching **Sear** and **Disconnector**. **SPECS:** Hammer and Sear Special die steel, matte silver finish. Rc 50-53. **Disconnector** - Special tool steel. Rc 50-53.

ULTRA LITE HAMMER - Skeletonized for low mass and faster lock time without sacrificing long wearability and strength. 2 lb. trigger pulls can be achieved without shortening the hooks below .018". All engagement surfaces are highly polished and ready for installation.

#206-104-101DE Ultra Lite Hammer, 6K74V88 \$ 93.60
#206-104-000DE Ultra Lite Set, 6K122V24 152.80

SUPER MATCH HAMMER - All the great features of the **Ultra-Lite Hammer** in a conventional "commander" design that's best for assuring ignition on carry or personal defense pistols.

#206-103-001DE Super Match Hammer, 6K63V32 \$ 79.15
#206-103-000DE Super Match Set, 6K111V28 139.10

ULTRA MATCH SEAR - Highly contoured so all excess weight is trimmed away for the absolutely lowest mass and lowest inertia. Gives reliable, positive sear engagement with lighter spring weights.

#206-103-010DE Ultra Match Sear 6K37V80 \$ 47.25

ULTRA MATCH DISCONNECTOR - Machined with the correct lengths, both above and below the sear pin cutout, so you get reliable functioning without a lot of fitting or scraping.

#206-103-020DE Ultra Match Disconnector, 6K19V16 \$ 23.95

NEW Item **CYLINDER & SLIDE 1911 AUTO
TRIGGER PULL KIT**



**Match Quality
Trigger Pull
In A Drop-In Kit**

Each kit is tested on a Series 70-style frame to make certain it will produce the specified pull weight with little or no fitting. Parts are wire EDM cut from bar stock, honed and polished, then heat treated for years of service life. All profiles and through-holes are mechanically correct to function without hand fitting. Sear nose has correct relief angle, sear spring is narrowed to reduce pull weight. Exposed hammer edges on **Ultra-Light**, **Super Match** and **Tactical II** are chamfered to minimize slide drag and clothing wear. Each kit contains a hammer, sear, disconnector, sear spring and hammer spring. **ULTRA LIGHT KIT** - 3.5 lb. pull weight. Ultra light, skeltonized, hammer; relieved to prevent frame rub. Ultra light match sear and disconnector. Lightened sear spring, 18 lb. hammer spring. **ULTRA LIGHT SPEED II KIT** - 3 lb. pull weight. Low-profile, skeltonized hammer relieved to prevent frame rub; ultra-light weight cuts lock time to a minimum. Deep, crisp serrations ensure secure thumb contact for fast, positive cocking. Properly matched spring weights give the specified pull weight and ensure positive ignition. **SUPER MATCH KIT** - 3.5 lb. pull weight. Ultra match, lightened hammer. Relieved to prevent frame rub. Ultra light match sear and disconnector. Light pull sear spring, 18 lb. hammer spring. **TACTICAL II KIT** - 4 lb. pull weight. Tactical II hammer with relieved sides, ultra match sear and disconnector, light sear spring, 18 lb. hammer spring. **TACTICAL MATCH KIT** - 4.5 lb. pull weight. Tactical hammer, sear, disconnector, light pull sear spring, 18 lb. hammer spring. Great for carry guns. **WARP SPEED KIT** - 3 lb. pull weight. Very low mass hammer, relieved to prevent frame rub. Low mass sear and disconnector, 18 lb. hammer spring, light pull sear spring. **PROFESSIONAL KIT** - 5 lb. of pull weight and is designed for military and police shooters. Gives complete trigger control in high-stress situations. Contains hammer, sear, disconnector, 23 lb. hammer spring and tactical sear spring. **SPECS:** Ultra Light Kit: Special die steel, in-the-white. Hammer: Rc 50-53, .39 oz. (11.1 g) weight. Sear: .07 oz. (1.9 g) weight. Ultra Light Speed II: Tool steel, in-the-white. Hammer & Sear: Rc 50-55, .7 oz. (20g) total weight. Sear: .07 oz. (1.9 g) weight. Super Match Kit: Special die steel, in-the-white. Hammer: Rc 50-53, .47 oz. (13.4 g) weight. Sear: .07 oz. (1.9 g) weight. Tactical II Kit: Special tool steel, in-the-white, Hammer, Rc 50-53, .5 oz. (14 g) weight. Sear: .09 oz. (2.5 g) weight. Tactical Match Kit: Special tool steel, in-the-white. Hammer: Rc 50-53, .52 oz. (14.7 g) weight. Sear: .09 oz. (2.5 g) weight. Warp Speed Kit: Special die steel, in-the-white. Hammer: Rc 50-53, .35 oz. (9.9 g) weight. Sear: .07 oz. (2 g) weight. Disconnector: .069 oz. (1.9 g). Professional 5 lb. Kit: Billet alloy steel, in-the-white. Hammer, Rc 50-54, .5 oz. (14.1 g) weight. Sear 2 oz. (5.6 g) weight. Disconnector .2 oz. (5.6 g) weight. 23 lb. hammer spring, tactical sear spring included.

#206-103-030DE Ultra Light Trigger Pull Kit, 6K144V92 \$ 181.15
#206-000-039DE Ultra Light Speed II Kit 6K169X95 209.95
#206-103-040DE Super Match Trigger Pull Kit, 6K133V40 166.75
#206-103-052DE Tactical II Trigger Pull Kit, 6K113V56 141.95
#206-103-050DE Tactical Match Kit, 6K93V20 116.50
#206-038-100DE Warp Speed Kit, 6K147Y00 183.75
#206-000-019DE Professional 5 lb. Trigger Kit, 6K119B96 149.95

JOIN GUNSMITHS.com TODAY!

EGW 1911 AUTO IGNITION PARTS KIT

Matched & Ground;
Ready For Precise Fitting

Hard steel sear, disconnector, spring and hammer for a match-quality trigger pull and long wear. Long design disconnector prevents drag on sear pin. Sear and hammer are ground to match with little or no stoning. Spring manufactured from hardened steel to allow for precise tuning. Available in blue or stainless steel hammer. 


SPECS: With a CNC machined steel. Blue (BL) or stainless steel (SS). Gunsmith installation recommended.

#296-000-069DE Ignition Kit, BL, 6B68Y00 \$ 85.00
#296-000-070DE Ignition Kit, SS, 6B68Y00 85.00

NOWLIN MFG. DROP-IN TRIGGER JOB

A Professional 3½ Lb. Trigger Pull
Without The Work



Ready-to-drop-in parts put an ultra-smooth, clean breaking, professional quality trigger job in your 1911 Auto in only minutes. Fully prepared hammer and pre-ground, pre-polished sear, plus springs and fully-machined disconnector, will install into most models of 1911 Autos with little or no fitting required. Helps promote better trigger control and improved accuracy. **Factory Enhanced** - metal-injection-molded sear and hammer are specially machined, ground and hardened to give years of service life. Lightens pull to 4 lbs. **Pro Match & Commander Match** - feature wire EDM'd hammer and sear that are double heat treated, then finish ground for outstanding durability. 3½ lb pull weight. These will exceed the demands of all styles of competitive shooting. **Speed Demon Match** - Ultra lightweight hammer quickens lock time for the fastest possible follow-up shot. Features wire EDM'd hammer and special spring weights. 3½ lb. pull weight. 

SPECS: Kit includes hammer, sear, sear spring, mainspring and disconnector. **Factory Enhanced** - A6 tool steel hammer, blue, polished sides, Rc 50. **Pro Match** - S-7 tool steel hammer, polished sides, Rc 50. **Speed Demon & Commander Match** - 420 XL stainless tool steel hammer, polished sides, Rc 50.

#654-012-110DE Pro Match Trigger Job, 4E107U95 \$ 134.93
#654-012-111DE Commander Match Trigger Job, 4E103U45 137.94
#654-012-112DE Speed Demon Trigger Job, 4E118U56 148.20

CYLINDER & SLIDE 1911 AUTO TACTICAL HAMMER & SEAR


Hardened-Alloy Steel
For Durability & Long Life

EDM, wire cut, then CNC, finish machined from tool steel and hardened to Rc 50-53 so they hold a finely-stoned edge for thousands of rounds. Pre-prepped hooks and sear face require only final stoning to achieve a clean, crisp trigger pull. Plus, the sear features the proper relief cut so the hammer resets firmly during cycling. **Tactical II** hammer fea-



DOUG KOENIG 1911 AUTO LOW MASS HAMMER

Minimal Over-Cock Travel Speeds-Up Ignition;
Pre-Cut, Pre-Polished Hooks Speed Installation

All-steel, "Commander-style" concealed-carry hammers, ready for installation with little or no fitting required. All excess weight is removed for fast, consistent, positive ignition without cracking or breakage. Engagement areas are surface ground plus, the half-cock notch will not damage your carefully prepared sear angles. Sides narrowed for slide clearance. **Premium Match** model has additional lightening cuts for lower mass, giving the faster lock times needed for competitive shooting. 


SPECS: Tool steel, in-the-white, machined. **Premium Match** - .3 oz. (9g) wt. **Standard** - .5 oz. (14g) wt.

#388-401-000DE Premium Match Low Mass Hammer, 8H64X27 \$ 80.33
#388-401-100DE Standard Low Mass Hammer, 8H64X27 80.33

EMC 1911 AUTO WIDE SPUR HAMMER

Gives Pistol A Classic Look




Tool steel, hardened hammer gives your pistol the look of early production military and contract style 1911's. Heat-treated to RC 46-52 and machined to dimensions traceable to National Bureau of Standards specifications. Top of hammer is checkered for a positive grip and sides are tapered for clearance. 

SPECS: Tool steel, heat-treated to RC 46-52. Pad: 3/6" (9.5mm) wide x 3/4" (19mm) long. Gunsmith installation recommended.

#100-001-777DE Wide Spur Hammer, 7A20C95 \$ 25.95
---	----------------

ED BROWN 1911 AUTO BARSTOCK HARDCORE® HAMMER

Extra Tough & Long Wearing


Machined-from-barstock with the sear hooks cut to height, requiring only a light stoning to achieve a crisp, clean pull. Half-cock notch is narrowed and a lowered strut pin hole reduces full-cock spring pressure. Narrowed spur minimizes drag; a big opening reduces weight. 

SPECS: 4140 alloy steel, blue, or 420 stainless steel, SS. Rc 52-54, .020"-.022" hook height, Gunsmith installation recommended.

#087-000-009DE Blue Barstock Hammer, 7H42B46 \$ 53.10
#087-000-010DE SS Barstock Hammer, 7H46B71 58.40

PAY ANY WAY

VISA/MC/Am Ex/Discover
CrossCheck/IMPAC/C.O.D.

tures relieved sides and chamfered edges to reduce slide drag and clothing wear. 

SPECS: Special tool steel, in-the-white, Rc 50-53.

#206-039-001DE Tactical Hammer, 6K36A00 \$ 45.00
#206-039-002DE Tactical Sear, 6K22A36 27.95
#206-039-003DE Tactical II Hammer, 6K48A64 60.80


INFINITY 1911 AUTO XCELERATOR HAMMER

Lightweight Design;
Hard Tool Steel For Long
Lasting Performance

Skeletonized profile removes excess weight; gives faster lock times and improved accuracy. EDM-cut from cryo-treated S7 tool steel for a lasting edge. Narrowed body prevents slide drag; smoothes function. Half cock notch is narrowed to prevent sear damage. Square cut and polished hooks require just light, final stoning to produce a first class trigger pull. Three popular styles for competition and carry guns. 

SPECS: Machined S7 tool steel, cryo-treated, hardened to Rc 54-56. Available in - Commander (Comm), Square (SQ), Spur. Polished blue. Gunsmith installation recommended.

#823-102-105DE Commander Hammer 3B62V12 \$ 77.65
#823-102-106DE Square Hammer 3B62V12 77.65
#823-102-107DE Spur Hammer 3B62V12 77.65

EDM SEAR - Precision, EDM-cut from ultra-hard, A6 tool steel that holds those finely-honed edges longer for a trigger job that lasts. 

SPECS: S-7 tool steel, in-the-white.

#823-103-106DE EDM Sear 3B32V11 \$ 40.13
---------------------------------	----------------

MASEN 1911 AUTO HAMMER

Quality, Affordable
Replacement Hammers




Quality castings, CNC finish machined and hardened with custom features for all shooting styles. **Standard (Std.)** - Faithful reproduction of the original 1911 Auto hammer with long, checkered spur. **Oval Commander (OC)** - Large, oval hole lightens weight, and serrations ease hammer pull. **Wide Spur (WS)** - Bullseye hammer with an extra-wide, checkered spur for easier cocking. 

SPECS: Steel, blued or stainless steel, matte finish.

#555-103-010DE BlueStd. Hammer, 6E11B18 \$ 14.00
#555-103-110DE SSStd. Hammer, 6E12B06 15.50
#555-103-011DE BlueOC Hammer, 6E14B00 20.50
#555-103-111DE SSOC Hammer, 6E17B70 22.50
#555-103-012DE BlueWS Hammer, 6E12B06 15.95
#555-103-112DE SSSWS Hammer, 6E13B14 16.95

NIGHTHAWK CUSTOM 1911 AUTO HAMMER & SEAR

Machined & Hardened
To Hold Dimensions & Resist Wear


Match grade hammer and sear are cut from solid tool steel bar stock, fully machined, and hardened to hold precise dimensions and stand up to many thousands of rounds without wear. Mirror polished engagement surfaces on sear ensure an exceptionally crisp, clean-breaking let off. Hammer has oval hole to reduce weight and crisp serrations to prevent slippage when cocking or uncocking. 

SPECS: Hardened tool steel. Hammer - Blued. Sear - Heat-treated, natural finish.

#100-003-268DE 1911 Hammer, 2B36P76 \$ 45.95
#100-003-269DE 1911 Sear, 2B17P56 21.95

NOWLIN MFG. 1911 AUTO HAMMER

Three Grades To Satisfy
All Types Of Shooters

Fully prepped and ready to install. Fully-cut hooks and pre-ground engagement surfaces don't require additional work. **201 Pro** - Wire EDM'd then machined from tool steel to provide long life for competition use. Lightweight, cutaway loop. **201 CS** - Traditional, Commander-style loop. EDM'd and fully CNC machined. 


SPECS: 201 Pro - S7 tool steel, matte finish. 201CS - 420XL stainless tool steel, matte finish. All hammers Rc 50-53.

#654-217-201DE 201 Pro Hammer 4E44Y96 \$ 56.20
#654-217-202DE 201CS Hammer 4E42Y25 52.82

STI 1911 AUTO HAMMER

Three Functional Styles In
Two Durable Materials For
Match & Carry Use




Fully squared and cut hammer hooks, polished and ready to install as a vital part of a complete, custom trigger job. Match-quality in three of the most popular styles to meet the needs of both the competitive and self-defense shooter. Electro-discharge machined from either long-wearing tool steel to guarantee correct fit and performance. 

SPECS: Tool steel, in-the-white. Available in Commander, Squared or Spur style.

#791-102-001DE Commander Hammer 1G33Z71 \$ 44.95
#791-102-002DE Squared Hammer 1G33Z71 42.15
#791-102-003DE Spur Hammer 1G33Z71 42.15

WILSON COMBAT 1911 AUTO ULTRALIGHT HAMMER

"Skeletonized" Design, Long-Wearing Steel

The last bit of extra weight has been stripped away for minimum weight and faster locktime. Machined from A-2 tool steel or Stainless Steel and hardened for superior strength and long life. Sear engagement hooks pre-cut to .020" height and ground; ready to polish. Rebated width on half-cock prevents sear nose damage. Combat-style spur is serrated for fast, easy thumb grip. Narrowed body can't interfere with slide travel. 


SPECS: Stainless steel (SS) or A-2 steel, heat treated to Rc 48-52. Fits Series 70 and 80. Minor fitting required.

#965-337-002DE A-2 Ultralight Hammer, 5F40V96 \$ 49.95
#965-337-001DE SS Ultralight Hammer, 5F45V06 54.95

WILSON COMBAT 1911 AUTO VALUE LINE HAMMER & SEAR

Reliable Performance; Affordable Price

Ready to install, fully finished parts give a crisp, clean trigger pull. All engagement surfaces are correctly ground for positive hammer/sear engagement. Hammer has low-mass oval cut spur that reduces lock time. Narrowed sides improve function by reducing drag. Sear primary angle is cut; just polish it and stone the relief angle for a super

clean breaking trigger. 

SPECS: MIM 4340 steel, Rc 47-52. Matte black finish.

#965-314-110DE Value Hammer 5F20A91 \$ 25.50
#965-314-100DE Value Sear 5F13A08 15.95

WILSON COMBAT 1911 AUTO DELUXE COMMANDER HAMMER



Light, Narrowed; Full-Width, Half-Cock Notch

Grooved, fully relieved and lightened spur gives positive, no-slip thumb grip. Gold Cup-style, repositioned hammer strut hole reduces full cock spring pressure for a crisp, lighter feeling trigger pull. Hammer hooks are precision ground to .020", squared, ready for light stoning/final polish. Narrowed half-cock notch prevents rear nose damage.

SPECS: EDM from carbon steel, bar stock. Fits Series 70 and 80. Gunsmithing required.
#965-299-001DE Commander Hammer 5F39T32 . . . \$ 47.95

EGW 1911 AUTO COMPETITION SEAR



Hardened EDM Sear For Match-Quality Triggers

Get a cleaner-breaking, lighter feeling trigger pull without stoning. Precision EDM machining assures correct "out of the package" sear angle for full hammer/sear engagement without time consuming stoning or additional work. Made from ultra-hard tool steel and heat treated for longer life.

SPECS: Machined steel. Rc 60-61. Fits 1911 Auto only.
#296-100-002DE 1911 Auto Competition Sear, 6B24Z00 . . . \$ 30.00

ED BROWN 1911 AUTO MATCH SEAR



Extra-Hard For Long-Wear Life, Clean Break

Precision finished from 4340 alloy that will stone sharper and wear longer. Correct geometry assures positive sear/hammer engagement and helps prevent dangerous sear bounce and hammer follow. Made to maximum 1911 Government Model specs for long life and durability.

SPECS: Steel, hardened and heat treated.
#087-812-000DE Brown Match Sear 7H19P96 . . . \$ 21.20

ED BROWN 1911 AUTO PERFECTION SEAR



Perfectly Mated For A Precise Trigger Pull

Ready to use as the final touch in a match trigger job. Pre-fit with primary angle already cut; simply stone the correct relief angle and install.

SPECS: 4340 tool steel, blued. Hardened to Rc 50.
#087-045-874DE Perfection Sear, 7H25A46 . . . \$ 31.85

NOWLIN MFG. 1911 AUTO SEAR



Three Styles Feature Drop-In Performance With No Stoning Required

Sears that you can drop right in feature pre-ground and fully-prepped nose angles. No final stoning required for custom performance. **Factory Enhanced** - Metalinjection molded; hardened, then machined for a close tolerance fit and long-lasting function. **Pro Match** - CNC machined from S7 tool steel, then double heat treated to provide non-captive sear angles that stay sharp and won't round off.

SPECS: **Factory Enhanced** - MIM steel, in-the-white. **Pro Match** - S7 tool steel, matte finish.
#654-270-100DE Factory Enhanced Sear, 4E11U45 . . . \$ 14.32
#654-270-101DE Pro Match Sear, 4E17U93 . . . 23.92

STI 1911 AUTO MATCH GRADE SEAR



Premium Match Grade For A Dependable, Crisp Letoff

Electro-discharge machined to give the precision sear geometry needed for improved trigger pull. Features ground and polished angles for less work and faster installation on match-grade trigger jobs. Made from S-7, shock-grade, tool steel, then specially hardened for longer service life on competition pistols firing many thousands of rounds per year.

SPECS: Steel, S-7 in-the-white.
#791-101-110DE Premium Grade Sear, 1G16Z63 . . . \$ 21.00

WILSON COMBAT 1911 AUTO SEAR



Meets The Demands Of Competition & Self-Defense

EDM cut from tool steel bar stock, heat treated for maximum hardness then ground to a beautiful, high polish to achieve a smooth, crisp, clean trigger pull.

SPECS: EDM cut from tool steel bar stock.
#965-314-000DE Deluxe Sear, 5F22A10 . . . \$ 26.95

BRILEY 1911 AUTO DISCONNECTOR



Fits All Frames For Great Trigger Pull

MIM steel with all bearing surfaces highly polished for smooth functioning. Drop-in fit saves shop time. Heat treated to improve durability.

SPECS: MIM Steel, blue, matte finish. Fits Series 70 & 80 pistols.
#129-121-100DE Blue Disconnector, 9B17Y14 . . . \$ 21.43

ED BROWN 1911 AUTO PERFECTION DISCONNECTOR



Precise Fit, Perfect Functioning In 1911 Triggers

Designed to work with Ed Brown's Perfection Sear and Hardcore Hammer for crisp, high performance trigger jobs. Heat treated for super durability in rugged service. All machined surfaces are finished and dimensionally precise to ensure perfect fit and smooth functioning. Gunsmith installation required.

SPECS: Steel, blued. Fits all 1911 pistols including hi-capacity models.
#087-000-040DE Perfection Disconnector, 7H16X96 . . . \$ 21.20

INFINITY 1911 AUTO TRI-GLIDE DISCONNECTOR



Reduced Mass & Friction, Improves Trigger Performance

Reduced weight resets faster on guns with very light trigger pulls. Low friction head has reduced bearing area, gives trigger a smooth feel with a crisp, clean break. CNC machined from bar stock for greater strength.

SPECS: 4140 steel, blue.
#823-109-000DE Tri-Glide Disconnector, 3B32X11 . . . \$ 40.13

TOLL FREE: 800-741-0015

NIGHTHAWK CUSTOM 1911 AUTO BAR STOCK DISCONNECTOR



Polished Engagement Surfaces For A Precise, Clean-Breaking Trigger

Robust, match grade replacement for your pistol's factory disconnector has precision ground engagement surfaces to ensure an exceptionally crisp trigger without creep or mushiness. Fully machined from solid steel bar stock, then hardened to maintain precise dimensions and finished with Nighthawk's proprietary Perma Kote™ process before final polishing of slide notch and sear spring contact surfaces.

SPECS: Hardened steel, blued. Gunsmith fitting required.
#100-003-261DE Bar Stock Disconnector 2B15P96 . . \$ 19.95

NOWLIN MFG. 1911 AUTO PRO IMPROVED DISCONNECTOR

Pre-Fit & Polished For Smooth, Dependable Function

Slide notch and sear spring surface are fully-polished after hardening to maintain the correct overall length; no further fitting required. Nowlin's exclusive, long-wearing, fully-machined, hardened disconnect made even better with pre-polished engagement surfaces for achieving that "breaking-glass" trigger pull so sought after by experienced shooters. Drops right in to any 1911 Auto for improved function or make it a part of your next trigger job.

SPECS: 4140 steel, blue, matte-finish. 1.3" (3.3cm) long.
#654-000-048DE Pro Improved Disconnector, 4E17P81 . . . \$ 22.27

EGW 1911 AUTO EXTRA-LONG HAMMER STRUT



Improved Radius For Better Performance

Machined stainless steel and titanium struts keep the hammer under main-spring tension even at the "hammer-down" position. Improved radius prevents the strut from contacting the sear spring and prevents interference with most grip safeties.

SPECS: Stainless steel or Titanium, matte finish, silver. 2.2" (5.6cm) long, fits 1911 Govt. & Commander.
#296-000-077DE Hammer Strut, SS 6B06Y50 . . . \$ 8.00
#296-000-078DE Hammer Strut, Ti 6B09Y50 . . . 12.00

ED BROWN 1911 AUTO HAMMER STRUT



Perfected Geometry For Optimal Performance

Correct radius for proper clearance between the sear spring and grip safety. Ensures consistent hammer fall for maximum reliability. Heat-treated tool steel for long lasting durability.

SPECS: Cast, 8620, tool steel, blue finish. 2.2" (5.6cm) long.
#087-823-000DE Hammer Strut 7H05U91 . . . \$ 740

STI 1911 AUTO TITANIUM HAMMER STRUT



Combine With Other Lightweight Components For The Fastest Lock Time Possible

An important link in a complete, lightweight 1911 Auto ignition system for increased performance and improved accuracy. EDM'd from titanium alloy; improved geometry helps eliminate interference with most grip safeties.

SPECS: EDM titanium, 2.2" (5.6cm) long. Avg. wt. 28.5 grains.
#791-105-100DE Titanium Hammer Strut 1G11A63 . \$ 14.55

EGW 1911 AUTO TITANIUM MAINSPRING CAP
 Light Weight Helps Decrease Lock Time



Use as an integral part of a lightweight ignition system to reduce overall lock time and increase accuracy. Machined from solid titanium for strength and long service life.

SPECS: Titanium, matte finish, silver, **Govt./Comm.** - .437" (11mm) long, .274" (6.9mm) diameter cap. Fits 1911 Govt. & Commander. **Officer** - .483" (12.3mm) long, .310" (7.9mm) diameter cap. Fits Officer Model and pistols with Ed Brown bobtail magazine housings.
#296-000-086DE Ti Mainspring Cap, Govt/Comm., 6B08Y00 . . . \$ 10.00
#296-000-093DE Ti Mainspring Cap, Off. 6B17Y33 . . . 21.67

BRILEY 1911 AUTO FIRING PINS & STOPS

Correctly Sized By Caliber For Best Fit

Properly sized for each caliber to provide reliable function, fit and eliminate primer flow. Radiused Stop edges prevent stress fractures.

SPECS: **Firing Pin - (FP)** 17-4 Stainless steel. Hardened to Rc 38-40. **Firing Pin Stop - Steel, blue, matte finish (BL), or stainless steel (SS).**

#129-119-009DE 9mm/38 Firing Pin 9B09Y66 . . . \$ 12.09
#129-119-045DE .45 ACP Firing Pin 9B09Y67 . . . 12.09
#129-120-009DE 9mm/38 BL Firing Pin Stop, 9B13Y84 . . . 17.30
#129-120-109DE 9mm/38 SS Firing Pin Stop, 9B14Y56 . . . 18.21
#129-120-045DE .45 ACP BL Firing Pin Stop, 9B13Y84 . . . 17.30
#129-120-145DE .45 ACP SS Firing Pin Stop, 9B14Y57 . . . 18.21

ED BROWN 1911 AUTO FIRING PIN



Sized To Fit Correctly & Eliminate Primer Flow

High-quality firing pins that are specifically sized to reduce the chances of primer flow. Proper weight for positive ignition with heavy-duty springs. Correct tip diameters in 9mm/.38 Super provide a close, firing pin hole fit for slides built to Colt or Springfield Armory dimensions.

SPECS: A-2 steel, blued. **#824** fits Series 70/80 Colt. **.45 ACP, #825** fits Series 70/80 in 9mm/.38S/ 10mm/.40 S&W. **#826** Special size for 9mm/.38S, .45 ACP Springfield, Inc.
#087-205-824DE #824 Firing Pin 7H05T06 . . . \$ 6.35
#087-205-825DE #825 Firing Pin 7H05T06 . . . 6.35
#087-205-826DE #826 Firing Pin 7H05T06 . . . 6.35

ED BROWN 1911 AUTO HARDCORE® FIRING PIN & FIRING PIN STOP



Superior Toughness & Lifetime Replacement


Firing pin provides the correct weight for reliable ignition with all types of primers. Machine-turned from tool steel and specially heat treated to last for years. .45 ACP only. Stop is oversized for the tightest, drop-in fit available; keeps the extractor properly oriented. Both include Ed's **LIFETIME GUARANTEE**.

SPECS: Tool steel, in-the-white (ITW) or stainless steel, (SS) silver finish. Stop fits all calibers of 1911 Auto and clones.
#087-808-001DE ITW Hardcore F/P 7H08T46 . . . \$ 10.60
#087-809-100DE ITW Hardcore F/P Stop 7H13T56 . . . 16.95
#087-809-101DE SS Hardcore F/P Stop 7H14T41 . . . 18.01

NIGHTHAWK CUSTOM 1911 AUTO FIRING PIN & STOP



**Super Strong, Sized To Help Prevent Primer
Flow & Extraction Problems**


Firing Pin is machined to exact tolerances from stainless steel for a tight, precise fit to prevent primer flow. Separate models for .45 ACP and 9mm/.38 Super, so you can get the correct weight and size to ensure reliable ignition in your gun with a variety of primers. **Firing Pin Stop** is machined slightly oversized from solid carbon steel bar stock, allowing for custom fitting to get a solid, exact fit that keeps the extractor properly positioned for reliable extraction and feeding. Radiused edges help prevent stress cracking. 

SPECS: **Firing Pin** - Stainless steel. Models for .45 ACP and 9mm/.38 Super. **Firing Pin Stop** - Steel, blued. Fits all calibers.
#100-003-255DE .45 ACP Firing Pin, 2B09P95 \$ 11.95
#100-003-256DE 9mm/.38 Super Firing Pin, 2B10P00 12.50
#100-003-257DE Firing Pin Stop, 2B14P36 17.95

STI 1911 AUTO FIRING PIN



Long Wearing Steel & Ultra-Lightweight Titanium

Steel - Precision machined from long-wearing stainless steel; hardened and relieved for increased shock-resistance. **Titanium** - Dramatically lowers lock time. 
SPECS: Stainless steel or titanium. Fits 1911 Auto Series 70 and Series 80.

STK # .38 S	STK # .45 ACP	MODEL	PRICE
#791-104-038DE	#791-104-045DE	Steel	1G06A25 \$ 7.50
#791-104-138DE	#791-104-145DE	Titanium	1G16A63 \$ 19.95

WILSON COMBAT 1911 AUTO BULLET PROOF™ FIRING PIN & STOP




Machined From Bar Stock To Take A Pounding & Not Fail

Firing Pin - Machined to exact tolerances, then heat treated for many times the service life of a standard firing pin. Available for .38/9mm and .45 ACP. **Firing Pin Stop** - Machined to fit correctly in the slide; holds the extractor in proper relationship to the rim for reliable extraction. Radiused edges prevent stress risers and fatigue cracking. May require minor fitting. 
SPECS: **Firing Pin** - Steel, In-the-white, fits both Series 70 and 80 Series. Models for .38/9mm and .45 ACP. **Firing Pin Stop** - Fits all calibers. 70 Series - Steel, matte blue finish or stainless steel. 80 Series - Steel, matte blue finish.

#965-416-000DE .45 ACP Firing Pin, 5F08Z98 \$ 10.95
#965-416-001DE .38/9mm Firing Pin, 5F09Z80 11.95
#965-399-070DE Steel 70 Series Firing Pin Stop, 5F15D54 18.95
#965-399-001DE SS 70 Series Firing Pin Stop, 5F15D99 19.50
#965-399-080DE Steel 80 Series Firing Pin Stop, 5F15D54 18.95

EGW 1911 AUTO OVERSIZED FIRING PIN STOP

Helps Ensure Reliable 1911 Auto Ejection


Machined steel firing pin stop is wider and thicker than factory model to prevent extractor movement. Sized specifically to give a no-gap fit on .45 ACP Colt Series 70 pistols. Rounded corners prevent cracking for a long service life. 
SPECS: Machined steel, black oxide finish. Approximately .48" (12.2mm) wide, .65" (16.6mm) long, .13" (3.3mm) high. Fits Colt Series 70 1911 Auto in .45 ACP only.

#296-000-058DE Oversized Firing Pin Stop, 6B12A00 \$ 15.00

EGW 1911 AUTO OVERSIZE FIRING PIN STOP

**Helps Prevent Extractor Rotation
For Improved Extraction**




Oversized in width so you can gunsmith it for a tight fit. That helps keep the extractor face square to the case rim for improved extraction and feeding. Bottom edge is left square, ready for final fitting to help slow slide opening and increase dwell-time with major power factor ammunition. 
SPECS: Steel, blued. .48" (12mm) wide, .133" (3.3mm) thick. Fits 9mm/.38 .40/10mm and .45 1911 Auto only. For Series 70 or 80.

#296-100-001DE O/S Firing Pin Stop, 6B12Z00 \$ 15.00

ED BROWN 1911 AUTO FIRING PIN STOP

Heat-Treated Steel Alloy For Long Life


Won't peen out or lose shape because it's machined from heat-treated, alloy steel for long-wearing performance. Made to maximum factory spec to provide a tight, wobble-free fit that holds the extractor in the correct position for maximum reliability and function. 
SPECS: Steel, blued or stainless steel (SS), natural finish. Fits 1911 Auto only.

#087-000-036DE Series 70 SS F/P Stop, 7H09B31 \$ 11.65
#087-000-037DE Series 70 Blue F/P Stop, 7H08B46 10.60
#087-000-039DE Series 80 SS F/P Stop, 7H09X31 11.65
#087-000-038DE Series 80 Blue F/P Stop, 7H08B46 10.60

STI 1911 AUTO FIRING PIN STOP

Standard Or Trimmed To Clear Low Mount Sights




Machined to exact dimensions for precise drop-in fit; available standard (STD) or trimmed (TR) to give clearance for low mount sights. Hardened steel holds its shape; positions the extractor in correct alignment for reliable extraction. 
SPECS: Steel, in the white. May require minor fitting.

#791-112-001DE 9mm/40 STD Firing Pin Stop, 1G09A58 \$ 14.49
#791-112-100DE 9mm/40 S&W TR Firing Pin Stop, 1G09A58 11.49
#791-112-045DE .45 STD Firing Pin Stop, 1G09A58 11.49
#791-112-145DE .45 TR Firing Pin Stop, 1G09A58 11.49

**NEED IT NOW?!
ASK FOR OVERNIGHT DELIVERY!**

ED BROWN 1911 AUTO MAINSRING HOUSING

**Traditional Shapes,
Plus Different Surfaces
Let Every Shooter Get
Their Favorite Grip Feel**

Both classic and contemporary looking mainspring housings combine form and function, so there is no compromise in grip control even though they look great. **Flat** shaped housings are available with popular **25 lpi** checkering preferred by many shooters, as well the latest **Snakeskin** and **Chainlink** patterns that provide a secure gripping surface without the "sharpness" of machine cut checkering. Because they won't abrade your hand or clothing, they make the perfect addition to competition and carry guns. Traditional, **Arched** shaped mainspring housing rides high in the heel of the hand to keep it close to the bore for minimal muzzle rise and excellent recoil control, and is available with a **Grooved** surface to provide a firm grip with little drag on clothing. **Blank** models are completely smooth to allow custom checkering or engraving, and are available in both flat and arched shapes. 
SPECS: Steel, blued or stainless steel (SS) natural finish. Fits Govt./Comm./Para-Ordnance P14, P15, P16.

FLAT 25 LPI CHECKERING
#087-000-027DE Blued Flat 25 lpi MS Housing, 7H50B96 \$ 63.70
#087-000-028DE SS Flat 25 lpi MS Housing 7H50B96 63.70

FLAT BLANK
#087-113-100DE Blued Flat Blank MS Housing, 7H25V46 \$ 31.85
#087-113-101DE SS Flat Blank MS Housing, 7H25V46 31.85

FLAT SNAKESKIN
#087-000-005DE Blued Flat Snakeskin MS Housing, 7H47V56 \$ 59.45
#087-000-006DE SS Flat Snakeskin MS Housing, 7H50V96 63.70

FLAT CHAINLINK
#087-000-041DE Blued Flat Chainlink MS Housing, 7H38X21 \$ 47.76
#087-000-042DE SS Flat Chainlink MS Housing, 7H38X21 47.76


ARCHED BLANK
#087-000-034DE Blued Arched Blank MS Housing, 7H33B96 \$ 42.45
#087-000-035DE SS Arched Blank MS Housing, 7H33B96 42.45

ARCHED GROOVED
#087-000-025DE Blued Arched Grooved MS Housing, 7H33B96 \$ 42.45
#087-000-026DE SS Arched Grooved MS Housing, 7H33B96 42.45

GUNCRAFTERS INDUSTRIES 1911 AUTO LANYARD MAINSPRING HOUSING

Helps Keep Your Sidearm At Your Side



Steel, flat mainspring housing has an integral lanyard loop, letting you keep your 1911 securely attached to your duty gear. Helps prevent unauthorized removal of sidearm, and gives your pistol a classic, military look. Fits government model 1911 pistols. 
SPECS: Steel, blued. Fits government model 1911 pistols.

#100-002-157DE Lanyard Mainspring Housing, 9A47H96 \$ 59.95

ED BROWN 1911 AUTO BOBTAIL MAINSPRING HOUSING

Reduced Bulk For Concealed Carry Guns


Eliminates the sharp profile at the rear of the grip that can "print" when carrying a concealed 1911 Auto. Reduces bulk without reducing magazine capacity or performance. Removes nearly 1/2" of material from the butt while maintaining correct grip position. Also requires modification of grip panels. Choose from **Smooth**, **Checked** (25 lpi), **Snakeskin**, or **Chainlink** patterns. 
Installation Jig gives precise location of mainspring hole. 
SPECS: Steel, blued (Blue), or stainless (SS). Mainspring Housing (MH). Installation Jig includes instructions.

#087-816-132DE Bobtail MH Smooth, Blue, 7H45P01 \$ 56.26
#087-817-232DE Bobtail MH Smooth, SS 7H46P71 58.40
#087-000-007DE Bobtail MH Snakeskin, Blue, 7H53V51 66.90
#087-000-008DE Bobtail MH Snakeskin, SS, 7H56B06 70.10
#087-000-023DE BobtailMH Checked, Blue, 7H62B01 77.51
#087-000-024DE BobtailMH Checked, SS, 7H64B56 80.70
#087-000-048DE Bobtail MH Chainlink, Blue, 7H53X51 66.90
#087-000-049DE Bobtail MH Chainlink, SS, 7H56X06 70.10
#087-953-000DE Installation Jig 7H36V13 45.16

LES BAER CUSTOM 1911 AUTO MAINSRING HOUSING

**Machined After Casting
For A Tight, Wobble-Free Fit**




Puts an end to the unsightly gap between the mainspring housing and the frame. These are the same flat, serrated housings Les uses on his own custom 1911 Auto pistols. Cast oversized, then finish machined for a tight, gap-free fit on all commercially-available 1911 Auto frames. 

SPECS: Steel, blued or stainless steel (SS), matte finish.
#124-153-100DE Blue Mainspring Housing, 4B30X67 \$ 38.35
#124-153-101DE SS Mainspring Housing 4B30X67 38.35

MASEN 1911 AUTO SERRATED MAINSRING HOUSING

**Solid Steel, Serrated, OEM-Style
Replacement Housings**



An exact reproduction of the original factory mainspring housing, complete with vertical serrations that help improve grip but won't grab clothing. Finish-machined from a solid-steel casting; excellent for restoring or building any 1911. 
SPECS: Blued (BL) or stainless steel (SS), flat (FL) or arched (AR). Fits Govt./Commander.

#555-101-001DE BL/FL Mainspring Housing, 6E13V88 \$ 17.95
#555-101-002DE BL/AR Mainspring Housing, 6E13V88 17.95
#555-101-003DE SS/FL Mainspring Housing, 6E14V65 18.95
#555-101-004DE SS/AR Mainspring Housing, 6E14V65 18.95



MASEN 1911 AUTO CHECKERED MAINSPRING HOUSING

Solid Steel, Checkered Surface Improves Grip, Controls Recoil

20 LPI checkering greatly improves the grip and helps keep the pistol steady in the hand for improved recoil control. Finished from a solid steel casting, no fitting required. **SPECS:** Chrome Moly blued (BL) or 410 stainless steel (SS), flat (FL) or arched (AR). Fits Govt./Commander (GM) 2 1/16" (5.2cm) long, .536" (13.6mm) wide.

STOCK #	STOCK #	STOCK #	STOCK #	FITS
BL/FL	BL/AR	SS/FL	SS/AR	
#555-102-001DE	#555-102-002DE	#555-102-003DE	#555-102-004DE	GM
— Advise # — Govt. BL Mainspring Housing, 6E15A11. \$ 19.50				
— Advise # — Govt. SS Mainspring Housing, 6E16A25. 20.50				

NIGHTHAWK CUSTOM 1911 AUTO MAINSPRING HOUSINGS

Fully Checkered For A Firm, Nonslip Grip



Get a solid grip on your Govt. or Officers Model with the crisp, clean 25 lpi machine-cut checkering on these all-steel mainspring housings. Helps improved accuracy by keeping the pistol correctly positioned in the shooting hand for a consistent hold and improves recoil control. Great for combat or competition pistols. Flat (FL) model offers a clean, low profile that lets you get a good, solid grip. Arched (AR) has the bump or rounded swell toward the bottom of the housing that aids in maintaining a higher grip. Magwell (MW) model combines the flat housing with a separate, enlarged magazine well that helps speed magazine changes. Magwell removes easily for carry or other times when a low profile is required. Ball bearing detent eliminates play for solid contact between magwell and housing. **SPECS:** Steel, blued, matte finish.

#100-003-233DE	Govt. FL Mainspring Housing, 2B33T56	\$ 41.95
#100-003-237DE	Govt. AR Mainspring Housing, 2B32T76	40.95
#100-003-234DE	Govt. MW Mainspring Housing, 2B63T96	79.95
#100-003-235DE	Officers FL Mainspring Housing, 2B33T56	41.95
#100-003-238DE	Officers AR Mainspring Housing, 2B32T76	40.95
#100-003-236DE	Officers MW Mainspring Housing, 2B62T36	77.95

SMITH & ALEXANDER MAINSPRING HOUSING

Fully-Checkered, Drop-In Fit



The combat shooters choice for increased grip and comfort. Helps keep the gun from shifting in your hand during recoil. Made from solid steel. Checkered models feature machine cut checkering in 20 lines per inch. Smooth models, with no checkering for concealed carry use. Available to fit the 1911 Government/Commander, Officers and Para-Ordnance P-14/P-16. No fitting required. **SPECS:** Steel, blued (BL) or stainless (SS), flat (FL) or arched (AR).

SMITH & ALEXANDER 1911 AUTO LANYARD LOOP MAINSPRING HOUSING

Provides Additional Weapon Security & Retention

Military-type lanyard loop gives extra security, and peace of mind, that your handgun will not be accidentally dropped or lost during extreme tactical situations. Excellent for use in military re-enactments or anytime the handgun must be secured to your body or equipment. Checkered models feature non-slip, 20 LPI checkering; improves grasp and helps counter the effects of recoil. **SPECS:** Steel, blue finish. Fits 1911 Auto.

#849-000-005DE	Flat Checkered, 9D36Z25	\$ 46.95
#849-000-006DE	Flat Smooth, 9D36Z25	46.95
#849-000-015DE	Arched Checkered, 9D36Z43	45.53

LANYARD LOOP - Replace lost or broken lanyard loops, or add a loop to any 1911 for improved weapon retention. Installs easily to the bottom of the mainspring housing; drill three holes and secure with supplied roll pin. Available blued or stainless to match your pistol.

#849-000-020DE	SS Lanyard Loop, 9D07Z99	\$ 9.99
#849-000-021DE	Blued Lanyard Loop 9D07Z99	9.99

VZ GRIPS 1911 AUTO LIGHTWEIGHT MAINSPRING HOUSING

Shaves Weight For A Fast Handling, Easy-To-Carry Pistol

Flat mainspring housing machined from 6082-T6 aluminum helps achieve maximum weight reduction for shooters who want the advantages of a light, custom carry or competition gun. Weighs only 17 grams - over 2 1/2 times lighter than similar flat housings made of steel. Checkered model is bead-blasted, then treated with a proprietary, black or silver hardcoat anodized finish that's denser and more abrasion-resistant than traditional sulfuric anodizing; 20 lpi checkering improves grip and is less prone to snagging on clothing than extra-fine line patterns. Plain model is smooth without anodizing to allow custom checkering and finishing by the gunsmith. **SPECS:** 6082-T6 aluminum, Checkered - hardcoat anodized, matte Black or Silver. Plain - in-the-white, unanodized. Govt - Fits Government and Commander models. Off - Fits Officers model.

STOCK #	GOVT	STOCK #	OFF	STYLE	COLOR
#100-003-021DE	NEW	100-003-188DE	NEW	Checkered	Black
#100-003-022DE	NEW	100-003-213DE	NEW	Checkered	Silver
#100-003-023DE	NEW	100-003-214DE	NEW	Plain	Silver

— Advise # — Lightweight MS Housing 7A34D95. \$ 45.00

Available to fit Govt./Commander (GM). Officers Model ACP (OM). Para-Ordnance P-14/P-16 (PO1).

CHECKERED MAINSPRING HOUSINGS

STK #	BL/FL	STK #	BL/AR	STK #	SS/FL	STK #	SS/AR	FITS
#849-005-010DE		#849-005-011DE		#849-005-110DE		#849-005-111DE		GM
#849-006-010DE		#849-006-011DE		#849-006-110DE		#849-006-111DE		OM
#849-002-010DE		#849-002-011DE		#849-002-110DE		NA		PO1

SMOOTH MAINSPRING HOUSINGS

#849-001-011DE	NA	#849-001-111DE	NA	GM
— Advise # — S&A Mainspring Housing, 9D26A25. \$ 36.95				



WILSON COMBAT 1911 AUTO V-GRIP MAINSPRING HOUSING

Fully Checkered, Consistent High Grip

Fully machined, drop-in mainspring housing forces the web of the hand high into a beavertail-style grip safety. Fully checkered for a positive grip. **SPECS:** Blued (BL) or stainless steel (SS).

#965-000-035DE	V-Grip Mainspring Housing, BL, 5F38H50	\$ 46.95
#965-000-036DE	V-Grip Mainspring Housing, SS, 5F40H14	48.95

WILSON COMBAT MAINSPRING HOUSING

Fully Checkered, No-Slip Grip

Solid steel mainspring housings with deep checkering keep the 1911 Auto firmly located in the shooting hand. **SPECS:** Blued steel or stainless steel. 2 1/16" (5.23cm) long, .536" (13.6mm) wide. 30 lpi checkering. G/C fits Govt. and Commander frames, OM fits Officers ACP length frames.

STOCK #	FINISH	STYLE/FITS	PRICE
#965-092-001DE	Blue	Flat (G/C)	5F38H50 \$ 46.95
#965-092-101DE	Stnls.	Flat (G/C)	5F40H14 \$ 48.95
#965-092-003DE	Blue	Flat (OM)	5F38H50 \$ 46.95
#965-092-103DE	Stnls.	Flat (OM)	5F40Y14 \$ 48.95

DAWSON PRECISION PARA-ORD MAGWELL & BASEPAD

Easy Installation; Rapid Reloads & Increased Capacity

CNC machined, T6 aircraft aluminum magwell installs quickly and easily with no special tools and helps you make lightning-quick magazine changes. Aluminum basepad slides onto the magazine body and locks into place. Removes in seconds for easy cleaning. Adds 3-4 rounds to P14 magazine and 5-6 rounds to P16 mag, depending on caliber. Requires extended magazine spring. **SPECS:** T6 aircraft aluminum, matte black or silver. Fits Para-Ordnance only.

#100-002-222DE	PARA Silver Magwell, 9A39Z99	\$ 49.99
#100-002-224DE	PARA Black Magwell, 9A39Z99	49.99
#100-002-225DE	PARA Silver Basepad, 9A27Z99	34.99
#100-002-223DE	PARA Black Basepad, 9A27Z99	34.99

EGW SEMI-AUTO MAGAZINE WELL

Easy, Drop-In Installation For STI/SVI Frames

Oversized well for easy, positive reloads. Installs in original magazine well with long pin, supplied. No alterations to frame. **SPECS:** Aluminum, black or matte silver. 1.2 oz. (32g) weight.

#296-013-101DE	STI/SVI Silver Mag Well, 6B40X00	\$ 50.00
#296-013-100DE	STI/SVI Black Mag Well, 6B40X00	50.00



EGW SEMI-AUTO MAGAZINE WELL

Drop-In Fit For Caspian Frames

Drop-in, magazine well slides over the frame lips on Caspian pistols for a tight fit that won't work loose during long shooting sessions. Precision machined 60° angle helps you make fast, positive reloads. Oversize well protects magazine if the weapon is accidentally dropped. **SPECS:** Aluminum, black or matte silver. 1.2 oz. (32g) weight.

#296-016-100DE	Caspian Black Mag Well, 6B40P00	\$ 50.00
#296-000-076DE	Caspian Silver Mag Well, 6B40Y00	50.00

ED BROWN 1911 AUTO DROP-IN MAXI-WELL

Easier, Faster Reloads; Improves The Grip; No Gunsmithing Required

Drops right onto 1911 Auto frames without gunsmithing, and the separate magazine well can be removed without disassembling the pistol. Enlarged magwell greatly increases frame opening for faster and easier magazine changes. Flat housing increases grip surface area to help keep the pistol from riding up during rapid fire. Available in blue or stainless steel with 25 lpi machined checkering that helps keep the pistol centered in your grip. Also available with the exclusive Snakeskin and Chainlink designs. Both machined-in patterns provide a very secure, non-slip gripping surface, without the "sharpness" of conventional checkering that can sometimes abrade your hand or grab at your clothing during a concealed carry draw. **SPECS:** Steel, blued (BL) or stainless steel (SS). Available with 25 lpi checkering or with snakeskin or chainlink patterns. Fits Government or Commander length frames.

SPECS: Steel, blued (BL) or stainless steel (SS). Available with 25 lpi checkering or with snakeskin or chainlink patterns. Fits Government or Commander length frames.

STOCK #	COLOR/LPI	PRICE
#087-819-030DE	SS/25	7H64P56 \$ 70.70
#087-000-047DE	BL/25	7H62X86 \$ 78.60
#100-002-611DE	BL/Snakeskin	7H71Y36 \$ 89.20
#100-002-612DE	SS/Snakeskin	7H73Y06 \$ 91.35
#087-000-043DE	BL/Chainlink	7H71X36 \$ 89.20
#087-000-044DE	SS/Chainlink	7H73X06 \$ 91.35

STI STI/INFINITY MAGWELL

No Fitting For Rapid Reloads

Greatly increases mag well opening and reloading speed. Minimum bulk, conforms to IPSC height requirements. Select lightweight aluminum for fast pointing, easy-to-carry guns. Stainless steel for increased durability, extra weight. Drop-in installation, fits to frame with no modifications, secured with extra length mainspring housing retainer pin. **SPECS:** Black, aluminum, anodized finish. 1.1oz. (31g) wt. Silver, stainless steel. 3 oz. (85g) wt. 1 3/4" (4.5cm) wide, 3" (7.4cm) long. Includes retaining pin.

#791-252-001DE	Black Mag Well 1G37P50.	\$ 45.00
#791-252-010DE	Silver Mag Well 1G66P25	79.50



Brownells continues to work with its vendors to identify all products made in the U.S.A. This information was not available for all products at time of catalog production, but will be regularly updated on our website. Visit brownells.com for the most current information.

SMITH & ALEXANDER MAG GUIDE

Extra-Wide For Fast Reloads;
No Alterations To Frame

Drop-in, one-piece mag well and mainspring housing makes the mag well opening 100% bigger for easier magazine insertion and faster, "can't-miss" mag changes. Increases grip length by 1/4" for additional leverage and greater recoil control. For a no-slip, no-shift grip, mainspring housing features extra-defined, 20 lpi checkering, unless otherwise noted. **Smooth** models have uncheckered mainspring housing. **Grooved** model has full-length vertical grooves on the mainspring housing.

SPECS: Steel. Available blued (BL) or stainless steel (SS) with flat (FL) or arched (AR) mainspring housing to fit: 1911 Govt./Commander (GM); Officers Model (OM); Para-Ordnance P-14/P-16 (PO). Para-Ordnance models require minor modification of frame with hand tools; instructions included.

STK # BL/FL	STK # BL/AR	STK # SS/FL	STK # SS/AR	FITS
#849-011-001DE	#849-011-002DE	#849-011-101DE	#849-011-102DE	GM
#849-103-010DE	#849-103-011DE	#849-103-110DE	#849-103-111DE	PO
#849-200-001DE	#849-200-002DE	#849-200-101DE	#849-200-102DE	OM
— Advise # — GM/OM Mag Guide 9D58Y50 \$ 78.95				
— Advise # — Para-Ord Mag Guide 9D69Y00 95.95				
#849-000-016DE	Smooth BL/FL Govt 9D58Z50	78.95		
#849-000-017DE	Smooth SS/FL Govt 9D58Z50	78.95		
#849-000-022DE	Grooved BL/FL Govt 9D58Z50	78.95		

SLIM LINE MAG GUIDE - The same, 100% bigger, mag well opening for "can't miss" mag changes with narrower sides that match thinner, slim grips. Checkered 20 lpi, unless otherwise noted as **Smooth**.

SPECS: Steel. Available blued (BL) or stainless steel (SS) with flat (FL) or arched (AR) mainspring housing to fit: 1911 Govt./Commander (GM); Officers Model (OM).

STK # BL/FL	STK # BL/AR	STK # SS/FL	STK # SS/AR	FITS
#849-000-007DE	#849-000-008DE	#849-000-009DE	#849-000-010DE	GM
#849-000-011DE	#849-000-012DE	#849-000-013DE	#849-000-014DE	OM
— Advise # — Slim Line Mag Guide 9D58Z50 \$ 78.95				
#849-000-018DE	Slim Line Smooth BL/FL GM 9D58Z50	78.95		
#849-000-019DE	Slim Line Smooth SS/FL GM 9D58Z50	78.95		

LOW-PROFILE PARA-ORDNANCE MAG GUIDES - One-piece, drop-in mag guide/mainspring housing increases the magazine opening at the rear without increasing the overall size of the frame. Fills the area behind the magazine base pad for a more secure grip. 20 lpi checkering.

SPECS: Steel. Available blued (BL) or stainless steel (SS) with flat (FL) or arched (AR) mainspring housing to fit: P-14/P-16 (PO); P-10/P-12 (PO2); P-13 (PO3).

STK # BL/FL	STK # SS/FL	STK # SS/AR	FITS
#849-100-001DE	#849-100-101DE	#849-100-102DE	PO
NA	NA	NA	PO2
NA	NA	NA	PO3

— Advise # — Drop-In PO Mag Guide 9D58Y50 . . . \$ 78.95

WILSON COMBAT 1911 AUTO EZ-LOADER

Drop-In/Flared Magazine Well
Opening Speeds Reloading

Provides the flared magazine well opening needed for fast, sure reloads without heating, grinding or beating on the gun. Loosens the grips, slip tabs over the stock bushings, file flush with the inside of the magazine well and replace the grips. Magazines should have "bumpers" for best functioning.

SPECS: Blued, or Stainless Steel. 1" (2.5cm) wide, 1 3/4" (4.4cm) lg.
#965-170-113DE Blued EZ-Loader 5F24Z56 \$ 29.95
#965-170-213DE Stainless EZ-Loader 5F27Z02 32.95

WILSON COMBAT 1911 AUTO

SPEED-CHUTE™

Mag Well & Mainspring Housing
Gives Comfortable Grip;
Increases Mag Well Opening

No fitting required for an improved grip and a faster, more positive magazine change. Combination, checkered mainspring housing and mag well increases mag well opening by 100%. Plus, functional, combined 20 and 30 lpi checkering greatly improves grip surface. Installs in only seconds; unit is held in place by mainspring housing pin. Separate mag well can be removed quickly for carry use. Use standard grip panels.

SPECS: Blued (BL) or stainless steel (SS), flat housing.
#965-366-001DE Flat Speed-Chute, BL 5F72H21 . . . \$ 84.95
#965-366-101DE Flat Speed-Chute, SS 5F76H46 89.95
#965-000-033DE Officers Speed Chute, BL 5F72H21 . 84.95
#965-000-034DE Officers Speed Chute, SS 5F76H46 . 89.95

ED BROWN SEMI-AUTO MAGAZINE CATCH

Replacement Catches For Faster Magazine Changes

Models in varying styles to fit most shooting needs. Standard, oversized, and extended catches available in blue or stainless steel. Rugged, hardened steel construction for carry and competition.

1911 OVERSIZED BUTTON CATCH - Extra-long, oversize release button features 40 lpi checkering for positive grip and increased length for faster, easier mag changes with little or no change in grip. Long wearing, heat-treated, pre-drilled, hardened magazine catch comes already tapped and ready-to-install. Does not include catch lock and spring.

SPECS: Available in **Blue** catch and button or **Stainless Steel (SS)**. Button: 3/8" (9.5mm) O.D., 3/16" (4.7mm) thick, 4-40 thread.
#087-011-150DE **Blue Mag. Catch/Button** 7H25U92 . . . \$ 32.40
#087-011-151DE **SS Mag. Catch/Button** 7H27U62 34.55
#087-011-160DE **Blue Mag. Catch Button**, only, 7H08U07 10.10
#087-011-161DE **SS Mag. Catch Button**, only, 7H08U07 10.10

1911 EXTENDED TACTICAL MAG CATCH - Permits quicker and easier magazine changes. Compact enough to fit carry holsters and not snag on clothing. Standard diameter button with crisp, machine cut checkering is .060" longer than stock for easier thumb purchase. Positive internal stop prevents over-pushing and jamming magazine in place. Machined from bar stock and heat treated for durability. Does not include catch lock and spring.

SPECS: Steel, blue finish or stainless steel (SS). Fits 1911 Autos. Button: .25" (6.3mm) O.D., .25" (6.3mm) thick.
#087-011-100DE **Blue Mag Catch** 7H16U96 \$ 21.20
#087-011-101DE **SS Mag Catch** 7H18U66 23.35

GUN CRAFT PARA-ORDNANCE MAGAZINE RELEASE

All Steel; Replaces Factory Plastic

Strong, long-wearing, hardened-steel release is a drop-in fit for all Para-Ordnance high capacity frames. Available with or without a checkered, oversize mag release button that's faster to find and hit for quicker, easier magazine changes.

SPECS: Hardened steel, matte finish. Available in blue (Blue) or stainless (SS) with or without oversize mag release button. Fits Para-Ordnance, high-capacity, 1911 Auto frames only.
#376-101-001DE **Blue Mag Release** 6G12H00 \$ 14.95
#376-101-002DE **Blue Mag Rlse w/Button** 6G18H06 . . . 22.62
#376-101-101DE **SS Mag Release** 6G14H60 18.25
#376-101-102DE **SS Mag Release w/Button** 6G18H71 23.50

NOWLIN MFG. 1911 AUTO MAGAZINE RELEASE KIT

Extended Length
Provides The Reach You Need

Hardened, long-wearing magazine release comes complete with spring and lock. Serrated face helps provide positive engagement. Adds 1/8" of length and increases leverage.

SPECS: Steel, blued or stainless steel, matte finish.
#654-263-003DE **Ext. Blue Release Kit** 4E23U99 . . . \$ 31.99
#654-263-004DE **Ext. Stainless Release Kit** 4E24U21 . 32.05

NIGHTHAWK CUSTOM 1911 AUTO TACTICAL MAGAZINE RELEASE

Extra Length
For Faster Engagement

Tough, hardened steel mag release is approximately 1/8" longer than Colt-spec part to help you reach the button more quickly and provide extra leverage for fast, positive mag changes when fractions of a second count. Deeply serrated face ensures non-slip thumb contact, yet won't snag on holster, clothing, or other gear. Use with Nighthawk Magazine Catch Lock and Spring Kit, available separately.

SPECS: Steel, blued, matte finish. Fitting may be required.
#100-003-252DE **Tactical Magazine Release**, 2B15P96 \$ 19.95
#100-003-260DE **Mag Catch Lock & Spring** 2B05P60 . 6.99

STI 1911 AUTO MAG CATCH

All Steel For STI & Infinity Frames

Hardened steel, drop-in fit. Available drilled and tapped or undrilled. Flat, smooth button gives good thumb purchase or, add the pad of your choice.

SPECS: Steel, matte blue finish. Tapped, 4-40 tpi.
#791-111-100DE **Tapped Mag Catch** 1G37A46 \$ 44.95
#791-111-101DE **Untapped Mag Catch** 1G24A96 29.95

MAG CATCH BUTTON - Extended paddle lets your thumb hit the mag button without shifting your grip. Non-slip, grooved button permits faster mag changes. Low profile keeps button close to frame. No sharp edges to snag clothing or holster.

SPECS: Steel, blue finish. Includes Includes 4-40 tpi screw.
#791-000-010DE **Mag Catch Button** 1G18H75 \$ 22.50

SMITH & ALEXANDER 1911 AUTO AMBI-MAG CATCH

Trigger Finger Magazine Release
For Right- & Left-Handers

Get quick, positive magazine changes, without shifting your grip. Fully ambidextrous magazine release permits use of trigger finger or the thumb to release the mag; provides full left- or right-hand magazine control for 1911's.

SPECS: Blued (BL) or Stainless Steel (SS). Gunsmith fitting required.

STOCK # SS	STOCK # BLUE	FITS
#849-008-101DE	#849-008-001DE	Colt (& Clones) 1911
#849-008-102DE	#849-008-002DE	Para-Ord.

— Advise # — Ambi-Mag Catch 9D78Y00 \$ 99.00

Selection • Service • Satisfaction

WILSON COMBAT 1911 AUTO MAGAZINE RELEASE

Tactical, Oversized & Extended Models

TACTICAL MAGAZINE RELEASE - Just slightly longer than the standard mag release, but much easier and faster to reach when every second counts. Serrated face enhances touch but won't catch on holsters or clothing.

SPECS: Steel, blue matte. Mag catch only, no lock or spring.
#965-031-020DE **Tactical Mag Release** 5F20Z46 . . . \$ 24.95

OVERSIZE MAGAZINE RELEASE - Gives shooters with smaller hands the ability to make faster mag changes. 30 lpi checkering and rectangular shape assures a solid hit.

SPECS: Steel, blue or SS. Both include oversize SS rectangular button, 3/8" (9.2mm) x 3/4" (19mm). Mag catch only, no lock or spring.
#965-405-100DE **Blue Oversize Mag Rlse** 5F28D66 . . \$ 34.95
#965-405-101DE **SS Oversize Mag Release** 5F31D94 . 38.95

EXTENDED MAG RELEASE - Oversized, extended release button for quick mag changes with little change in grip. Round button can be removed for carry, reinstalled for competition. Allen wrench included. Checkered face with 40 LPI for a positive grip and quick mag changes.

SPECS: Steel, blue or stainless steel, both include oversize SS removable button. Mag catch only, no lock or spring.
#965-000-024DE **Blue Extended Mag Release**, 5F26C20 \$ 31.95
#965-000-025DE **SS Extended Mag Release**, 5F27C84 33.95

COLT FACTORY MAGAZINES

Premium-Quality Direct From The Factory

Genuine Colt replacement magazines, manufactured to factory specifications for reliable fit and function. Long-wearing, hardened steel followers; full power, tempered steel springs. The most reliable choice for duty and self-defense use.

SPECS: Fits Colt 1911 and most copies. Available in blue (BL), Nickel (NIK) and Stainless (SS). **Bright SS** has high polish base pad. **Bumper** models have black rubber base pad. **Ext.** models have a one finger width grip extension that adds gripping area for large hands.

STOCK #	GUN/CAL/RDs/FINISH	PRICE
#160-114-100DE	Delta 10mm/8/BL	6A36T74 \$ 45.93
#160-114-101DE	Delta 10mm/8/SS	6A39T46 \$ 49.33
#160-000-231DE	Delta 10mm/8/Bright SS	6A39V44 \$ 49.30
#160-114-090DE	Govt 9mm/9/BL	6A26T39 \$ 32.99
#160-000-223DE	Govt 9mm/9/NIK	6A28V29 \$ 35.36
#160-114-091DE	Govt 9mm/9/SS	6A35T49 \$ 44.36
#160-114-380DE	Govt .38S/9/BL	6A27T32 \$ 34.15
#160-000-224DE	Govt .38S/9/NIK	6A37V67 \$ 47.09
#160-000-230DE	Govt .38S/9/Bright SS	6A42V63 \$ 53.29
#160-114-381DE	Govt .38S/9/SS	6A34T95 \$ 43.69
#160-114-450DE	Govt .45/7/BL	6A20T80 \$ 26.00
#160-000-222DE	Govt .45/7/NIK	6A30V83 \$ 38.54
#160-114-451DE	Govt .45/7/SS	6A20T41 \$ 25.51
#160-000-228DE	Govt .45/7/Bright SS	6A27V56 \$ 34.45
#160-114-452DE	Govt .45/8/BL	6A24T00 \$ 30.00
#160-114-453DE	Govt .45/8/SS	6A28T00 \$ 35.00
#160-000-227DE	Govt .45/8/Bright SS	6A29V77 \$ 37.21
#160-000-226DE	Govt 40/8/SS	6A33V49 \$ 41.86
#160-114-460DE	Off .45/6/BL	6A18T32 \$ 22.90
#160-114-470DE	.380 Govt .380/7/BL	6A19T95 \$ 24.94
#160-114-471DE	.380 Govt .380/7/SS	6A24T69 \$ 30.86
#160-000-234DE	Mustang NIK	6A23V97 \$ 29.96
#160-000-328DE	Mustang SS	6A31C98 \$ 39.98
#160-114-480DE	Mustang .380/6/BL	6A20T26 \$ 25.33
#160-000-225DE	Mustang .380/7/BL/Ext	6A27V84 \$ 34.80

ED BROWN 1911 AUTO MAGAZINE

Tactical Quality; Made From Heat-Treated Stainless Steel

Superb quality magazines feature heat-treated, stainless steel bodies with smooth, fully-machined feed lips, long-wearing, tempered springs, round-count witness holes and extended bumper pads installed. Has stainless steel, flat follower. **SPECS:** Stainless steel, heat treated. .45 ACP only.

#087-847-450DE 7-Round .45 Magazine, 7H25U46..... \$ 31.85

MAGAZINE BUMPER PADS - Protects the magazine base from damage and increases overall magazine length for positive seating. The same pads Ed ships with his magazines. .550" c-to-c hole spacing; includes two, 4-40, self-tapping screws per pad.

SPECS: Plastic, black. Includes 6 pads and 12 screws. **#087-807-006DE Magazine Bumper Pads, 6-pak, 7H07T61..... \$ 9.51**

INFINITY MAGAZINE COMPONENTS

Replacement Tube Gives Original Capacity

TIG welded, stainless steel, flat-panel wall design gives long-wearing durability. Replacement tube allows you to repair or refurbish an existing .38/9mm high-capacity magazine. Base pad, spring and follower not included. **It is a violation of the law in some states to use replacement tubes to assemble a new, high-cap magazine.**

SPECS: 124mm long. 17-round capacity. For .38/9mm caliber.

#823-338-017DE .38/9mm Magazine Tube, 3B64H25..... \$ 80.32

FOLLOWERS - Competition (CP) followers increase magazine capacity. Standard (STD) provide excellent reliability. **SPECS:** Polymer.

STOCK #	CP	COLOR	STOCK #	STD	COLOR	CAL.
#823-302-338DE	Blue	#823-302-238DE	Purple	.38/9mm		
#823-302-340DE	Red	#823-302-240DE	Green	.40/10mm		

- Advise # - Replacement Follower 3B07H45..... \$ 9.32

KIMBER TEN II / ULTRA TEN II FACTORY PISTOL MAGAZINE

Fits Kimber Double-Stack, Polymer Pistols

Genuine, Kimber factory magazines fit the Ten II series of double-stack, polymer framed pistols. Hardened steel bodies, tempered stainless steel springs, and self-lubricating nylon followers make these magazines the very best choice for competition and self-defense. Includes unbreakable plastic

slam pad. **SPECS:** Body - Tempered carbon steel, blue finish. Spring - Stainless steel. Follower - Nylon. **Full Size** fits Kimber double stack Ten II. **45ACP** pistols only. **Compact** fits Ultra Ten II.

#387-000-040DE 10-Rd Full Size Mag 7H30U35..... \$ 37.95
#387-000-041DE 10-Rd Compact Mag 7H35U95..... 44.95

Shop

1911 magazine

Search

brownells.com

LES BAER CUSTOM 1911 AUTO PREMIUM MAGAZINES

Fully Polished Interior For Flawless Feeding

Precision formed for an exact fit in all 1911 Autos. Electro polished stainless steel body has a self-lubricating, carbon fiber follower for effortless ammunition feeding. Feed lips have rounded corners to prevent cracking, improve feeding reliability. Integral, extended base pad removes easily for cleaning. **SPECS:** 17-7 Stainless steel body, Rc 40-41. Black synthetic follower and base pad. 45 ACP. Officers ACP holds 7 rounds.

#124-070-008DE 8-Round Magazine 4B24A59..... \$ 33.05
#124-070-007DE 7-Round Magazine 4B24A59..... 33.05
#124-071-000DE Officers ACP Magazine 4B24A59... 33.05

McCORMICK 1911 AUTO POWER MAGAZINE

Premium, No-Fail Features Plus Additional Rounds

Built to the very highest standards for the no-fail performance competitive and self-defense shooters demand. Feed lips are roll-formed and polished, not die cut, for added strength, and Chip's patented follower design provides flawless feeding with semi-wadcutters and hollow points. Powerful spring of proprietary, heat-treated Rocket Wire further ensures reliable feeding, even when left fully loaded and seated in a pistol for extended periods. Removable plastic base pad with full, front-to-back engagement, is built to withstand continual use, and numbered witness holes on both sides of the body provide a fast, visible round count. Available in flush-fitting 8-round and long-body 10-round model with extended base pad. **Power Plus** models have an advanced anti-tilt follower for even more stable support of the round stack—extra insurance that every round feeds, first to last. **Replacement Power Mag Followers** (standard model only) and **Springs** available. **SPECS:** Stainless steel body and follower, plastic base pad. Available in 8- and 10-round capacities. Fits .45ACP 1911 Auto single stack only.

#207-145-228DE Power Magazine, 8-Rd, 7B21P46..... \$ 27.95

#207-000-002DE Power Magazine, 10-Rd, 7B23C69..... 29.95

#207-000-024DE Power Plus Magazine, 8-Rd, 7K24H95..... 34.95

#207-000-025DE Power Plus Magazine, 10-Rd, 7K24H95..... 34.95

#207-000-011DE Repl. Standard .45 Cal. Follower, 7B05H10..... 6.95

#207-000-012DE Repl. Mag Spring, 8-Rd 7B07H60..... 9.95

#207-000-013DE Repl. Mag Spring, 10-Rd 7B07H60... 9.95

POWER MAG BASE PAD - Rugged, high-impact plastic pads attach to Power Mag magazines to adapt for specific uses. **Officers/Compact** pad is shorter for concealability and to properly control the overinsertion problems that occur when full-length magazines are used in shorter frames. **Extended** pad is longer in overall length and extends beyond the mag well for positive seating for combat specialists or IDPA and IPSC competitors. **Concealment** pad shortens the top-to-bottom length of 8-round Power Mags to reduce "printing" in carry applications. Pads work with McCormick Power Mag magazines only. **SPECS:** Plastic, black. For use with McCormick Power Mag magazines only.

#207-000-014DE Officers/Compact Base Pad, 7B03H69..... \$ 4.99

#207-000-015DE Extended Base Pad, 7B03H69..... 4.99

#207-000-016DE Concealment Base Pad, 7B03H69..... 4.99

METALFORM MAGAZINE

Traditional & Increased-Capacity Magazines For 1911 Colts & Copies

Robust, high-quality U.S. made magazines in blued carbon steel and stainless steel for 1911 Auto pistols chambered in a variety of calibers. Choose from round or flat steel followers, both designed to give positive last-round feeding with all bullet types, including wadcutters. Safety orange nylon follower is concave to hold an additional round. Three floorplate configurations available: **Welded** - Flat, steel plate permanently welded to magazine body, with screw holes to accept Metalform Bumper Pads (available below). **Removable** - Steel plate detaches for easy internal cleaning of mag; also accepts Bumper Pads. **Ultramag** - Removable base pad of tough Delrin® polymer is contoured for a neat, flush fit in extended magwells. Officers ACP marked **Shoe** are standard magazines equipped with an oversized, rubber shoe that covers the exposed body, adds a finger rest and gives a finished look. Shoe is available separately to retrofit existing mags. **40 S&W/Govt. 10-Round Magazine** meets the 140mm, practical-shooting regulations. **SPECS:** Blued carbon steel (Blue) or natural-finish stainless steel (Stnls). Approximately 5" (12.7cm) long. **40 S&W/Govt. 10-Round Magazine** - 5.4" (136mm) meets 140mm practical shooting regulations. Followers - Stainless steel, natural silver or black finish, flat or round contour. Some magazines have concave safety orange nylon follower.

#620-245-000DE Rubber Shoe 2F05T03..... \$ 8.55

STOCK #	CALIBER	FINISH	CAPACITY	BASE	FOLLOWER	PRICE
#620-022-001DE	.22 ACE	Blue	10	Removable	Rnd.	2F37H19 \$ 63.26
#620-138-001DE	.380 Govt.	Blue	7	Welded	Flat	2F14T17 \$ 25.84
#620-138-002DE	.380 Govt.	Stnls.	7	Welded	Flat	2F19T36 \$ 35.28
#620-045-002DE	.45 Govt./Comm	Stnls.	7	Welded	Rnd.	2F21D41 \$ 39.02
#620-045-083DE	.45 Govt./Comm	Blue	8	Welded	Flat	2F13T49 \$ 24.59
#620-045-001DE	.45 Govt./Comm	Blue	7	Welded	Rnd.	2F13H88 \$ 25.30
#620-045-084DE	.45 Govt./Comm	Stnls.	8	Welded	Flat	2F19T07 \$ 34.75
#620-045-210DE	.45 Govt./Comm	Blue	10	Welded	Rnd.	2F18T39 \$ 33.50
#620-045-710DE	.45 Govt./Comm	Stnls.	10	Welded	Rnd.	2F22T39 \$ 40.80
#620-010-009DE	10mm/Govt./Comm	Stnls.	9	Welded	Nylon	2F19H85 \$ 36.17
#620-010-008DE	10mm/Govt./Comm	Stnls.	8	Welded	Round	2F20H44 \$ 37.24
#620-040-018DE	.40 S&W/Govt./Comm	Stnls.	8	Removable	Flat	2F23H07 \$ 42.03
#620-040-008DE	.40 S&W/Govt./Comm	Stnls.	8	Welded	Flat	2F21H12 \$ 38.49
#620-000-005DE	.40 S&W/Govt.	Blue	10	Removable	Flat	2F25H32 \$ 46.15
#620-000-006DE	.40 S&W/Govt.	Stnls.	10	Welded	Flat	2F22H95 \$ 40.81
#620-038-081DE	.38S Govt./Comm	Stnls.	9	Removable	Rnd.	2F20H25 \$ 36.91
#620-038-001DE	.38S Govt./Comm	Blue	9	Welded	Flat	2F14H01 \$ 25.54
#620-038-071DE	.38S Govt./Comm	Blue	9	Removable	Rnd.	2F18H49 \$ 33.70
#620-038-003DE	.38S Govt./Comm	Stnls.	10	Welded	Nylon	2F19H95 \$ 36.00
#620-000-018DE	.38S Govt./Comm.	Stnls.	10	Removable	Rnd.	2F28H40 \$ 44.85
#620-009-082DE	9mm Govt./Comm	Stnls.	9	Removable	Flat	2F20H63 \$ 37.60
#620-009-081DE	9mm Govt./Comm	Blue	9	Removable	Flat	2F15H16 \$ 27.62
#620-000-013DE	9mm Govt./Comm	Stnls.	10	Ultramag	Flat	2F25H09 \$ 45.74
#620-245-117DE	.45/Officers ACP	Blue	7	Welded	Nylon	2F13T91 \$ 25.34
#620-245-127DE	.45/Officers ACP	Stnls.	7	Welded	Nylon	2F21T21 \$ 38.67
#620-245-107DE	.45/Officers ACP	Stnls.	7	Removable/Shoe	Flat	2F18T53 \$ 33.78
#620-245-008DE	.45/Officers ACP	Blue	8	Welded/Shoe	Flat	2F13T99 \$ 25.49
#620-245-108DE	.45/Officers ACP	Stnls.	8	Welded/Shoe	Nylon	2F18T45 \$ 33.63
#620-145-084DE	.45 Detonics	Stnls.	6	Fixed	Flat	2F23T47 \$ 42.76

METALFORM 1911 AUTO

"SPRINGFIELD" MAGAZINES

Front Ramp Magazine Gives Smooth Feeding

Springfield-style with built-in front ramp to improve round feed into chamber. Flat follower provides consistent feeding for all 1911 9mm pistols. Stainless steel tube with a welded base for durability. Bumper pad models provide additional magazine protection and clearance for extended mag wells. Magazine capacity for standard

MAGAZINE FOLLOWERS - Replacement steel, round and flat top magazine followers greatly increase functioning and help reduce last round hang ups with all bullets, including wadcutters. **Colt 9mm** - Fit single stack, Colt 9mm magazines. **Round Top Follower** - Fits single stack, .45 Govt./Commander magazines. Made in the USA. **SPECS:** Stainless steel, silver or black finish.

#620-000-012DE SS Flat Top 9mm Follower, 2F06H25..... \$ 11.40

#620-000-003DE Silver Rnd Top Follower, 2F09H95..... 17.46

#620-000-004DE Black Round Top Follower, 2F07H75..... 14.12

MAGAZINE BUMPER PADS - Rubber pad provides protection from falls on hard surfaces and gives additional finger rest area. Precision formed to fit all Metalform magazines, bumper attaches with two screws that secure the pad to the bottom of the magazine using pre-existing holes. No modifications to the magazine required. **SPECS:** Rubber, black. 505" c-to-c mounting holes with sheet metal screws supplied. Fits all Metalform 1911 Auto Magazines.

#620-000-011DE Mag Bumper Pad w/Screws, 2F02H93..... \$ 5.35

NIGHTHAWK CUSTOM 1911 AUTO MAGAZINES

Precision Mags Exceed Factory Specs For Correct Fit & Superb Reliability

Premium-quality, magazine is produced using state-of-the-art manufacturing techniques to run as flawlessly as the best custom-tuned pistol. Extra-thick, tempered steel mag body is formed to small tolerances, with a smooth-welded seam carefully polished to eliminate any rough spots or burrs that might snag the rigid, stainless steel follower. The hard, high-polish finish eases insertion into the mag well and resists attracting dust and dirt. Precision-formed feed lips are engineered to resist deforming, even when the magazine is stored fully loaded for extended periods. An extra-strong spring provides the additional force necessary to ensure reliable feeding under any conditions. A shock-resistant, polymer composite floorplate protects magazine when dropped on a hard surface, and detaches easily to disassemble the mag for cleaning. Separate, numbered witness holes let you know exactly how full your mag is.

SPECS: Steel, blued, high gloss finish. Polymer composite floorplate. **Govt.** - 5" (12.7cm) long, 8-round capacity. **Officers** - 4 1/2" (11.4cm) long, 7-round capacity.

#100-003-267DE 8-Rd Govt. Model Mag 2B20P76 . . . \$ 25.95
#100-003-266DE 7-Rd Officers Model Mag 2B20P76 . . . \$ 25.95



MEC-GAR MAGAZINES

Expert Craftsmanship, Reliable Function

Made from certified, carbon steel; TIG welded and finished without seams, then heat treated for durability. Also available with a rustproof, nickel finish. These are the same magazines that are supplied by many European handgun makers as original equipment.



SPECS: Steel, blue (BL), or bright nickel (BN) finish. **RDS** indicates capacity of magazine.

STOCK #	FITS	FINISH	RDS	PRICE
#625-200-457DE	1911 Auto .45 ACP	BL	7	5B15X15 \$ 23.30
#625-201-457DE	1911 Auto .45 ACP	BN	7	5B16X87 \$ 25.95
#625-200-458DE	1911 Auto .45 ACP	BL	8	5B16X87 \$ 25.90
#625-201-458DE	1911 Auto .45 ACP	BN	8	5B18X36 \$ 28.25
#625-200-450DE	1911 Auto .45 ACP	BL	10	5B19X66 \$ 30.25
#625-201-450DE	1911 Auto .45 ACP	BN	10	5B21X35 \$ 32.85
#625-200-466DE	Colt Officers ACP	BL	6	5B15X15 \$ 23.30
#625-201-466DE	Colt Officers ACP	BN	6	5B16X87 \$ 25.95
#625-200-510DE	Para-Ord. P-13 .45	BL	10	5B19X44 \$ 29.90
#625-200-500DE	Para-Ord. P-14 .45 ACP	BL	10	5B19X44 \$ 29.90
#625-201-500DE	Para-Ord. P-14 .45 ACP	BN	10	5B21X22 \$ 32.65
#625-000-036DE	Para-Ord. P14 .45 ACP	BL	14	5B22P49 \$ 29.95
#625-000-013DE	Para P-16 .40	BL	15	5B19T44 \$ 29.90
#625-000-014DE	Para P-18 .38	BL	17	5B19T44 \$ 29.90

PARA-ORDNANCE FACTORY MAGAZINES

The Correct Magazine For Your Handgun

Genuine factory replacement magazines guaranteed to fit and function correctly. All magazines listed are also listed in the factory parts section of our catalog. Please refer to the appropriate section for a complete listing of any models that may not be shown here.

STOCK #	FACTORY #	FITS	PRICE
#199-000-229DE	PNM40R 10 RD, Nickel, P16/40, S16/40 LTD. .40		9A47Y50 \$ 59.38
#199-000-230DE	PNM45R 10 RD, Nickel, P14/45, S14/45 LTD. .45		9A47Y14 \$ 58.93
#199-000-231DE	PNM9R 10 RD, Nickel, #P18, 9mm		9A47Y14 \$ 58.93


PRO MAG PARA P14 MAGAZINE

Durable Replacement Made In The U.S.A.

Made from the finest materials for strength and durability. High carbon, steel body; chrome silicon music wire spring takes a "set" and then resist gradual weakening over time. Followers and mag pads are injection molded from unbreakable polymer to stand up to rough treatment without cracking.

SPECS: Body - Steel, blued. Spring - Chrome silicon. Follower - Nylon polymer. Fits Para P14 .45ACP. 14-round capacity.

#687-000-005DE Para P14 Magazine 7H17D25 . . . \$ 34.50



PSI ACT-MAG

Made To Better Than Factory Specs; Won't Fail When It Matters Most

Manufactured on state-of-the-art machinery to exceed factory magazine specifications. Tempered steel bodies with hardened lips keep their shape; won't flare out, fail to feed or function. 1911 Auto models include an unbreakable polymer floorplate that cushions the magazine when it's dropped. Witness holes and round designation marks provide fast, visible round count. Para Ordnance model includes a polymer floorplate that cushions the magazine when it's dropped. Does not include witness holes.

SPECS: Steel, blue. Officers ACP & 1911 Auto - Steel follower. Para Ordnance - Polymer floorplate and follower.



STI 1911 AUTO MAGAZINES, TUBES & REBUILD COMPONENTS

Mags & Components For Rebuilding High Capacity Magazines

Complete, high capacity magazines or high-quality components to rebuild your damaged magazines so they work just like new. TIG welded, heat-treated, stainless steel bodies hold up to competition use without cracking or failure. All springs are tempered music wire, and fit STI bodies without trimming. Complete mags come with Polymer base pad and nylon follower for flawless feeding.

SPECS: 410 stainless steel tubes. Fits STI, SVI and McCormick high capacity frames only. **Carry Mag Pad** and **170 Mag Pad** (not included with replacement tubes) can be used on both 140mm and 170mm tubes and still be legal for USPSA competition. **140mm Spring** is caliber specific, **170mm Spring** is universal. Capacity shown for all models is with non-extended magazine pads.



STI HIGH CAPACITY MAGAZINES

STOCK #	CAL./LENGTH	CAPACITY	PRICE
#791-000-055DE	.38/126mm	17	1G48D00 \$ 60.00
#791-000-058DE	.38/140mm	21	1G48Z00 \$ 60.00
#791-000-061DE	.38/170mm	27	1G80Z00 \$ 100.00
#791-000-056DE	.40/126mm	15	1G48Z00 \$ 60.00
#791-000-059DE	.40/140mm	18	1G48Z00 \$ 60.00
#791-000-062DE	.40/170mm	23	1G80Z00 \$ 100.00
#791-000-057DE	.45/126mm	12	1G48Z00 \$ 60.00
#791-000-060DE	.45/140mm	15	1G48Z00 \$ 60.00

STI HIGH CAPACITY REPLACEMENT TUBES

STOCK #	CAL./LENGTH	CAPACITY	PRICE
#791-238-018DE	.38/126mm	17	1G42T00 \$ 52.50
#791-238-020DE	.38/140mm	21	1G42T00 \$ 52.50
#791-238-027DE	.38/170mm	27	1G72T00 \$ 90.00
#791-240-016DE	.40/126mm	15	1G42T00 \$ 52.50
#791-240-018DE	.40/140mm	18	1G42T00 \$ 52.50
#791-240-023DE	.40/170mm	23	1G72T00 \$ 90.00
#791-245-013DE	.45/126mm	12	1G42T00 \$ 52.50
#791-245-015DE	.45/140mm	15	1G42T00 \$ 52.50

#791-247-143DE	140mm/.38 Magazine Spring, 1G05P09		\$ 6.20
#791-247-144DE	140mm/.40/.45 Magazine Spring, 1G04P96		6.20
#791-247-170DE	170mm Magazine Spring, 1G07P32		9.15

STI MAGAZINE PADS AND FOLLOWERS

Mag pads and caliber specific followers fit STI magazine tubes only. 9mm follower includes adapter plate.

SPECS: Black polymer base pad, low-friction nylon follower.

#791-246-170DE	170mm Mag Pad, Black 1G05P51		\$ 6.90
#791-246-172DE	170mm Mag Pad, Blue 1G06P25		7.80
#791-000-027DE	9mm Follower 1G05D79		6.95
#791-000-028DE	.38/.40 Follower 1G02D21		2.80
#791-000-029DE	.45 ACP Follower 1G02D96		3.75

126mm 10-ROUND CARRY MAGAZINES

#791-000-051DE	9mm 10-Round Carry Magazine, 1G48D00		\$ 60.00
#791-150-038DE	.38S 10-Round Carry Magazine, 1G48Y00		60.00
#791-150-040DE	.40 S&W 10-Round Carry Magazine, 1G48Y00		60.00
#791-150-045DE	.45 ACP 10-Round Carry Magazine, 1G48Y00		60.00

STOCK #	RNDS	FITS	PRICE
#625-000-029DE	6 Off. ACP		3K11T25 \$ 17.45
#625-000-030DE	8 1911 Auto		3K12T85 \$ 19.90
#100-002-805DE	14 Para Ord .45ACP		3K17D15 \$ 26.75

SHOOTING STAR 1911 AUTO MAGAZINE

Extra Capacity & Reliable Feeding

Designed by champion shooter Chip McCormick with his unique, flat follower to give more capacity. All feature a fixed base that's drilled for easy pad installation. All springs are Wolff.



Classic Shown

MATCH GRADE - Advanced feed lip geometry gives smooth, reliable feeding with a wide selection of bullets. Held to +/- .001", 75% tighter than military spec. Extra large, numbered holes for quick round counting.

SPECS: Stainless steel, matte finish. **.45 Gov't** - 5" (12.7cm) long, 5 1/2" (13.3cm) with pad, 8 rounds. **.45 Off. ACP** - 4 1/2" (11.4cm) long, 5" with pad, 7 rounds.

#207-145-208DE	.45 Gov't No Pad 7B17P02		\$ 22.95
#207-145-218DE	.45 Gov't w/Pad 7B17P74		23.95
#207-000-004DE	.45 Off ACP No Pad, 7B17C02		22.95
#207-000-005DE	.45 Off ACP w/Pad, 7B17H74		23.95

CLASSIC - Factory replacement; made to tolerances that are 50% tighter than military spec. Non-numbered view holes.

SPECS: Steel, blue, matte finish. 5" (12.7cm) long, 5 1/2" (13.3cm) with pad, 8 round capacity.

#207-000-006DE	.45 Gov't Classic No Pad, 7B12H98		\$ 17.50
#207-000-007DE	.45 Gov't Classic w/Pad, 7B13H71		18.50

.38 SUPER & 10MM - Precision formed, patented, flat follower for reliable feeding, extra capacity. Non-numbered view holes.

SPECS: Stainless steel, matte finish. 5" (12.7cm) long, 5 1/2" (13.3cm) with pad. **Capacity:** .38 Super, 10 rds; 10mm, 9 rds.

#207-138-209DE	.38 Super No Pad, 7B25X91		\$ 34.95
#207-140-208DE	10mm w/Pad, 7B26P64		35.95

MAGAZINE CONVERSION KITS - Fits standard 1911 Auto magazines; increases standard .45 ACP and 10mm capacity by one round; .38 Super by two rounds. Kits include spring and follower.

#207-100-451DE	.45 ACP Conversion Kit, 7B11A06		\$ 14.95
#207-100-381DE	.38 Super Conversion Kit, 7B11A06		14.95
#207-000-009DE	10mm Conversion Kit, 7B11H06		14.95

TRIPLE K 1911 AUTO MAGAZINES

High-Quality Replacements

Now you can keep your pistol shooting with these high-quality replacement magazines. 100% Made In The USA. All feature welded seams, machined followers and music wire springs. Unconditionally guaranteed to fit and feed.

SPECS: Steel, blue, matte finish unless otherwise denoted in fits line. **RNDS** indicates capacity of magazine.

STOCK #	FITS	RNDS	PRICE
#486-000-004DE	Colt Gold Cup .38 Spcl.	5	6H37U50 \$ 50.00
#486-200-465DE	Colt Ace .22	10	6H33X75 \$ 45.00
#486-000-005DE	Colt 1911 (Stnlss) .45 ACP	7	6H09U75 \$ 13.00
#486-202-000DE	1911 Auto Rmv. Base .45	8	6H09U75 \$ 13.00
#486-200-025DE	1911 Auto Fxd. Base .45	7	6H07X50 \$ 10.00

Need A Gunsmith? Vist
Gunsmiths.com

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 23



WILSON COMBAT 1911 AUTO
WILSON-ROGERS MAGAZINE

Self-Lubricating, Synthetic Follower;
Improves Feeding, Won't Rust

Made from heat-treated, 17-7, aircraft-grade stainless steel to stand up to the demands of competitive and defensive shooting. Precision-formed bodies are built to very close tolerances for excellent, universal fit. Extruded, molded, self-lubricating follower ensures reliable feeding and slide stop operation. Extra-power Wolff spring resists "spring set". Removable base, spring, and follower for fast, easy cleaning. **Black** models have black, oxide finish and removable steel base pad. **SPECS:** 17-7 Stainless steel. **1911 Auto** and **Officers ACP** models have bright, stainless steel finish with black polymer base pad. **8-round Officers ACP models** are $\frac{1}{8}$ " longer, respectively, than factory magazines. **Black models** have black, oxide finish with steel base pad. Furnished with low profile base pad.

1911 AUTO

STOCK #	CALIBER	ROUNDS	PRICE
965-047-470DE	.45 ACP	7	5F26T20 \$ 31.95
965-047-480DE	.45 ACP	8	5F26V20 \$ 31.95
965-047-310DE	.38 Super	9	5F29P48 \$ 35.95

OFFICERS ACP

STOCK #	CALIBER	ROUNDS	PRICE
965-047-407DE	.45 ACP	7	5F26T20 \$ 31.95
965-047-408DE	.45 ACP	8	5F29T89 \$ 36.45

BLACK 1911 AUTO

STOCK #	CALIBER	ROUNDS	PRICE
965-047-001DE	.45 ACP	7	5F30U30 \$ 36.95
965-047-002DE	.45 ACP	8	5F30U30 \$ 36.95

1911 AUTO MAGAZINE W/ EXTENDED PAD - The same craftsmanship and materials as the standard 1911 auto magazine, with a $\frac{1}{8}$ " thick pad to accommodate 1911s with magazine wells. Eight-round capacity. **Extended Magazine Pad** also available separately; sold in 3-Paks.

SPECS: Aircraft-grade, stainless steel. Includes a .625" magazine pad. 8-round capacity; accepts .45 ACP.

965-000-018DE	1911 Magazine W/ Extended Pad, 5F27C02	\$ 32.95
965-000-019DE	Extended Magazine Pad, 3-pak, 5F06C15	7.50

WILSON MAGAZINE CONVERSION KITS - W-45 fits Wilson Govt. and Officers ACP magazines. Converts Govt. to 8 rounds; converts Officers ACP to 7 rounds. **C-45** fits Colt and other standard Govt. length magazines, converts to 8 rounds. **.38 Super** fits Wilson, Colt and other, standard, Govt. length magazines; converts to 10 rounds.

SPECS: Kit contains "V2" follower.

965-266-245DE	W-45 8/7-Round Conversion Kit, 5F06T52	\$ 7.95
965-266-145DE	C-45 8-Round Conversion Kit, 5F06T52	7.95
965-266-038DE	.38S 10-Round Conversion Kit, 5F06T52	7.95

STANDARD MAGAZINE BASE PAD - Protects base from damage, makes seating more positive. Fits Wilson-Rogers only.

SPECS: Hard, black plastic. .350" (8.9mm) thick. Sold 3 per pak.

965-470-000DE	Standard Wilson-Rogers Base Pads, 5F05A70	\$ 6.95
----------------------	---	----------------

OFFICERS ACP CONVERSION BASE PAD - Sturdy, steel base pad allows Wilson-Rogers, 8-round, .45 ACP magazines to correctly seat in Officers Model pistols. Upward extension fills the gap below the frame for a comfortable grip. Compact size doesn't increase bulk, lets you use full length magazines for concealed carry. Fits Wilson-Rogers magazines only.

SPECS: Steel, black, matte finish. Sold 1 per pak.

965-000-011DE	Officers ACP Conversion Pad, 5F08C16	\$ 9.95
----------------------	--	----------------



WILSON COMBAT 1911 AUTO
ELITETACTICAL MAGAZINE

Ultra-Reliable, Smooth Feeding
Of All The Rounds; Holds One More Round
Than Standard Mag

Wilson Combat applied 30 years of experience building high-performance 1911 magazines to develop this completely new, ultra-reliable extra-capacity magazine for combat, competition, or self-defense. Made with state-of-the-art materials using the latest manufacturing technology, these single-stack magazines are built tough to keep running in unforgiving, real-world conditions. The body formed from extra-thick stainless steel, with the radius of each curve engineered to minimize stress points, virtually eliminates feed lip cracking and stress fatigue. Even the position of the witness holes toward the rear is designed to enhance structural integrity. A proprietary welding, deburring, and polishing process provides an unusually strong, super-smooth seam to ensure snag-free follower movement and easy insertion in the mag well. The non-till follower of self-lubricating polymer fully supports the ammo stack to prevent nose-dives, double feeds, and other hang-ups. The mag body design puts less tension on the spring than standard magazines, increasing spring life and making it easy to seat a fully loaded magazine with the slide closed. The polymer base pad adds minimal bulk yet ensures a firm purchase even when your hands are wet; removes easily for cleaning. Numbers 1 through 10 stamped on the bottom help you mark each of your magazines to track usage and performance. **.45 ACP** - 8 round capacity; round-count numbers stamped on magazine body next to witness holes. Available in natural Silver or Black Oxide finish. **9mm** - 10 round capacity; no round count numbers. Silver finish only.

SPECS: 17-7 stainless steel, natural silver or black oxide, finish, with black polymer follower and base pad. **.45 ACP** - 8-round capacity, **9mm** - 10-round capacity.

965-000-050DE	.45 ACP Elite Tactical Magazine, Silver, 5F28H66	\$ 34.95
965-000-070DE	.45 ACP Elite Tactical Magazine, Black, 5F31D95	36.95
965-000-051DE	9mm Elite Tactical Magazine, Silver, 5F28H66	34.95

WILSON COMBAT 1911 AUTO
"BUREAUCRAT"
10-ROUND MAGAZINE

+ 2 Rounds Of .45 ACP

Wilson's outstanding quality, 47 Series magazine, lengthened to accept two additional rounds of .45 ACP. Gives increased firepower with fewer mag changes for the limited class shooter. All stainless steel construction, tempered steel spring, removable base pad for easy cleaning; welded stop prevents over-insertion.

SPECS: Stainless steel, nylon follower and base plate.

965-047-110DE	"Bureaucrat" Magazine, 5F31U12	\$ 37.95
965-047-113DE	Replacement Pads for Bureaucrat, 3-pak, 5F05U70	6.95



Instructional Video
Available Online

LOW PROFILE STEEL MAG BASE PAD - Super-tough, steel base pad adds additional protection to magazines in competition and tactical situations. Base quickly slides onto magazine and provides additional weight for clean drops when mag change speed is essential. Fits Wilson-Rogers magazines only.

SPECS: Steel, black manganese finish. .16" (4.1mm) thick.

965-047-003DE	Steel Mag Base Pad 5F04U88	\$ 5.95
----------------------	-----------------------------------	----------------



WOLFF 1911 AUTO
7- & 8-ROUND MAGAZINES

Extra Power Spring For Reliable Feeding

Precision-formed, rigid steel body with an extra-power magazine spring offers maximum reliability and performance. Traditional, flat follower smoothly feeds hardball, high performance and hot, competition loads. Index holes allow you to quickly count loaded rounds. **8-Round** features a $\frac{1}{16}$ " thick, button-type, locking base pad made of impact-resistant plastic. **7-Round** includes pre-drilled base pad holes and is available with or without a thin, $\frac{1}{32}$ " or thick, $\frac{1}{8}$ " cushioning rubber base pad secured with screws.

SPECS: Steel, blue finish, .45ACP only. **8-Round** - 5 $\frac{1}{8}$ " (13cm) long w/ $\frac{1}{16}$ " (7.9mm) thick, plastic base pad. **7-Round** - 4 $\frac{3}{4}$ " (12.1cm) long w/o pad, 5" (12.7cm) w/ thin rubber base pad, 5 $\frac{3}{8}$ " (13.7cm) long w/ thick rubber base pad.

969-000-182DE	8-Rnd Magazine 9F20A00	\$ 23.99
969-000-185DE	7-Rnd Mag No Pad 9F17A50	20.99
969-000-186DE	7-Rnd Mag w/Thin Pad 9F19A17	22.99
969-000-187DE	7-Rnd Mag w/Thick Pad 9F19A58	23.49

BASE PADS FOR 7-RND MAGAZINE - Thick or thin, rubber base pads attach to Wolff 7-round magazines only. Cushions base plate during tactical reloads. Includes attaching screws. Available in 3-Paks.

SPECS: Rubber, black. **Thick** - $\frac{1}{8}$ " (1.5cm) thick. **Thin** - $\frac{1}{32}$ " (7.1mm) thick.

969-000-183DE	7-Rnd Mag Base Pad, Thick, 9F07A50	\$ 8.99
969-000-184DE	7-Rnd Mag Base Pad, Thin 9F06A92	8.29

ARRENDONDO SEMI-AUTO
MAGAZINE FOLLOWERS

"Super Tuff" For Reliable Feeding

Caliber-specific contour follower improves feeding and reliability. Made from extruded nylon that reduces friction and wear. Color coded for easy identification.

SPECS: Extruded nylon.

STOCK #	FITS	CAL.	COLOR	PRICE
969-111-040DE	STI/Infinity	.40/.45	Red	9F06Y40 \$ 8.00
969-000-001DE	Para-Ord	.38/.45	Blue	9F06Z40 \$ 8.00

TEFLON MAGAZINE FOLLOWERS - Reduces friction and wear and improves reliability. Caliber and magazine specific to ensure correct fit.

SPECS: Teflon, white.

969-000-021DE	STI Follower, .38 Cal. 9F07A20	\$ 9.00
969-000-022DE	STI/SVI Follower, .40 Cal. 9F07A20	9.00



PACHMAYR 1911 AUTO
MAGAZINE FOLLOWER

Helps Prevent Last Round Jams

Re-designed to help prevent last round malfunctions so common with issue followers. Unique "rounded-top"; replaces flat-topped follower without modification.

SPECS: 1 $\frac{3}{4}$ " (4.4cm) long. Polished stainless steel.

692-702-000DE	Pachmayr .45 Follower 2F03T67	\$ 5.50
692-702-038DE	Pachmayr .38S Follower 2F03T67	5.50

METALFORM 1911 AUTO
9mm MAGAZINE FOLLOWER

Reduces Last Round Hang Ups

Replacement, stainless steel, flat top followers greatly increase functioning and help reduce last round hang ups. Fits single stack, Colt 9mm magazines. Made in the USA.

SPECS: Stainless steel.

620-000-012DE	1911 9mm Follower 2F06H25	\$ 11.40
----------------------	----------------------------------	-----------------

ARRENDONDO HIGH-CAPACITY
MAG PERFORMANCE PACK

Increased Capacity & Performance



Converts pre-ban high-capacity magazines to accept additional rounds while increasing performance and reliability. Self-lubricating, "Super-Tuff", extruded nylon follower and extra power spring help ensure reliable feeding. Extended, hollow base pad increases capacity for up to three extra shots per magazine. Fits pre-ban magazines and replacement tubes only.

SPECS: Pack includes base pad, spring, follower and retainer. **Base Pad** - nylon plastic, black. **Extended (E)** +3 rounds .38/40 S&W, +2 rounds .45 ACP or flat (F) no change in capacity. **Follower** and **Retainer** - nylon. **Para-Ordinance (PO)** fits P14, P16 only. **(STI)** fits STI Standard and 140mm tubes.

MAGAZINE PERFORMANCE PACKS

STOCK #	FITS	CALIBER	PRICE
#069-110-138DE	PO (E)	.38/.40	9F21Y33 \$ 31.00
#069-110-145DE	PO (E)	.45 ACP	9F21Y33 \$ 31.00
#069-111-138DE	STI (E)	.38	9F21Y33 \$ 31.00
#069-111-140DE	STI (F)	.40/.45 ACP	9F21Y33 \$ 31.00

HIGH-CAP MAGAZINE SPRINGS - Stabilizes the follower to help solve feeding problems on hi-cap magazines equipped with extended base pads. Tempered music wire springs have 10% additional power.

SPECS: 3-Paks. Installation requires fitting.

#069-115-113DE	3-Pak Para-Ord Spring, 9F11T88	\$ 16.00
#069-115-103DE	3-Pak STI/Infinity Spring, 9F11Y88	16.00

ISMI PREMIUM
HIGH CAPACITY
MAGAZINE SPRINGS

Chrome Silicon Wire
For Superior Performance & Durability

Wound with high tensile, chrome silicon wire that's shot peened, heat treated, then stress-relieved for the longest service life possible, without cracking or failure.

SPECS: Chrome silicon steel wire.

1911 AUTO - SSCS fits single-stack, 8-round .45 ACP and 10 round .38 Super magazines. **SSCS2** is for use with plastic and metal followers that require a narrow magazine spring. 7- or 8- round capacity depending on follower. **SS10** fits 10-round .45 ACP magazines. Do not use with Wilson Combat plastic followers.

965-000-109DE	SSCS 1911 Spring 5D06H71	\$ 8.95
965-000-019DE	SSCS2 1911 Spring 5D05H31	7.95
965-000-101DE	SS10 1911 Spring 5D07H68	10.25

PARA-ORDNANCE - Fits 19-rd. .38 super; 13-, 12- and 10-rd. .45 ACP high capacity magazine tubes. Requires trimming to fit shorter magazines.

965-125-100DE	Para-Ord Mag Spring 5D07Z68	\$ 10.25
----------------------	------------------------------------	-----------------

PARA-ORDNANCE 170MM - Fits high capacity Para Ordnance magazines up to 170mm in length, can be shortened to fit other models.

965-125-170DE	PO170 Spring 5D08Z61	\$ 12.75
----------------------	-----------------------------	-----------------

STI/INFINITY 25-2 - Fits STI/Infinity standard magazine, all calibers, up to and including 140mm +1 and +2 round base pads. Important when using 200 gr. bullets and heavier, 11 coils.

965-126-100DE	ST25-2 Spring 5D07Z68	\$ 10.25
----------------------	------------------------------	-----------------

STI 170MM - Fits 170mm, STI, high capacity magazine tubes, 13 coils.

965-126-170DE	170mm STI Mag Spring, 5D08Z41	\$ 12.75
----------------------	---	-----------------

WOLFF 1911 AUTO EXTRA POWER MAGAZINE SPRING

GOVT & OFFICERS ACP - .45 ACP. Extra power springs help stabilize the follower for improved feeding performance with full power loads. **8-Rd.** - 5% extra-power fits new Govt/Commander, plus Shooting Star magazines, will NOT allow 8-rd capacity in Sig GSR mags; **7-Rd.** - 11 lb. rating, fits Govt/Commander, Officers ACP only, except Wilson Combat.

STK # 8-RD.	STK # 7-RD.	QTY	PRICE
#969-714-610DE	#969-713-710DE	1	9F05H00 \$ 7.49
#969-714-630DE	#969-713-730DE	3	9F11H53 \$ 17.29
#969-000-145DE	#969-000-178DE	10	9F32U00 \$ 47.99

COLT 1911 AUTO - 40 S&W. 10% extra power spring, fits 8-round Government Model and Commander magazines.
#969-000-022DE Colt .40 S&W Mag Spring 9F05V00 . \$ 7.49
#969-000-023DE Colt .40 S&W Mag Spring, 3-pak, 9F11V55 17.33

COLT 1911 AUTO - 9mm and .38 Super. 8 lb., 10% extra power. 7 lb. is standard. Fits Govt/Commander magazines.
#969-000-081DE Colt 9mm Mag Spring 9F05B00 \$ 7.49
#969-000-082DE Colt 9mm Mag Spring, 3-pak, 9F11B53 17.49
#969-000-083DE Colt .38 Super Mag Spring 9F05B00 . 7.49
#969-000-084DE Colt .38 Super Mag Spring, 3-pak, 9F11B53 17.49

COLT 1911 DELTA ELITE - 10% extra power. Fits current production, 8-round, 10mm Delta Elite magazines with rounded, smooth follower.
#969-000-105DE Colt Delta Elite Mag Sprg 9F05X00 . \$ 7.49
#969-000-106DE Colt Delta Elite Mag Spring, 3-pak, 9F11X67 17.29

CASPIAN - 10% extra power. Fits current production Caspian magazines.
#969-000-053DE Caspian Mag Sprg, 3-pak 9F12V33 . \$ 18.49

PARA-ORDNANCE P12 - 10% extra power. Fits 12-round, P12 magazines and all calibers of Para-Ordnance 10-round magazines.
#969-764-710DE P12 Mag Spring 9F05D00 \$ 7.49
#969-764-730DE P12 Mag Spring, 3-pak, 9F11D53 17.29

PARA-ORDNANCE P13 - 10% extra power. Fits 13-round pre-ban magazines. For 10-round magazines, order P12 magazine springs.
#969-769-710DE P13 Mag Spring 9F05D00 \$ 7.49
#969-769-730DE P13 Mag Spring, 3-pak, 9F11D53 17.29

PARA-ORDNANCE P14/P16 - 10% extra power. Fits 13-, 14-, and 15-round .45ACP magazines; 17- and 20-round .38 Super magazines; 15-round 10mm/.40 S&W magazines; 18-round 9mm magazines. For 10-round magazines, order P12 magazine springs.
#969-760-710DE P12 Mag Spring 9F05H00 \$ 7.49
#969-760-730DE P12 Mag Spring, 3-pak, 9F11H53 17.29

WOLFF OVERSIZE HIGH-CAPACITY MAGAZINE SPRINGS

Cut-To-Fit For Precise Function

Additional coils provide precise magazine tuning for reliable feeding. High-quality, tempered wire springs are 10% increased power.
SPECS: 1, 3 or 10 paks. Installation requires fitting.

STI/INFINITY/MCCORMICK - .38 fits .38 Super, 9x21mm, 9x23mm. .45 fits .40 cal., .45 ACP.

STOCK # .38	STOCK # .45	QTY	PRICE
#969-761-610DE	#969-777-610DE	1	9F05H33 \$ 7.99
#969-761-630DE	#969-777-630DE	3	9F12H33 \$ 18.49
#969-761-640DE	#969-777-640DE	10	9F33H35 \$ 50.00

PARA-ORDNANCE - Fits all calibers. P12, P13, P14, P16, cut coils to fit.
#969-763-630DE 3-Pak O/S Mag Spring 9F12H33 . . \$ 18.49
#969-763-640DE 10-Pak O/S Mag Spring 9F33D02 . . 49.50

A & G 1911 AUTO GRIP EXTENDER

Use Full Size Mags In Compact Guns;
Increases Shooting Comfort



Slip-on collar, fills the space between a compact frame and bottom of a full-sized magazine to make a comfortable, hand-filling grip. Contoured to match the frame for improved trigger and recoil control. Ideal when using full size magazines as backup.

SPECS: High impact polymer, black. Use Colt 1911 magazine in Officers ACP, Para-Ord P-14 Long magazine in P-10.

#075-000-005DE Colt Extender 5G09P72 \$ 14.05
#075-000-007DE Para-Ord P-14 Long Extender, 5G09P72 14.05

ARRENDONDO SEMI-AUTO MAGAZINE BASE PAD



Increase Capacity On Factory Mags

Replace the pre-ban, factory base pad with this hollow, extended model and get up to four additional rounds in .38 Super and two additional in .45 ACP. Molded from high impact, unbreakable, polyethylene; includes retainer insert.
SPECS: Fiberglass-filled nylon. 1 1/2" (3.8cm) long, 1.20" (3cm) wide.

.38/40 PARA-ORDNANCE EXTENDED BASE PAD

STK # BLACK	STK # RED	STK # BLUE	STK # PURPLE
#069-100-001DE	#069-100-101DE	#069-100-201DE	NA

.45 PARA-ORDNANCE/ENTRÉPRISE EXTENDED BASE PAD			
#069-100-002DE	NA	#069-100-202DE	NA

STI EXTENDED BASE PAD

#069-100-003DE	#069-100-103DE	NA	NA
----------------	----------------	----	----

SVI/INFINITY EXTENDED BASE PAD

NA	#069-100-104DE	NA	#069-100-304DE
----	----------------	----	----------------

— Advise # — Extended Base Pad 9F12A80 \$ 16.00

CLASSIC PISTOL SUPERTUFF SOFT MAG PAD

Tough, Cushioned Protection
For Mags & Your Palm



Unbreakable, soft-plastic pad is easy to install and adds extra length for positive magazine seating on guns with standard or extended mag wells.
SPECS: High strength, impact-resistant plastic, black. Fits all welded, flat base 1911 Auto magazines. 3 per pak w/screws.
#169-500-001DE C.P. Mag Pad 9F07A75 \$ 9.70

CLASSIC PISTOL 1911 LOW PROFILE MAG PAD



Low Profile Design
That's Perfect For Concealment

Extra-tough plastic pad protects the 1911 magazine bases from damage when you drop them during competition or tactical exercises. Low-profile design and black color are perfect for weapon concealment. Added length makes it easy to slam a fresh magazine home. Smooth surface allows for quick, smooth draw without the hassle of snagging on clothes.
SPECS: Plastic, black. 1/4" (6.4mm) thick. Sold in 3 Paks.
#169-500-002DE Low Profile Mag Pad, 3-pak, 9F07A16 \$ 8.95

1911 AUTO 10-ROUND - Fits all calibers of 10-rd single stack.
#969-774-610DE (1) 10-Rd Mag Spring 9F05D33 \$ 7.99
#969-774-630DE 3-Pak 10-Rd Mag Spring 9F12D33 . . 18.49
#969-774-640DE 10-Pak 10-Rd Mag Spring 9F33D34 . 49.99

EGW CASPIAN HIGH CAPACITY BASE PAD

+ 2 Rounds In Caspian Mags



Outstanding-quality base pad adds an extra two rounds of .38 Super to high-capacity, 19-round Caspian, double-stack magazines. Available in black (B), or silver (S). Requires gunsmith fitting.
SPECS: CNC machined aluminum barstock. Available in black (B), or silver (S). Follower must be cut down to fit into basepad.

#296-000-073DE Base Pad, Black 6B16Y00 \$ 20.00
#296-000-074DE Base Pad, Silver 6B16Y00 20.00



FREED DESIGNS 1911 AUTO X-GRIP™ MAGAZINE ADAPTER



Adapts Full-Size 8-Round
Magazines To Officers Model
For Increased Firepower

Snap-on adapter converts 8-round Government model Novak and Act-Mag magazines for use in an Officers model pistol. Gives your Officers model the capacity of a full-size pistol, so you have more ammo available when you need it. Two-piece, closed-bottom unit snaps tightly around the floorplate, but it removes easily if you want to use the magazine with a full-size grip frame. Streamlined contours provide a nearly seamless mate to the grip frame. Gives added support for your little finger to improve weapon control, and offers extra cushion to protect the floorplate when dropping the mag during reloads. Made of rugged, impact-resistant polymer, so it takes a beating, yet weighs only half an ounce.
SPECS: Polymer, matte black. 2 1/2" (6.4cm) long, 1 1/4" (3cm) wide, 13/16" (2.1cm) high, 1/2 oz. (14g) weight. Adapts Novak and Act-Mag 8-round .45 ACP Govt. model magazines for use in Officers ACP.
#100-003-163DE 1911 Auto X-Grip Adapt. 2A10Z95 . \$ 14.95

PACHMAYR MAGAZINE BUMPER KIT

For Positive Seating
& Magazine Protection



Gives extra length needed for fast, positive magazine changes. Protects magazine from damage too. Same compound as used on Pachmayr grips.
SPECS: Fits 1911 Auto/copies. Screw on; screws, drill and jig included. Kits include 5 bumpers.
#692-700-000DE MBK-Colt Bumper Kit 2F14D66 . . . \$ 21.98

STI 1911 AUTO BUMPER PAD

For Repair Or Replacement



Mix or match colors to STI frames. 170mm pads are legal for USPSA competition on 140mm and 170mm magazine tubes.
SPECS: Nylon polymer, black or blue.
#791-246-170DE 170mm Pad, Black 1G05P51 \$ 6.90
#791-246-172DE 170mm Pad, Blue 1G06P25 7.80

CYLINDER & SLIDE 1911 AUTO SERIES 80 TRIGGER PULL REDUCTION KIT

Super-Slick Parts Lighten Series 80 Pull



Titanium-nitrided parts, with an exclusive moly-disulfide coating, reduce trigger pull weight without risky modifications to Series 80 Colt's firing pin safety system. Reduces the creep and jump in the takeup that's inherent in these guns. When used with custom, after-market parts, trigger pulls as low as 2 1/2 lbs. can be safely achieved.
SPECS: Steel, TiN and moly coated, gold color. Kit includes hammer pin, sear pin, trigger lever, plunger lever, firing pin plunger.
#206-080-000DE Trigger Pull Reduction Kit, 6K36A80 \$ 46.00

10-8 PERFORMANCE 1911 AUTO FLAT TRIGGER



Delivers Consistent
Length-Of-Pull Regardless
Of Finger Placement



Lightweight, aluminum trigger shoe features a flat, serrated face for uniform length-of-pull regardless of index finger placement. Full width, stainless steel bow eliminates flex and is permanently staked to the shoe for added strength, making this trigger a top choice for duty and self defense guns. Stainless steel overtravel stop screw is mounted in the rear of the shoe and requires no staking or threadlocker to keep it in place — once it's set, it won't shoot loose.

SPECS: Bow - Stainless steel, polished finish. Shoe - Aluminum, silver, anodized finish. 2.2" (5.6cm) OAL. .3 oz. (8.6g) wt.
#100-003-159DE 10-8 Flat Trigger, 1B19Z95 \$ 24.75

CASTILLO'S 1911 AUTO BALL BEARING TRIGGER



Gives A Smooth-Gliding
Trigger Pull Without Fitting

Smooth, roller bearing design and drop-in installation allows the do-it-yourselfer to achieve a light, crisp, match-grade trigger pull without special tools or complicated fitting operations. Permanently installed, .010" diameter ball bearings at top and bottom of trigger shoe adjust automatically for positive contact in standard and oversize trigger tracks. Responsive, anti-flex, stainless steel bow is drilled for less weight; prevents sponginess for a consistent pull that helps improve accuracy. Lightweight, aluminum shoe features swaged construction, plus a grooved face for excellent control. Stop screw helps eliminate overtravel. For a really slick pull, polish the trigger track with Brownells Trigger Track Stone (#080-721-230). Then lubricate the track and bearings, and install the trigger.
SPECS: Stainless steel bow, aluminum shoe. Silver anodized finish. 2 3/8" (6cm) OAL. .3 oz. (8.5 g) wt.
#100-001-837DE Ball Bearing Trigger, 2A80D00 \$ 100.00
#080-721-230DE Trigger Track Stone, 8K11Z81 15.62

CYLINDER & SLIDE 1911 AUTO SOLID ALUMINUM MATCH TRIGGER

Replaces Sloppy-Fitting
Factory Trigger;
Smooth, Rounded Face
For Comfort



Match-grade replacement trigger improves control and increases shooting comfort for greater accuracy. Solid, aluminum alloy trigger shoe is oversized for precise fitting to your frame. Smooth, rounded face eliminates "tender finger" caused by abrasions from sharply serrated trigger faces during long shooting sessions. Transmits the actual trigger action more effectively for a better "feel" of actual pull weight and improved control of letoff. Stainless steel trigger bow is longer than factory length to reduce take up. Overtravel screw helps eliminate trigger overtravel. Available with **Short, Medium, and Long** trigger shoe. Gunsmith fitting required.
SPECS: Aluminum shoe, stainless steel bow. **Short** - 2.25" (5.72cm), **Medium** - 2.35" (5.97cm), **Long** - 2.40" (6.1cm).
#206-000-024DE Aluminum Match Trigger, Short, 6K19Z96 \$ 24.95
#206-000-025DE Aluminum Match Trigger, Medium, 6K19Z96 24.95
#206-000-026DE Aluminum Match Trigger, Long, 6K19Z96 24.95

DLASK ARMS ULTRA-LIGHT TRIGGER



Magnesium & Titanium For Strength; Adjustable For Take-Up & Overtravel; Para-Ord., STI Models, Too

Titanium stirrup, magnesium shoe and two-way adjustability provide the best combination of strength, lower weight and crisp feeling response for an ultra-light, match quality trigger pull without flex, take-up or overtravel.

SPECS: Magnesium shoe, titanium stirrup, silver finish. Available in **Short** - 2.124" (5.4cm), **Med.** - 2.187" (5.6cm), **Long** - 2.335" (5.9cm), **Shoe: 1911 and Para.** - .245" (6.2cm) wide, **Gold Cup; 352"** (8.9mm) wide, .2 oz. (6 g) weight. Lightening holes not available on Short models.

STK # SHORT	STK # MED	STK # LONG	FITS
#253-102-003DE	#253-101-003DE	#253-100-003DE	1911 Auto
NA	#253-101-004DE	#253-100-004DE	Gold Cup
#253-102-010DE	#253-101-010DE	#253-100-010DE	Para-Ord.
#253-103-001DE	#253-103-002DE	#253-103-003DE	STI/Infinity
- Advise # - 1911/Gold Cup/Para Ultra-Light Trigger, 3E33A15..... \$ 47.89			
- Advise # - STI/Infinity Ultra-Light Trigger, 3E32A50..... 48.40			

ED BROWN 1911 AUTO NATIONAL MATCH TRIGGER



Light, Aluminum Shoe Lowers Pull; Stainless-Steel Bow Eliminates Flex

Drilled aluminum, three-hole shoe lightens trigger pull to help you hit where you aim. Long shoe length and finely serrated surface provides good feel and trigger control. Shoe height is slightly oversized for precise fitting. Stainless steel bow gives, no-flex trigger movement. Overtravel stop screw prevents creep.

SPECS: Aluminum, silver anodized shoe; stainless steel bow. 1/4" (6.3mm) wide, 1 1/8" (23.8 mm) high; .3 oz (7g) wt. Gunsmith fitting required.

#087-000-012DE **Single-Stack National Match Trigger, 7H16B96..... \$ 21.20**

GREIDER PRECISION 1911 AUTO V-SERIES MATCH TRIGGER



Proven, Videki Design For Match-Winning Performance

Lightweight, competition trigger minimizes drag and reduces pull weight for extra smooth engagement and faster return. Features the same, proven design that made the "Videki Speed Trigger" the industry standard. Extra-stiff, high-strength bow

is machined using the original Class A, Videki tooling and 400 series stainless steel. Shoe is CNC-machined from top-quality, aluminum billet and left slightly oversized for custom fitting. Stop screw helps eliminate overtravel; grooved face gives excellent control. Three sizes provide the correct length-of-pull (LOP) for most shooters. **3-Hole** shoe features three holes to help keep pistol weight to a minimum.

SPECS: Bow - 400 Series S, polished finish. **Shoe** - Aluminum, silver. **Long** - 2 1/4" (5.7cm) long. **Medium** - 2 1/8" (5.4cm) long. **Short** - 2" (5.1cm) long.

STOCK #	LOP	SHOE
#377-000-001DE	Long	Solid
#377-000-002DE	Long	3-Hole
#377-000-003DE	Medium	Solid
#377-000-004DE	Short	Solid

- Advise # - V-Series Match Trigger 7G14Y62 .. \$ 17.47

EGW SOLID BLANK TRIGGER



Full Length To Accommodate Large Hands


Machined, aluminum trigger is slightly concave for shooters who like a full, nearly flat trigger. Serrated face improves grip. Requires gunsmith fitting. **Gold Cup** has wider shoe to fit Colt Gold Cup and similar pistols.

SPECS: Aluminum shoe & stainless steel bow, silver finish. 2 3/16" (5.9cm) long. **Standard** - .250" (6.4mm) wide shoe. **Gold Cup** - .350" (8.89mm) wide shoe. .4 oz. (11.3 g).

#296-000-053DE **Solid Blank Trigger, Std** 6B24A00. \$ 30.00
#296-000-094DE **Solid Blank Trigger, Gold Cup, 6B32Y00..... 39.99**

GUN CRAFT PARA-ORDNANCE ALUMINUM TRIGGER

Two Lengths Fit Large & Small Hands



Lightweight, aluminum triggers give shooters with different-sized hands the proper index finger placement for easier, smoother trigger engagement. **Short** trigger helps shooters with smaller hands reach around the Para-Ordinance frame. **Long** trigger gets the placement right for shooters with larger hands. **Square** trigger is extra long and features a gentle 4" radius along the length of the face that increases surface area and gives a lighter perceived pull so the gun is easier to "double-tap". All models feature grooved face, steel bows with fitting pads and overtravel adjustment.

SPECS: Aluminum body, steel bow. **Body;** .240" (6mm) wide. **Short;** 2.3" (5.8cm) long overall, **Long;** 2.40" (6cm) long overall. **Square;** 2.40" overall length. Fits Para-Ordinance frames only, requires gunsmith fitting.

#376-100-010DE **Short Trigger, for Para-Ord, 6G24H95..... \$ 29.95**
#376-100-011DE **Long Trigger, for Para-Ord, 6G24H95..... 29.95**
#376-100-111DE **Square Trigger, for Para-Ord, 6G20H67..... 24.95**

INFINITY 1911 AUTO TRI-GLIDE TRIGGER SYSTEM



Steel Bearings Provide Consistent Trigger Pull

Steel ball bearings set into the trigger bow and center leg of sear spring provide exceptionally small contact points that reduce friction to the absolute minimum. Titanium sear spring eliminates stacking, smooths takeup. Steel disconnecter is contoured to minimize frame contact and reduce mass. Does not include interlocking trigger shoe, select style of your choice listed elsewhere.

SPECS: Fits Infinity and STI or 1911 Auto. **Trigger Bow** - Titanium. **Sear Spring** - Titanium. **Disconnecter** - 4140 steel, blue.

STOCK #	COLOR	FITS	PRICE
#823-110-002DE	Blue	Infinity/STI	3B91X08 \$ 113.85
#823-110-003DE	Red	Infinity/STI	3B91X08 \$ 113.85
#823-110-000DE	Silver	Infinity/STI	3B87X85 \$ 109.82
#823-110-102DE	Blue	1911 Auto	3B83C59 \$ 104.48
#823-110-101DE	Black	1911 Auto	3B83C59 \$ 104.48
#823-110-103DE	Red	1911 Auto	3B83C59 \$ 104.48
#823-110-100DE	Silver	1911 Auto	3B80X36 \$ 100.45

SATISFACTION GUARANTEED SINCE 1939

INFINITY 1911 AUTO

INTERLOCKING TRIGGER SYSTEM

Quick Change Trigger Profiles For The Best Possible Fit



Quickly customize your pistol to get the trigger feel that's right for you. Lightweight, interchangeable trigger inserts provide enhanced flexibility to trigger shape selection and overall length adjustment. Separate bow with staked-on base accepts interlocking inserts; change just the insert to match shooting conditions or course of fire without affecting your precisely-tuned trigger job. **Solid** insert is Long-Flat style; allows you to custom machine your own insert shape. **Top and Bottom Curved** is Short-Flat style available with the curve at the top or bottom. **Standard** base has light weight titanium bow. **Tri-Glide** trigger base has steel ball bearing insert into rear of bow. Provides uniform contact surface and reduces friction. All base models feature overtravel and takeup adjustments. Purchase base and inserts separately.

SPECS: Bow - Titanium. **Base and Inserts** - 6061 aluminum. Fits Single Stack 1911 Auto or Infinity (SVI) and STI Wide Body frames. Overall Length - **Long-Flat** 2.4" (6.1cm), **Short-Flat** 2.2" (5.6cm), **Long-Curved** 2.3" (5.8cm), **Short-Curved** 2.1 (5.4cm), .3 oz. (7 g) wt. All require gunsmith fitting.

TRIGGER INSERTS

STOCK #	STOCK #	STOCK #	STOCK #	STOCK #	STOCK #	STOCK #	STOCK #	PRICE
LONG FLAT	SHORT FLAT	LONG CRVD	SHORT CRVD	TOP CRVD	BTTM CRVD	COLOR		
#823-106-001DE	#823-106-101DE	#823-106-002DE	#823-106-102DE	#823-106-204DE	#823-106-205DE	Silver	3B16V03	\$ 20.03
#823-106-011DE	#823-106-111DE	#823-106-012DE	#823-106-112DE	#823-106-214DE	#823-106-215DE	Blue	3B19V25	\$ 24.07
#823-106-021DE	#823-106-121DE	#823-106-022DE	#823-106-122DE	#823-106-224DE	#823-106-225DE	Black	3B19V25	\$ 24.07
#823-106-031DE	#823-106-131DE	#823-106-032DE	#823-106-132DE	#823-106-234DE	#823-106-235DE	Red	3B19V25	\$ 24.07
#823-106-003DE Solid Trigger Insert, Silver 3B16V03.....								\$ 20.03

TRIGGER BASE

STANDARD STOCK #	TRI-GLIDE COLOR	PRICE	STOCK #	COLOR	PRICE	FITS
#823-107-000DE	Silver	3B38X55 \$ 48.18	#823-114-000DE	Silver	3B41C77 \$ 52.22	Infinity/STI
#823-107-012DE	Blue	3B41X77 \$ 52.22	#823-114-012DE	Blue	3B45C00 \$ 56.25	Infinity/STI
#823-107-013DE	Black	3B41X77 \$ 52.22	#823-114-013DE	Black	3B45C00 \$ 56.25	Infinity/STI
#823-107-014DE	Red	3B41X77 \$ 52.22	#823-114-014DE	Red	3B45C00 \$ 56.25	Infinity/STI
#823-107-001DE	Silver	3B29X96 \$ 37.45	#823-114-001DE	Silver	3B33C19 \$ 41.98	1911
#823-107-002DE	Blue	3B33X19 \$ 41.48	#823-114-002DE	Blue	3B36C41 \$ 45.52	1911
#823-107-003DE	Black	3B33X19 \$ 41.48	#823-114-003DE	Black	3B36C41 \$ 45.52	1911
#823-107-004DE	Red	3B33X19 \$ 41.98	#823-114-004DE	Red	3B36C41 \$ 45.52	1911

NIGHTHAWK CUSTOM 1911 AUTO LIGHTWEIGHT TRIGGERS

Designed For Custom Fitting To Provide A Smooth, No-Slop Pull



The same high-quality match-grade triggers Nighthawk fits to all its custom pistols. Choose from solid or skeletonized shoe. All models have crisp serrations on the face for positive, no-slip finger contact, but no sharp edges to abrade the finger pad. Overtravel adjustment screw and hex wrench also included. **Solid** trigger shoe comes in Short, Medium, and Long lengths. **Custom** model has skeletonized shoe and an extra-wide trigger bow for extra strength.

SPECS: Stainless steel bow, aluminum shoe, natural finish.
#100-003-273DE **Solid Trigger, Short** 2B19P96..... \$ 24.95
#100-003-272DE **Solid Trigger, Medium** 2B19P96..... 24.95
#100-003-271DE **Solid Trigger, Long** 2B19P96..... 24.95
#100-003-270DE **Custom Trigger** 2B19P96..... 24.95

WILSON COMBAT 1911 AUTO COMPETITION MATCH TRIGGER



Light Aluminum Trigger Pinned To Steel Stirrup

Drilled, lightweight, long, adjustable aluminum trigger is pinned to steel stirrup for maximum strength and long life. Grooved for positive, fingertip control. Includes overtravel adjustment screw and Allen wrench.

SPECS: 2.4" (6.1cm) overall length, .235" (5.97mm) wide.
#965-001-045DE **Wilson .45 Trigger** 5F13D90..... \$ 16.95

NOWLIN MFG. 1911 AUTO

LIGHTWEIGHT TRIGGER



Less Mass For Lightest Possible Trigger Pull

Lower overall weight helps deliver the lightest trigger pull possible on competition pistols. Features takeup tab and overtravel adjustment for a crisp, clean letoff without excess travel. Stainless steel bow provides the stiff, no-flex feel that match shooters need for consistent accuracy plus, it's heat treated to maintain shape and prevent magazine drag. Specially-contoured, CNC machined, aluminum alloy shoe cuts weight to an absolute minimum. **Drop-In** shoe fits 1911 Auto frames with no fitting.

SPECS: Aluminum shoe, silver, 2.2" (5.6cm) long. .22 oz. (6.3g) wt.
#654-018-112DE **Drop-In Light Trigger** 4E16U24... \$ 20.30

WILSON COMBAT 1911 AUTO ULTRALIGHT MATCH TRIGGER



The Ultimate In Light Weight & Superior Strength

Radical, skeletonized design reduces trigger weight to an absolute minimum. Adjustable, high strength, aircraft aluminum alloy trigger body with heat-treated, lightened steel stirrup that's permanently staked so it won't shoot loose.

SPECS: Aluminum pad, steel stirrup. 2 3/8" (6cm) overall length. 2.8 oz. (81g) wt.
#965-190-045DE **Long Ultralight Match Trigger, 5F28P29..... \$ 34.50**

STI MATCH GRADE TRIGGER

Outstanding Feel, Extremely
Lightweight




Rigid stainless steel bow attached to extremely lightweight, durable shoe has tabs for take up adjustment to provide a crisp-feeling trigger. Shoes are available in your choice of glass-filled nylon or aluminum and come equipped with an overtravel stop screw. Precise bow tolerances maintain proper magazine clearance for smooth function. **USA**
SPECS: Bow - 4140 stainless steel. Shoe - Glass filled nylon or aluminum. Long Curve Trigger is 2¹/₁₆" (6.1cm) long, .239" (6mm) wide. Short Curve Trigger is 2¹/₄" (5.7cm) long, .237" (6mm) wide. Aluminum Trigger is 2¹/₄" long, .217 (5.5mm) wide.

- #791-000-063DE Long Curve Trigger, 1G20Z80 \$ 26.63
- #791-000-064DE Short Curve Trigger, 1G20Z84 25.00
- #791-000-065DE Lightweight Aluminum Trigger, 1G25Z00 30.00

GSA

BROWNELLS PRO-SPRINGS™ FOR ACTION TUNING MADE BY WOLFF



Replaces All The Springs For Precise Tuning
Of The Government Model & Its Variations
"Guaranteed Superior"

Specially selected replacement springs to greatly improve functioning AND reduce trigger pull from the basis of a top-quality 1911 tuning job. 5 Wolff coil springs plus a factory-style, 3-leaf sear spring. Includes: Variable Power Recoil Spring which functions with a wider range of ammo than single power springs; Hammer Spring which lightens trigger pull; Extra Power Firing Pin Spring; New Magazine Catch; Series 80 Firing Pin Safety Block Spring; Plunger Tube Springs, plus the Sear Spring. Three kits - each with a different strength recoil spring. **USA**

- GM-451** - 10 lb. Recoil Spring for light loads, comp guns.
#080-665-451DE Kit GM-451, 6K15D92 \$ 20.16
- GM-452** - 16½ lb. Recoil Spring for standard factory ammo.
#080-665-452DE Kit GM-452, 6K15D91 \$ 20.15
- GM-453** - 18½ lb. Recoil Spring for maximum power loads.
#080-665-453DE Kit GM-453, 6K15D92 \$ 20.16
- CC-454 for Colt Combat Commander** - Includes 1 each factory standard weight, 18 lb., variable power recoil spring and 23 lb. hammer spring plus, (1) 19 lb. RP hammer spring and (1) XP firing pin spring.
#080-665-454DE Kit CC-454, 6K10D49 \$ 15.73

- OM-456 & OM-457 for the .45 ACP caliber Officers ACP** - Single recoil spring replaces the factory double spring to give crisp, reliable functioning; reduced power main spring (hammer spring) helps reduce trigger pull. Kit includes both 20 lb. reduced power recoil spring and 24 lb. extra power recoil spring, plus an extra power firing pin spring and a 21 lb., reduced power main spring (hammer spring). Two versions available: **OM-456** fits factory guide rod; **OM-457** fits guns equipped with aftermarket, .330" diameter, full-length guide rod.
#080-665-046DE Kit OM-456, 6K09H44 \$ 15.72
- #080-665-047DE Kit OM-457, 6K09H44 15.72

CLARK CUSTOM 1911 AUTO CUSTOM SEAR SPRING

Effective, Easy-To-Install Cure - Saves Carefully
Stoned Sear & Hammer Notches

Exclusive, "split" center leg of spring keeps constant forward pressure on trigger to prevent hammer/sear notch damage (which can cause dangerous "hammer follow") on guns equipped with lightened or "traditional", custom trigger jobs. Allows hammer to stand cocked under most normal conditions and will not affect trigger break or pull. Can be used with lightweight triggers or Gold Cup-style hammers.
SPECS: Blued steel, 2¹³/₁₆" (7.1cm) long, ½" (12.7mm) wide. Fits all models of Colt-style 1911 Auto pistols.

- #181-130-001DE Custom Sear Spring 1H05D00 \$ 6.00
- #181-130-003DE 3 Custom Sear Springs 1H13D75 . . . 18.00

INFINITY 1911 AUTO TRI-GLIDETITANIUM SEAR SPRING

Smooth, Reliable Pull With Light Triggers

Reduced tension rate compared to steel makes pull weights as low as 1½ pounds possible. Non-stacking, linear movement reduces sear loading to allow a 1 pound reset weight without sear bounce. Steel ball bearing, inset into center leaf, reduces contact area with disconnector; provides a very smooth trigger takeup. **USA**
SPECS: Titanium. Both springs require minor fitting. 1911 fits single stack, 1911 autos. **Hi-Cap** fits STI/Infinity and

- Para-Ordinance.
#823-111-000DE 1911 Tri-Glide Sear Spring, 3B23C57 \$ 29.47
- #823-000-005DE Hi-Cap Tri-Glide Sear Spring, 3B23V57 29.47


OTHER SEAR SPRINGS

- ED BROWN HARDCORE** - Longer center leg allows precise spring tuning; helps prevent disconnector failure and provides more positive sear engagement. Specially heat treated, spring, tool steel will never fail under normal use. Includes Ed's **LIFETIME GUARANTEE**. **USA**
SPECS: Spring steel, blue.
#087-825-100DE Hardcore Sear Spring, 7H05U91 \$ 740
- ED BROWN SEAR SPRINGS** - Assures positive sear engagement and helps prevent disconnector failure. High-quality, tempered spring features extra length on the center leg that allows precise tuning of the disconnector. **USA**
SPECS: Steel, blue, tempered.
#087-045-822DE Sear Spring, 7H04A21 \$ 5.26

- WILSON COMBAT BULLET PROOF** - Made from the finest spring steel and correctly tempered for long service life. Maintains constant tension without taking a set. **USA**
SPECS: Spring steel, blue.
#965-417-000DE Bullet Proof Sear Spring, 5F05Z70 \$ 6.95

- WOLFF SEAR SPRING** - Wolff's renowned quality standards ensure uniform thickness throughout the entire spring for consistent tension on both the sear and disconnector. Correctly tempered so it won't take a set when left "cocked and locked". **USA**
SPECS: Blued steel, tempered. Sold singly or in 5, 10 and 25 paks. Fits all 1911 Autos.
#969-302-010DE 1911 Sear Spring, single, 9F04P33 \$ 6.49
- #969-302-020DE 1911 Sear Spring, 5-pak, 9F19P67 29.49
- #969-302-030DE 1911 Sear Spring, 10-pak, 9F35P34 52.99
- #969-302-040DE 1911 Sear Spring, 25-pak, 9F80P03 119.99

NOWLIN MFG. SPRINGS



Premium Quality For Competition Pistols

Made from premium-quality, drawn and tempered, chrome silicon wire or high-carbon steel for the very best in performance and durability. Fully tested and guaranteed to perform. **USA**
SPECS: Chrome silicon or high carbon, steel wire.

- MATCH-GRADE SEAR SPRING** - Best combination of tension and pressure for light, match-quality trigger jobs. High-carbon steel with skeltonized leaves for even pressure, correct travel.
#654-253-000DE Match Sear Spring 4E04T49 \$ 6.42

- HAMMER SPRING** - 19.5 lb hammer spring (mainspring) lets pistol cycle more easily, gives reliable ignition and the ability to achieve smoother, lighter trigger pull.
#654-252-000DE 19.5 lb Mainspring 4E01T79 \$ 2.23

- HEAVY DUTY FIRING PIN SPRING** - Helps assure reliable ignition and positive pin "return" when used with standard weight firing pins and lighter hammer springs.
#654-251-000DE H/D Firing Pin Spring 4E01T70 . . . \$ 2.26

RECOIL SPRINGS - Progressively wound to slow the slide gradually for less chance of frame damage and returns the slide quicker when faster cycling is needed. Government length only.

STOCK #	WEIGHT	STOCK #	WEIGHT
#654-250-008DE	8 lb.	#654-250-016DE	16 lb.
#654-250-009DE	9 lb.	#654-250-018DE	18.5 lb.
#654-250-014DE	14 lb.		

- Advise # - Nowlin Recoil Spring 4E03T67 \$ 5.62

ED BROWN 1911 AUTO COMPETITION MAINSPRING

Lighter Mainspring For Match-Quality Triggers


Top-quality springs assure consistent, reliable ignition plus dependable performance. Provides the lower weight necessary to achieve the clean-breaking, light trigger sought after by 1911 aficionados everywhere. **USA**
SPECS: Steel, pak of 5. 19 lb. weight, factory is 23 lb.
#087-045-919DE Mainspring, 5-pak, 7H05A91 \$ 740

ED BROWN COMMANDER RECOIL SPRING

Constant Rate Design
For Improved Ejection & Dependable Cycling

Premium-quality replacement for old, tired factory recoil springs in the 1911 Commander improves function and reliability. Constant rate design along the entire length to help keep the slide closed longer when shooting heavy loads. Reduces wear from battering and shortens the distance spent casings are ejected. High tensile strength, round wire, spring steel ensures years of reliable service. **18 lb.** is the correct, factory weight and an excellent choice for restoring your pistol to its original specs. **20 lb.** Extra power spring holds the slide closed a little longer to help solve the problem of brass ejecting too far (more than 15 feet). **USA**
SPECS: Round-wire spring steel. Approximately 5¹/₈" (13cm) long uncompressed. Fits Commander-length 1911 pistols.
#087-000-045DE 18 lb. Commander Recoil Spring, 7H08X46 \$ 10.60
- #087-000-046DE 20 lb. Commander Recoil Spring, 7H08X46 10.60

ISMI CERTIFIED SPRING



Designed For Maximum Consistency & Reliability

CAD designed and built to Aerospace specifications from chrome silicon, corrosion resistant, stainless steel or chrome vanadium for maximum durability, consistency and reliable performance. Built to aerospace specifications; heat treated, shot peened and fully stress relieved to minimize spring set. **USA**
SPECS: Chrome silicon or stainless steel round wire, chrome vanadium flat wire.

- 1911 GOVT. AUTO RECOIL SPRINGS** - Chrome silicon (CS), standard wound.

- #445-100-109DE 9 lb. CS Spring, 5D05Z31 \$ 795
- #445-003-010DE 10 lb. CS Spring, 5D05H31 795
- #445-000-001DE 11 lb. CS Spring, 5D05C31 795
- #445-000-002DE 12.5 lb. CS Spring, 5D05C31 795
- #445-100-114DE 14 lb. CS Spring, 5D05Z31 795
- #445-003-015DE 15 lb. CS Spring, 5D05H31 795
- #445-100-016DE 16 lb. CS Spring, 5D05Z31 795
- #445-100-018DE 18 lb. CS Spring, 5D05Z31 795
- #445-100-118DE 18 lb. SS Spring, 5D05Z31 795
- #445-000-015DE 20 lb. CS Recoil Spring, 5D05H31 795

1911 AUTO MAINSPRING - Stainless steel (SS) or chrome silicon (CS); wound in the very popular 19 lb. and 17 lb. rate for lighter, consistent trigger pull with reliable ignition.

- #445-004-014DE 15 lb. CS Spring, each, 5D04H27 \$ 6.25
- #445-105-017DE 17 lb. CS Spring, each, 5D04Z17 6.25
- #445-105-191DE 19 lb. SS Spring, each, 5D04Z27 6.25
- #445-105-195DE 19 lb. SS Spring, 5-pak, 5D18Z75 26.50
- #445-000-023DE 22 lb. 1911 SS Spring, each, 5D04H17 6.25
- #445-000-024DE 22 lb. 1911 SS Spring, 5-pak, 5D18H75 26.50

NIGHTHAWK CUSTOM 1911 AUTO SPRING KITS

High Quality Springs
For Smooth,
Reliable Function

High-quality replacement springs ensure reliable performance from your pistol, including proper feeding, positive ejection, and minimal battering of frame and slide. Replace fatigued springs to return a gun to consistent, dependable function or use as components in a custom build. Pistolsmiths recommend changing springs regularly as part of a positive preventive maintenance program. Kits include two standard weight recoil springs, an extra power recoil spring for hot or +P loads, extra power firing pin spring for positive ignition, and reduced power hammer spring. **USA**
SPECS: Spring steel. **Govt.** contains two 17 lb. recoil springs, 20 lb. extra power recoil spring, reduced power hammer spring, and an extra power firing pin spring. **Commander** contains two 20 lb. recoil springs, 22 lb. extra power recoil spring, 21 lb. reduced power hammer spring, and an extra power firing pin spring.
#100-003-264DE Govt. Model Spring Kit 2B15P96 . . \$ 19.95
- #100-003-265DE Commander Spring Kit 2B15P96 . . . 19.95

**SPRINCO 1911 AUTO
PROGRESSIVE RECOIL SPRING**



**Moly Treatment & Chrome Silicon Steel
Provide Consistent Performance**

Varied, progressive structure provides constant pressure with greatly increased spring performance; penetrating moly increases lubricity to last longer. Wound from high endurance chrome silicon wire for maximum performance with an extended cycling range of 50,000 cycles. **SPECS:** Chrome Silicon wire. Fits 1911 Autos.

STOCK #	WEIGHT	STOCK #	WEIGHT
#943-102-008DE	8 lb.	#943-102-016DE	16 lb.
#943-102-010DE	10 lb.	#943-102-018DE	18 lb.
#943-102-012DE	12 lb.	#943-102-020DE	20 lb.
#943-102-014DE	14 lb.		

— Advise # — Progressive Recoil Spring 3D05T33 . \$ 7.95

**WILSON COMBAT 1911 AUTO
FIRING PIN RETURN SPRING**




**"Extra Power" Replacement Spring
Helps Prevent Accidental Discharge**

Steel replacement spring helps reduce the possibility of discharge if pistol is dropped without reducing ignition reliability. Also minimizes firing pin bounce, and helps keep the firing pin steady in place. Fits all 1911 Autos. **SPECS:** Steel, 2 5/8" (53mm) long.

#965-000-029DE **XP Firing Pin Return Spring,** 5F02C42 \$ 2.95

**WILSON COMBAT
"CUSTOMTUNE" SPRING KITS**



**Add Reliability,
Improve
Function**

High quality
springs drop-in

to improve handgun performance. High tensile strength wire delivers reliable function. **SPECS:** Kit contains one each of the springs listed below. **RP=** Reduced Power, **XP=** Extra Power.

#324 "C", **Colt Commander .45 ACP** - RP 19 lb. hammer spring; XP firing pin spring; RP 12 and XP 20 lb. recoil springs. #965-324-002DE **Wilson Kit #324C 5F11A44** \$ 13.95

#324 "G", **Colt Govt. .45 ACP** - RP 19 lb. hammer spring; XP firing pin spring; RP 10 and XP 18 1/2 lb. recoil springs. #965-324-001DE **Wilson Kit #324G 5F11A44** \$ 13.95

#325 **Colt Officers Model** - RP 21 lb. hammer spring; XP firing pin spring; RP 18 1/2 lb. and XP 24 lb. recoil springs. #965-325-000DE **Wilson Kit #325 5F12A26** \$ 14.95

**WILSON COMBAT 1911 AUTO
SPRING CADDY**

Kit of Recoil Springs & Accessories

Spare recoil springs, SHOK-BUFFS, bushing wrench and other guide rod accessories, all in one handy pouch that fits right in your shooting bag. **SPECS:** Kit includes 1 each 8 lb., 10 lb., 12 lb., 15 lb., 17 lb., 18 1/2 lb. Govt. length recoil springs, 4 SHOK-BUFFS, nylon bushing wrench and one extra-power firing pin spring.

#965-364-000DE **Wilson Spring Caddy 5F24H56** . . . \$ 29.95



**WOLF 1911 AUTO
CHROME SILICON
RECOIL SPRING**



**Resists Taking A Set; Choice Of Three Weights
To Match Your Gun**

Chrome silicon steel recoil spring resists taking a set even after thousands of compression cycles for improved performance and reliability. Available in three power ratings, so you can match spring weight to your specific gun and the type of load you shoot. Use **Reduced Power** 14 lb. spring for target loads with lighter than standard bullets or powder charges, **Factory Standard** 16 lb. spring for all-around reliability with the widest range of ammo, and **Extra Power** 18 1/2 lb. spring for smoother cycling and less slide battering with heavy loads. Each spring comes with an extra power firing pin spring to ensure positive ignition and an extra margin of safety in preventing accidental discharges. **SPECS:** Chrome silicon spring steel. Available in 14, 16 & 18 1/2 lb. weights. Fits 1911 Auto Government Model.

#969-000-189DE **Reduced Power 14 lb. CS Recoil Spring,** 9F05A00 \$ 7.95

#969-000-190DE **Factory Std 16 lb. CS Recoil Spring,** 9F05A00 7.95

#969-000-191DE **Extra Power 18 1/2 lb. CS Recoil Spring,** 9F05A00 7.95

**WOLFF VARIABLE POWER
RECOIL SPRING**

Variable rate springs function correctly with a wider range of loads than fixed rate springs can. Rate increases as spring is compressed; gives greater protection against frame battering, more consistent lockup and improved feeding, while allowing easier manual cycling of the action. **SPECS:** Steel, 2 5/8" (53mm) long.

FOR GOVERNMENT MODEL

Recoil Calibration Pak contains 1 each of seven different springs; 16 1/2 lb., 15 lb., 14 lb., 13 lb., 11 lb., 10 lb. and 9 lb., plus three extra power firing pin springs. **Individual Spring Pak** contains one variable power recoil spring and one extra power firing pin spring. Factory weight is 16 lb.

STOCK #	LB.	STOCK #	LB.	STOCK #	LB.
#969-424-010DE	10	#969-424-014DE	14	#969-424-017DE	17 1/2
#969-424-011DE	11	#969-424-015DE	15	#969-424-018DE	18 1/2
#969-424-013DE	13	#969-424-016DE	16 1/2	#969-424-020DE	20

— Advise # — **Variable Power Spring,** 9F05Y26 \$ 7.89

#969-131-150DE **Variable Recoil Cal. Pak,** 9F29H34 43.99

FOR COLT COMMANDER

All springs are variable power. 18 lb. spring is factory standard; includes extra power firing pin spring.

STOCK #	LB.	STOCK #	LB.	STOCK #	LB.
#969-425-100DE	10	#969-425-140DE	14	#969-425-180DE	18
#969-425-120DE	12	#969-425-160DE	16	#969-425-200DE	20

— Advise # — **Commander Variable Spring,** 9F05T26 \$ 7.89

**QUESTIONS BEFORE YOU BUY?
Ask Our Full-Time Tech Staff**

800-741-0015

**WOLFF COMPACT 1911 AUTO
RECOIL SPRING**



Replacing the factory double spring with one of these Single springs eliminates binding, improves function and reliability. **SPECS:** Factory standard is 22 lb. recoil spring.

OFFICERS ACP/W/FACTORY GUIDE ROD - Supplied with extra power firing pin spring. For use with factory, recoil spring guide rod only. #969-423-220DE **22 lb. Officers ACP Spring 9F05Y26 \$ 7.89** #969-423-240DE **24 lb. Officers ACP Spring 9F05Y26 . 7.89**

OFFICERS ACP/P-12/KIMBER COMPACT & PRO CARRY - Replaces the factory double spring on Colt Officers ACP and the single spring on Para Ordnance P12. Must be used with full-diameter (nominal .330"), full-length, after market recoil spring guide rods. Factory standard is 22 lb. Supplied with extra power firing pin spring. Also fits Kimber Compact and Pro Carry with factory guide rod. #969-490-220DE **22 lb. Officers/P12 Spring 9F05U26 . \$ 7.89** #969-490-240DE **24 lb. Officers/P12 Spring 9F05U26 . . 7.89**

SPRINGFIELD CHAMPION & COMPACT - Replaces the factory single or double spring to improve function and eliminate binds. Works with factory or aftermarket guide rods. Also includes an extra power firing pin spring. **SPECS:** Factory standard is 22 lb. recoil spring. #969-000-103DE **22 lb. Springfield Champ/Compact Sprg,** 9F05X26 \$ 7.89

#969-000-104DE **24 lb. Springfield Champ/Compact Sprg,** 9F05X26 7.89

WOLFF 1911 AUTO PISTOL SERVICE PAK

All, essential, factory weight coil springs for a Colt 1911/1911A1, 45 ACP pistol. No fitting required. Magazine spring not included. #969-309-510DE **Colt 1911 Service Pak 9F12B00** . . . \$ 17.99

WOLFF 1911 AUTO HAMMER SPRING



**Lighter & Heavier To
Tailor Trigger Pull**

Lighter hammer springs are required to gain those ultralight trigger pulls demanded by competitive shooters. Heavy springs adjust trigger let-off to individual requirements. **SPECS:** Steel, 2 5/8" (53mm) long.

STOCK # 1 EA.	STOCK # 3-PAK	WEIGHT
#969-262-170DE	#969-263-170DE	17 lb. (light)
#969-262-180DE	#969-263-180DE	18 lb. (light)
#969-262-200DE	#969-263-200DE	20 lb. (light)
#969-262-230DE	#969-263-230DE	23 lb. (factory)
#969-262-250DE	#969-263-250DE	25 lb. (heavy)

— Advise # — (1) **Hammer Spring 9F02Z86** \$ 4.29
— Advise # — (3) **Hammer Springs 9F06Z00** 8.99

OFFICERS ACP HAMMER SPRING - 20 lb. reduced power for lighter trigger pull. Factory is 23 lb.

#969-000-054DE (1) **Off. ACP Hammer Spring, 20#** 9F02B86 \$ 4.29
#969-000-055DE (3) **Off. ACP Hammer Springs, 20#** 9F06B00 8.99
#969-000-166DE (1) **23# Officers ACP Hammer Spring,** 9F02Z87 4.29

**WOLFF 1911 AUTO REDUCED POWER
HAMMER SPRING PAKS**

3-In-1 Tuning Choices

Various weights of reduced power hammer springs in one kit so you can precisely tune the autos listed for smoothest trigger pull and proper functioning. Contains 1 each 19 lb., 20 lb. and 21 lb. hammer springs. Factory spring is 23 lbs. #969-265-200DE **Reduced Power Hammer Spring Pak,** 1911 9F06P00 \$ 9.00

WOLFF RECOIL SPRING

Fine Tune For Light, Standard Or Heavy Loads

Like all Wolff springs, these for the 1911 Auto in .45, .38 Super or 9mm are the finest, most reliable, longest lasting ones available. The springs of choice for most of the nation's top builders. Except where noted, all recoil springs are supplied with an extra power firing pin spring that keeps the firing pin stop in place and prevents firing pin "float"; an addition recommended by pistolsmith Bill Wilson. **SPECS:** Steel, 2 5/8" (53mm) long.

TYPE A - FOR TARGET (SOFTBALL) LOADS - These were originally recommended to us by Major F. B. Conway, U.S.A. - M.T.U. Whenever lighter than standard bullets or powder charges are being used, a lighter recoil spring is a must for correct functioning; however, they MUST NOT BE USED WITH STANDARD (HARDBALL) LOADS. The 10 lb. Type A spring is the old favorite (for reduced loads) and for that reason we also make it available as a single item (without the extra power firing pin spring).

STOCK #	LB.	STOCK #	LB.	STOCK #	LB.
#969-419-070DE	7	#969-419-100DE	10	#969-419-130DE	13
#969-419-080DE	8	#969-419-110DE	11	#969-419-140DE	14
#969-419-090DE	9	#969-419-120DE	12	#969-419-150DE	15

— Advise # — **R/P Recoil Spring 9F05Y26** \$ 7.89
#969-950-500DE **10 lb. Spring, only 9F02D37** 3.56
#969-950-510DE **10 lb. Spring, 10-pak,** 9F21D46 35.60

TYPE B - FACTORY REPLACEMENT SPRING FOR HARDBALL LOADS - Exactly matches the specs of the original factory spring. **Govt. Model** does NOT come with extra power firing pin spring. **Commander** may also be used as an extra power spring for 9mm/.38 Super pistols and comes with an XP firing pin spring. #969-950-600DE **16 lb. Govt. Model Recoil Spring,** 9F02D37 \$ 3.56

#969-950-610DE **16 lb. Govt. Model Spring, 10-pak,** 9F21D46 35.60

#969-000-188DE **18 lb. Commander Recoil Spring,** 9F05A27 7.89

TYPE C - EXTRA POWER FOR HARDBALL AND HEAVIER LOADS IN GOVT./GOLD CUP - For these guns in both .45 ACP and .38 Super. Allows more precise tuning of individual guns for better stripping, smoother cycling. Factory weight is 16 lb. Extra power firing pin spring included. #969-419-180DE **16 lb. Recoil Spring 9F05Y26** \$ 7.89

#969-419-181DE **18 1/2 lb. Spring, 10-pak 9F40Y14** 66.90
#969-419-200DE **20 lb. Recoil Spring 9F05Y26** 7.89
#969-419-220DE **22 lb. Recoil Spring 9F05Y26** 7.89
#969-419-240DE **24 lb. Recoil Spring 9F05Y26** 7.89
#969-419-260DE **26 lb. Recoil Spring 9F05Y26** 7.89
#969-000-034DE **28 lb. Recoil Spring 9F05V26** 7.89

EXTRA POWER FUNCTION PAK - Consists of 5 recoil springs: 16 lb. factory standard, 18 1/2 lb., 20 lb., 22 lb. and 24 lb., plus 3 extra power firing pin retraction springs. #969-131-110DE **X-Power Function Pak,** 9F21V00 \$ 31.49


TYPED - EXTRA POWER FOR HARDBALL AND HEAVIER LOADS IN COMMANDER - Provides same benefits as Type C springs, but for the shorter Commander which comes standard with an 18 lb. spring. Includes extra power firing pin spring. #969-422-200DE **20 lb. Recoil Spring 9F05Y26** \$ 7.89
#969-422-220DE **22 lb. Recoil Spring 9F05Y26** 7.89
#969-422-240DE **24 lb. Recoil Spring 9F05Y26** 7.89

LONG SLIDE FUNCTION PAK - Consists of 5 recoil springs #1 through #5, plus 3 extra power firing pin springs. Wolff does not specify a power rating, #1 is strongest, #5 the lightest. Fitting required. #969-000-020DE **Long Slide Function Pak,** 9F24A00 \$ 35.99

KIMBER EXTRA POWER RECOIL & FIRING PIN SPRING - Fine-tunes recoil for smooth cycling in Kimber Compact and Pro Carry 4" pistols. Includes extra-power firing pin spring to keep the firing pin stop in place, prevent firing pin "float", and to offset the increased slide thrust. **SPECS:** Steel spring, 20 lb. Factory original spring averages 18 lb. #969-000-137DE **X-Power Recoil & Firing Pin Spring,** 9F05U27 \$ 7.89

WOLFF 1911 AUTO SPRINGS


1911 AUTO EXTRA POWER MAG CATCH SPRING - Provides security against accidental release.  **#969-000-035DE 3-Pak XP Mag Catch Spring, 9F05V00** \$ 7.49

1911 AUTO REDUCED POWER MAG CATCH SPRING - Fine tune the magazine release. Try-Pak includes factory weight, plus #1 (strongest), #2, #3, and #4 (lightest) springs. 

#969-271-700DE Reduced Power Mag Catch Spring, Try-Pak 9F06P00 \$ 9.00

#969-262-402DE 10-Pak #2 Reduced Power Mag Catch Spring 9F10Z67 15.99


#969-262-403DE 10-Pak #3 Reduced Power Mag Catch Spring 9F10Z67 15.99

1911 AUTO FIRING PIN SAFETY BLOCK SPRING - Replaces weak or broken firing pin safety springs in all Series 80 and 90 pistols with a firing pin safety block. Fits Colt 1911, 1911A1, 1991, Government, MKIV, Gold Cup, Commander and Officers models. 

#969-000-121DE Safety Block Spring, each 9F02C33 \$ 3.49

#969-000-122DE Safety Block Spring, 3-pak, 9F05C00 . 7.49

#969-000-123DE Safety Block Spring, 10-pak 9F10C67 15.99

1911 AUTO PLUNGERTUBE SPRING - Eliminates slide stop and thumb safety failures caused by a broken plunger tube spring. Fits Colt 1911, 1911A1, 1991, Government, MKIV, Gold Cup, Commander (.45, Super .38 and 9mm), Officers .45 cal., and Delta Elite 10mm. 

#969-000-124DE Plunger Tube Spring, each 9F02C33 \$ 3.49


#969-000-125DE Tube Spring, 3-pak 9F05C00 7.49

#969-000-126DE Tube Spring, 10-pak 9F10C67 15.99

ED BROWN STANDARD PARTS



"Quick Index" Of Quality Parts

High-quality parts for building the ultimate custom 1911 Auto for target, and tactical applications. All parts are carefully inspected and tested for the highest possible reliability and finish. 

SPECS: Stainless Steel (SS) or steel, blue (B) finish. Fits Govt. Series 70 and Series 80 unless otherwise indicated.


STOCK #	DESCRIPTION	PRICE
#087-041-306DE	9mm/.38S/10mm Ext. Ejctr B	7H18U66 \$ 24.40
#087-041-305DE	.45 ACP Ext Ejector, B	7H18U66 \$ 23.33
#087-130-300DE	9mm/.38S Extract 70	7H21V21 \$ 26.51
#087-130-100DE	.45 ACP Extract.70	7H20V36 \$ 25.45
#087-130-200DE	.45 ACP Extract 80	7H21V21 \$ 26.51
#087-130-400DE	9mm/.38S Extract 80	7H22V06 \$ 27.58
#087-130-500DE	.40 S&W/10mm Ext. 80	7H22V06 \$ 27.57
#087-205-825DE	9mm/.38S Firing Pin	7H05T06 \$ 6.35
#087-205-824DE	.45 ACP Firing Pin	7H05T06 \$ 6.35
#087-800-019DE	Firing Pin Spring	7H01B70 \$ 2.15
#087-810-000DE	Slide Stop, B	7H24T61 \$ 30.76
#087-810-100DE	Slide Stop, SS	7H25T46 \$ 31.83
#087-045-832DE	Govt. Barrel Bushing, B	7H16A11 \$ 20.15
#087-045-833DE	Govt. Barrel Bushing, SS	7H16A96 \$ 21.20
#087-881-001DE	Recoil Spring Plug, B	7H06A76 \$ 8.45
#087-000-017DE	Recoil Spring Plug, SS	7H07B61 \$ 9.51
#087-882-001DE	Recoil Spring Guide	7H12A75 \$ 15.95
#087-045-203DE	Full Lgth Guide Rod Plug, SS	7H06A76 \$ 8.45
#087-805-006DE	Slide Buffers, 6-pack	7H05T06 \$ 6.33
#087-823-000DE	Hammer Strut	7H05U91 \$ 7.40
#087-000-012DE	National Match Trigger	7H16B96 \$ 21.20
#087-812-000DE	Match Sear	7H19P96 \$ 21.20
#087-811-000DE	Match Disconnecter	7H14P41 \$ 18.01
#087-011-100DE	Ext. Mag Catch, B	7H16U96 \$ 21.20
#087-011-101DE	Ext. Mag Catch, SS	7H18U66 \$ 23.35
#087-000-018DE	Mag Catch Spring, Comp.	7H01B70 \$ 2.15



1911 AUTO PARTS



U.S.-Made Parts For The 1911 Auto Pistol

Each and every part is U.S.-made, high-quality and guaranteed to fit and function just like the factory part. 


SPECS: Fits 1911 Auto. Carbon steel, blued (B) or stainless steel (S), natural finish. Plunger Detent Assemblies include Slide Stop Plunger, Safety Lock Plunger and Plunger Spring. Mag Catch Assemblies include Mag Catch, Mag Catch Lock and Mag Catch Lock Spring.

STOCK #	DESCRIPTION	PRICE
#100-002-244DE	Barrel, 5" Non-Ramped (S)	2Z76A00 \$ 99.95
#100-000-857DE	Barrel Bushing, Govt. (S)	8K10C52 \$ 14.02
#100-000-858DE	Barrel Bushing, Comm. (S)	8K10C54 \$ 14.04
#560-453-102DE	Disconnecter (S)	6E11V11 \$ 13.95
#560-451-201DE	Extractor, .45 ACP (B)	6E10U14 \$ 11.95
#560-451-202DE	Extractor, .45 ACP (S)	6E10A91 \$ 12.95
#560-451-302DE	Ejector, .45 ACP (S)	6E06A26 \$ 7.75
#100-000-861DE	Ejector Pin (B)	8K01C25 \$ 1.96
#560-451-501DE	Firing Pin, .45 ACP (B)	6E05A49 \$ 6.75
#560-451-502DE	Firing Pin, .45 ACP (S)	6E06A29 \$ 7.95
#560-451-701DE	Firing Pin Stop (B)	6E04A10 \$ 5.75
#560-451-702DE	Firing Pin Stop (S)	6E04A82 \$ 6.75
#560-453-501DE	Grip Safety, Govt. (B)	6E10V33 \$ 12.95
#560-453-502DE	Grip Safety, Govt. (S)	6E11V03 \$ 13.95
#100-000-862DE	Hammer Pin (B)	8K01C25 \$ 1.96
#100-000-863DE	Hammer Pin (S)	8K03C16 \$ 4.85
#560-452-701DE	Hammer Strut (B)	6E04A26 \$ 5.00
#100-000-864DE	Hammer Strut Pin (B)	8K01C25 \$ 1.96
#849-000-021DE	Lanyard Loop (B)	9D07Z99 \$ 9.99
#849-000-020DE	Lanyard Loop (S)	9D07Z99 \$ 9.99
#100-000-865DE	Link Pin (B)	8K01C25 \$ 1.96
#078-450-230DE	Magazine Catch Assy. (B)	8G14T17 \$ 18.05
#078-451-230DE	Magazine Catch Assy. (S)	8G14T25 \$ 19.45
#100-000-995DE	Mag Catch Lock Spring (B)	8K03Y32 \$ 5.11
#100-000-867DE	Mainspring Housing Pin (B)	8K01C25 \$ 1.96
#100-000-869DE	Mainspring Housing Pin (S)	8K03C83 \$ 5.33
#100-000-871DE	M/S Housing Pin Retainer (B)	8K01C25 \$ 1.96
#100-000-873DE	M/S Housing Pin Retainer (S)	8K03C83 \$ 5.33
#100-000-875DE	Mainspring Cap (B)	8K01C25 \$ 1.96
#100-000-877DE	Mainspring Cap (S)	8K03H83 \$ 5.33
#100-000-878DE	Mainspring Cap Pin (B)	8K01H25 \$ 1.96
#100-000-880DE	Mainspring Cap Pin (S)	8K01H90 \$ 2.93
#560-450-101DE	Plunger Tube (B)	6E05U95 \$ 7.25
#560-450-102DE	Plunger Tube (S)	6E06U45 \$ 8.25
#078-450-234DE	Plunger Detent Assy. (B)	8G02T32 \$ 3.50
#078-451-234DE	Plunger Detent Assy. (S)	8G03T05 \$ 4.25
#100-000-884DE	Recoil Spring Plug, Govt. (B)	8K05H35 \$ 8.23
#100-000-885DE	Recoil Spring Plug, Comm. (B)	8K05H21 \$ 8.02
#100-000-886DE	Recoil Spring Plug, Govt. (S)	8K07H10 \$ 10.92
#100-000-887DE	Recoil Spring Plug, Comm. (S)	8K06H90 \$ 10.64
#560-453-601DE	Safety Lock (Thumb Safety) (B)	6E10V33 \$ 12.95
#560-453-602DE	Safety Lock (Thumb Safety) (S)	6E11V03 \$ 13.95
#100-000-888DE	Sear Pin (B)	8K01H25 \$ 1.96
#100-000-890DE	Sear Pin (S)	8K02H83 \$ 3.77

CASPIAN 1911 AUTO PARTS



Upgrade Your Current 1911 Or Build A High-Quality Custom Pistol

High-quality, precision-machined parts from the name that means "custom quality" to serious pistol shooters. Build the ultimate custom 1911 Auto for target, action-pistol, or tactical applications. Repair or return an existing gun to factory specs or assemble a racegun that fits your exact needs. Choose from parts in blued carbon steel or natural-finish stainless.  **SPECS:** Fits 1911 Auto. Carbon steel, blue (B) in-the-white (W), or stainless steel (SS) natural-finish. **Trik Trigger** has stainless steel bow and skeletonized aluminum shoe. Gunsmith fitting required. Caliber-specific parts are .45 ACP unless otherwise noted. (SP) indicates Speed Bump-style.

STOCK #	DESCRIPTION	PRICE
#168-000-012DE	Disconnecter	8F11T75 \$ 14.69
#168-000-015DE	Ejector, Extended (B)	8F14T10 \$ 17.63
#168-000-017DE	Ejector, Extended (SS)	8F17T17 \$ 21.46
#168-000-014DE	Ejector, Extended, 9mm/.38S/.40 S&W (B)	8F14T10 \$ 17.63
#168-000-016DE	Ejector, Extended, 9mm/.38S/.40 S&W (SS)	8F17T17 \$ 21.46
#168-000-019DE	Extractor, Series 70 (B)	8F16T15 \$ 20.19
#168-000-021DE	Extractor, Series 70 (SS)	8F17T17 \$ 21.46
#168-000-018DE	Extractor, Series 70, 9mm/.38S/.40 S&W (B)	8F16T15 \$ 20.19
#168-000-020DE	Extractor, Series 70, 9mm/.38S/.40 S&W (SS)	8F17T17 \$ 21.46
#168-000-023DE	Extractor, Series 80 (B)	8F17T17 \$ 21.46
#168-000-025DE	Extractor, Series 80 (SS)	8F18T45 \$ 23.06
#168-000-022DE	Extractor, Series 80, 9mm/.38S/10mm (B)	8F17T17 \$ 21.46
#168-000-024DE	Extractor, 9mm/.38S, Series 80 (SS)	8F18T45 \$ 23.06
#168-000-027DE	Firing Pin (SS)	8F06T60 \$ 8.25
#168-000-026DE	Firing Pin, 9mm/.38S/.40 S&W (SS)	8F06T60 \$ 8.25
#168-000-029DE	Firing Pin Stop (B)	8F08T97 \$ 11.21
#168-000-031DE	Firing Pin Stop (SS)	8F12P05 \$ 15.06
#168-000-028DE	Firing Pin Stop, 9mm/.38S/.40 S&W (B)	8F08T97 \$ 11.21
#168-000-030DE	Firing Pin Stop, 9mm/.38S/.40 S&W (SS)	8F12P05 \$ 15.06
#168-000-041DE	Grip Safety, SP, Wilson/Caspian Contour (B)	8F28P70 \$ 35.88
#168-000-042DE	Grip Safety, Wilson/Caspian Contour, SP (SS)	8F28P70 \$ 35.88
#168-000-039DE	Grip Safety, .250 Radius/Ed Brown Contour, SP (W)	8F28P70 \$ 35.88
#168-000-040DE	Grip Safety, .250 Radius/Ed Brown Contour, SP (SS)	8F28P70 \$ 35.88
#168-000-046DE	Guide Rod, Comm., 2 Pc	8F14P55 \$ 18.19
#168-000-032DE	Mag Catch (B)	8F14P59 \$ 20.90
#168-000-033DE	Mag Catch (SS)	8F14P59 \$ 18.24
#168-000-037DE	Pin Set (B)	8F07P75 \$ 9.69
#168-000-038DE	Pin Set (SS)	8F11P25 \$ 14.06
#168-000-048DE	Reverse Plug 5"	8F07P75 \$ 9.69
#168-000-047DE	Reverse Plug 6"	8F09P75 \$ 12.19
#168-000-049DE	Reverse Plug Commander	8F07P75 \$ 9.69

ALL AMERICAN 1911 AUTO PARTS



Economically Priced Factory-Quality Parts; Excellent For Restoration Or Repair

Quality parts, at an economical price, for building a new pistol or replacing worn parts. Precision made from Metal-Injected-Molded steel or stainless steel, for a drop-in fit. Hammer has narrowed sides to reduce drag; semi-prepped engagement surfaces.

SPECS: MIM carbon steel, matte blue finish. Ambi Thumb Safety - MIM stainless steel, natural finish. Recoil Spring Guide Rod is full length, 4" (10.2cm) long.


STOCK#	DESCRIPTION	PRICE
#047-000-007DE	Sear	7D06X46 \$ 8.85
#047-000-008DE	Disconnecter	7D06X46 \$ 8.85
#047-000-009DE	Hammer	7D18X53 \$ 25.50
#047-000-018DE	Hammer, Sear, Disconnecter Kit	7D28C57 \$ 39.50
#047-000-010DE	9mm Ejector	7D08X17 \$ 11.25
#047-000-011DE	.45 Ejector	7D08X17 \$ 11.25
#047-000-012DE	Recoil Spring Guide Rod	7D12X32 \$ 16.90
#047-000-013DE	Slide Stop	7D08X17 \$ 11.25
#047-000-014DE	Single Thumb Safety	7D08X17 \$ 11.25
#047-000-015DE	Ambi Thumb Safety	7D28X57 \$ 39.20
#047-000-016DE	Barrel Bushing, Govt.	7D09X24 \$ 12.70
#047-000-019DE	.45 Caliber Firing Pin	7D06C12 \$ 8.50
#047-000-020DE	9mm Firing Pin	7D06C12 \$ 8.50
#047-000-017DE	Firing Pin Stop	7D06X46 \$ 8.90

ED BROWN 1911 AUTO REBUILD KIT



Complete Pin & Spring Assortment For Standard & High-Capacity

Every spring and pin you need to complete or rebuild a 1911 Auto Govt. or Officers

ACP. Fits standard and high-capacity frames. Kit includes one each: mainspring cap, mainspring housing pin retainer, hammer strut pin, hammer pin, sear pin, mainspring cap pin, magazine catch lock, safety lock plunger assembly, barrel link pin, ejector pin, mainspring housing pin, mainspring and magazine-catch spring. 

SPECS: Steel, blued (Blue), or stainless steel (SS), matte finish.

#087-814-000DE	Blue Govt. Rebuild Kit, 7H12P71	\$ 15.90
#087-814-100DE	SS Govt. Rebuild Kit, 7H15P26	19.10
#087-814-101DE	Blue Officers Rebuild Kit, 7H14P41	18.01
#087-814-102DE	SS Officers Rebuild Kit, 7H16P96	21.20
#168-000-011DE	Sear	8F11T75 \$ 14.69
#168-000-013DE	Strut	8F04T25 \$ 5.31
#168-000-036DE	Trik Trigger	8F20P50 \$ 25.63

**WILSON COMBAT
"FACTORY PLUS" PARTS**



Quality Parts Meet Or Exceed Factory Specs

"Just like original" parts for building a 1911 Auto or returning a gun to factory specifications. **■**
SPECS: Fits 1911 Auto. Stainless (S) and Carbon steel, blue, (B) matte finish. Plunger Spring Assembly includes spring, slide stop and thumb safety plungers.

STOCK #	DESCRIPTION	PRICE
#965-011-050DE	Barrel Link Pin (B)	5F01D52 \$ 2.00
#965-011-051DE	Barrel Link Pin (S)	5F02D35 \$ 2.95
#965-011-300DE	Disconnecter	5F12D26 \$ 14.95
#965-011-360DE	Ejector Pin	5F01Z52 \$ 2.00
#965-000-046DE	Extended Ejector (B)	5F24H56 \$ 29.95
#965-011-103DE	Firing Pin, 9mm/38S Series 805F12D26	\$ 14.95
#965-011-104DE	Firing Pin, .45 ACP Series 70 or 80	5F12D26 \$ 14.95
#965-011-110DE	Firing Pin Stop Pre-Series 80	5F13D94 \$ 17.00
#965-011-120DE	Firing Pin Spring	5F01D52 \$ 2.00
#965-011-280DE	Grip Screw (B) each	5F01D12 \$ 1.35
#965-011-281DE	Grip Screw (S) each	5F01D52 \$ 2.00
#965-011-210DE	Hammer Pin (B)	5F01D52 \$ 2.00
#965-011-211DE	Hammer Pin (S)	5F02D35 \$ 2.95
#965-011-190DE	Hammer Strut	5F03D81 \$ 4.25
#965-011-200DE	Hammer Strut Pin (B)	5F01D52 \$ 2.00
#965-011-201DE	Hammer Strut Pin (S)	5F02D35 \$ 2.75
#965-011-150DE	Magazine Catch (B)	5F13D08 \$ 15.95
#965-011-151DE	Magazine Catch (S)	5F14D90 \$ 17.95
#965-011-152DE	Magazine Catch Spring	5F01D12 \$ 1.36
#965-011-153DE	Magazine Catch Lock (B)	5F02D35 \$ 2.86
#965-011-154DE	Magazine Catch Lock (S)	5F02D75 \$ 3.42
#965-011-160DE	Mainspring	5F01D52 \$ 2.00
#965-011-161DE	Mainspring Cap (B)	5F01D52 \$ 2.00
#965-011-162DE	Mainspring Cap (S)	5F02D35 \$ 2.95
#965-011-163DE	M'spring Pin Retainer (B)	5F01D52 \$ 2.00
#965-011-165DE	Mainspring Cap Pin (B)	5F01D52 \$ 2.00
#965-011-166DE	Mainspring Cap Pin (S)	5F02D35 \$ 2.95
#965-011-170DE	Mainspring Housing Pin (B)	5F01D52 \$ 2.00
#965-011-171DE	Mainspring Housing Pin (S)	5F02D35 \$ 2.95
#965-011-330DE	Plunger Spring Assembly (B)	5F03Z55 \$ 4.00
#965-011-331DE	Plunger Spring Assembly (S)	5F04Z10 \$ 5.00
#965-011-332DE	Plunger Tube (B)	5F09Z84 \$ 12.00
#965-011-290DE	Sear Spring	5F03D55 \$ 4.25
#965-011-310DE	Sear	5F12D26 \$ 14.95
#965-011-320DE	Sear Pin (B)	5F01Z52 \$ 2.00
#965-011-321DE	Sear Pin (S)	5F02Z35 \$ 2.75

Brownells continues to work with its vendors to identify all products made in the U.S.A. This information was not available for all products at time of catalog production, but will be regularly updated on our website. Visit brownells.com for the most current information.

**K & J ACCESSORIES 1911 AUTO
DELUXE COMPLETION KIT**



**Every Pin & Spring You Need
For Building A 1911 Auto**

Complete and convenient kit has every pin and spring you need when building, or rebuilding, a 1911 Auto pistol. All are made from premium, heat-treated carbon or stainless steels. Oversized hammer and sear pin are ground to maximum diameter on the 1911 print for a close fit in worn, frame-pin holes.

SPECS: Carbon steel, blued (BI) or natural stainless steel (SS). Contains one each: link pin, ejector pin, hammer strut pin, mainspring (m/s) cap, m/s cap pin, m/s housing pin retainer, m/s housing pin, de-

tent plunger assembly, sear pin, hammer pin, mag catch lock, mag catch spring, sear spring, 19 lb. mainspring, xp firing pin spring, hammer strut, and long disconnecter.
#475-100-000DE Deluxe Completion Kit, Bl, 5G38V62 \$ 46.95
#475-100-100DE Deluxe Completion Kit, SS, 5G41V96 51.95

**BROWNELLS 1911 AUTO
REPLACEMENT PIN KIT**

Economical Bulk Assortment

Eleven American-made, high-quality pins and other, often-replaced small parts, all in a hinge-top, plastic, bench box. **■**
SPECS: Steel, blued. Kit contains six each of the parts listed below. Refill paks contain six each of one piece.



STOCK # EACH	STOCK # 6 PAK	DESCRIPTION
#100-000-867DE	#100-000-868DE	M/S Housing Pin
#100-000-862DE	#100-000-874DE	Hammer Pin
#100-000-864DE	#100-000-870DE	Hammer Strut Pin
#100-000-990DE	#100-000-991DE	Safety Lock Plunger
#100-000-875DE	#100-000-876DE	M/S Cap
#100-000-878DE	#100-000-879DE	M/S Cap Pin
#100-000-992DE	#100-000-993DE	Slide Stop Plunger
#100-000-865DE	#100-000-866DE	Link Pin
#100-000-861DE	#100-000-883DE	Ejector Pin
#100-000-888DE	#100-000-889DE	Sear Pin
#100-000-871DE	#100-000-872DE	M/S Housing Pin Retainer
- Advise # -	1911 Auto Pin, each 8K01C25	\$ 1.96
- Advise # -	1911 Auto Pin, 6-pak 8K07C53	11.59
#100-001-010DE	1911 Auto Pin Kit 8G62V45	99.94

ONE GUN PIN SET - The little pieces to build one 1911 Auto.
SPECS: Steel, blue. Kit contains one each of the above parts.
#100-001-011DE 1911 Auto One Gun Kit 8K10V05 \$ 15.45

**NIGHTHAWK CUSTOM 1911 AUTO
PIN SETS**



**Ready To Install;
Hardened To Resist
Wear, Beautifully
Finished**

No need to re-install dinged, worn, or scuffed up pins when you can put in a completely new, precision machined set of hardened, beautifully blued steel replacements. This pin set is really

**NOWLIN MFG. 1911 AUTO
PIN SET**



**Heat Treated & Hardened
For Long Life**

Centerless ground, heat treated and hardened. Every 1911 pin in one pak. **■**

SPECS: Steel, blue or stainless. Matte finish. Set includes: hammer strut pin, link pin, mainspring plunger,

sear pin, ejector pin, mainspring housing pin, mainspring plunger, mainspring plunger retainer, hammer pin, slide stop and thumb safety plungers.

#654-228-001DE Blue Pin Set, 4E14Y31 \$ 17.88
#654-228-002DE SS Pin Set 4E19Y47 24.33

**STI 1911 AUTO
PIN SET**

Ready To Install In Your Frame

Every 1911 Auto pin, in one package. Centerless ground, then heat treated and hardened for durability. **■**


SPECS: Steel, blue or stainless steel, matte finish. 1911 fits single stack, 1911 autos. **STI** fits STI/Infinity widebody frames. Set includes: hammer strut pin, link pin, mainspring plunger, sear pin, solid ejector pin, mainspring housing pin, mainspring housing retainer, mainspring plunger retainer, hammer pin, slide stop plunger, and thumb safety plunger.

#791-000-030DE 1911 Pin Set, 1G12D47 \$ 14.95

#791-000-031DE STI Pin Set, 1G13D29 15.95

**WILSON COMBAT
PIN SET**

Every Pin To Rebuild & Repair



High quality replacement pins for the 1911 Auto in a convenient, money-saving pak. Set of eleven pins. Oversized sear and hammer pins are hardened, then ground to maximum diameter on the 1911 Auto print to fit worn or out-of-spec frame pin holes. **■**

SPECS: Steel, heat treated; blued (BI) or stainless. **Pin Set** - one each; mainspring plunger, sear pin, ejector roll pin, mainspring housing pin, link pin, mainspring housing retainer, strut pin, mainspring plunger retainer, hammer pin, slide release plunger, thumb safety plunger.

#965-315-101DE 1911 Pin Set, Blue, 5F13A08 \$ 15.95

#965-315-102DE 1911 Pin Set, Stainless, 5F15A54 18.95

complete, with every pin for your 1911 pistol, including the mainspring cap and pin and the safety lock plunger/slide stop plunger assembly. Sets available for **Govt.** and **Officers** models. **■**

SPECS: Steel, blued, matte finish. Set includes barrel link pin, ejector pin, hammer pin, hammer strut pin, mainspring cap, mainspring cap pin, mainspring housing pin, mainspring housing pin retainer, plunger spring, safety lock plunger, slide stop plunger, and sear pin.

#100-003-262DE Govt. Model Pin Set, 2B11P16 \$ 13.95

#100-003-263DE Officers Model Pin Set, 2B11P16 13.95

**BROWNELLS
PREMIER WOOD GRIPS**



**Traditional Elegance
Of Beautiful Hardwoods, Three Distinct Styles**

Beautifully crafted, hardwood grip panels enhance the appearance of any 1911 Auto. Premium-grade woods are carefully selected for their natural grain patterns, then properly kiln dried for superior stability, precision shaped, expertly checkered, and carefully paired. All models are inletted for ambi safeties, with cutouts for the mainspring housing pin and crisply beveled bottom edges. A clear, semi-gloss protective finish seals the pores and protects the grip from moisture and scratches. Choose from one of four distinctive woods: **Cocobolo** is an extremely dense, reddish-brown wood tinged with orange and distinct grain stripes of dark red-brown. **Rosewood** is a richly hued medium dark brown with contrasting, almost black, grain stripes. Strong and heavy, it takes a smooth, even polish. **Walnut**, the traditional American stock wood, is light/medium brown with softly contrasting, slightly darker grain patterns. **Black Dymondwood** is an extremely hard, strong, durable, resin-impregnated laminate with a rich, black color like natural ebony. Dense grain with fine texture holds checkering exceptionally well. Three styles are available: **Double Diamond** - traditional style with 16 lpi checkering, broken by smooth diamonds at the grip screw holes. **Combat** - full-coverage, 16 lpi checkering, for maximum gripping texture when hands are wet or sweaty. **Smooth** - non-abrasive, no snag surface shows off the grain pattern best. **■**
SPECS: Approximately 1/4" (6.4mm) thick. Natural wood color and figure will vary.

#078-000-146DE Diamond Grip, Cocobolo 7A39Z95 . . . \$ 49.95

#078-000-147DE Diamond Grip, Rosewood 7A39Z95 . . . 49.95

#078-000-148DE Diamond Grip, Walnut 7A39Z95 49.95

#078-000-149DE Diamond Grip, Black Dymondwood, 7A39Z95 49.95

#078-000-150DE Combat Grip, Cocobolo 7A39Z95 49.95

#078-000-151DE Combat Grip, Rosewood 7A39Z95 49.95

#078-000-152DE Combat Grip, Walnut 7A39Z95 49.95

#078-000-153DE Combat Grip, Black Dymondwood, 7A39Z95 49.95

#078-000-154DE Smooth Grip, Cocobolo 7A39Z95 49.95

#078-000-155DE Smooth Grip, Rosewood 7A39Z95 49.95

#078-000-156DE Smooth Grip, Walnut 7A39Z95 49.95

#078-000-157DE Smooth Grip, Black Dymondwood, 7A39Z95 49.95

ACCURACY GRIP 1911 AUTO GRIP KIT

Improved Accuracy & Better Control

Endorsed by champion shooter Jerry Miculek, Grip Kits are easy to install and place the tip of your finger consistently on the trigger for better control and accuracy with every shot. Keeps your hand firmly seated on the grips and allows you to pull straight back on the trigger. 8- and 9-piece kits include five interchangeable trigger finger extenders to fit small and large hand sizes comfortably. Right-hand only.

SPECS: Molded polymer, black. 9-Piece Kit fits 1911 Government/Commander series large and medium frame pistols. 8-Piece Kit fits Colt 1911 Officers/Compact pistols.

#100-002-474DE 1911 Gov./Comm Grip Kit, 9-Pc., 4A20P00 \$ 39.95

#100-002-475DE 1911 Off./Compact Grip Kit, 8-Pc., 4A20P00 39.95

**SATISFACTION GUARANTEED
SINCE 1939**

AHREND'S 1911 AUTO EXOTIC WOOD GRIPS

Handsome & Functional, For Combat, Carry, Or Display



Handsome, distinctive, exotic wood 1911 Auto grip panels, precision shaped, hand checkered, and carefully matched. Top quality hardwoods become even more beautiful with age, and these slabs are aged for more than a year before shaping. Inletted for ambi safeties, with cutouts for mainspring housing pin, and beveled bottom edges give a neat, finished appearance. Durable polyurethane finish. **Cocobolo** is an overall reddish-brown with distinct grain stripes of dark red-brown. Dense-grained **Gaboon Ebony** is some of the finest, almost pure black ebony we've seen and just plain feels "right." Traditional **Iowa Black Walnut** is a light to medium brown with soft contrast, slightly darker brown grain stripes. Choose from four attractive styles: **Smooth** - Grain patterns show up best on smooth grips. **Combat Checkered** has full coverage, 18 lpi checkering for superb grip and control. **Diamond Checkered**, 18 lpi checkering, broken by smooth diamonds at the grip screw holes. **Skip Checkered** features a pattern of smooth diamonds separated by 18 lpi checkering. **SPECS:** Approximately 1/4" (6.4mm) thick. Weigh 1 1/2 oz. (42g) per pair. Natural wood color and grain patterns will vary.

STOCK #	STYLE	PRICE
#052-003-102DE	Cocobolo Smooth	2E25T00 \$ 36.00
#052-001-102DE	Cocobolo Combat	2E25Y00 \$ 36.00
#052-002-102DE	Cocobolo Diamond	2E34Y95 \$ 50.00
#052-000-005DE	Cocobolo Skip	2E25Z00 \$ 36.00
#052-003-104DE	Ebony Smooth	2E32T50 \$ 46.00
#052-001-104DE	Ebony Combat	2E32Y50 \$ 46.00
#052-002-104DE	Ebony Diamond	2E43Y50 \$ 60.00
#052-000-006DE	Ebony Skip	2E32Z50 \$ 46.00
#052-002-109DE	Walnut Diamond	2E34Y95 \$ 50.00

TACTICAL GRIPS - Dual-purpose grips with a unique, highly functional, combination checkered/smooth surface. Smooth top section allows your hand to slide into place for a fast, unimpeded grip and a smoother draw. Hand checkered, 18 lpi, bottom section provides a solid, secure grip the instant your fingers curve around the front strap. Available in **Cocobolo**, **Gaboon Ebony**, and **Rosewood**.

SPECS: Approximately 1/4" (6.4mm) thick. Weigh 1 1/2 oz. (42g) per pair. Notched for ambi safety. Natural wood color and grain patterns will vary.

STOCK #	STYLE	PRICE
#052-004-102DE	Cocobolo Tactical Grips	2E34T95 \$ 50.00
#052-004-107DE	Rosewood Tactical Grips	2E34T95 \$ 50.00
#052-004-104DE	Ebony Tactical Grips	2E43T50 \$ 60.00

SQUARE BOTTOM GRIPS - Squared bottom edge looks "right" on guns equipped with add-on magwells. Covers the unsightly gap between the bottom edge of the frame and the magwell, so the magwell looks like it's part of the frame. Hardwood panels are thicker than factory slabs to provide a hand-filling grip and better recoil control for more comfortable combat-style shooting. Available in **Cocobolo**, **Gaboon Ebony**, and **Rosewood**. **Combat Checkered** has hand-cut, full coverage 18 lpi checkering. **Diamond Checkered** has 18 lpi hand-cut checkering broken by smooth diamonds at the grip screw holes. **Pin Covered (PC)** models do not have cutout for mainspring housing pin.

SPECS: Approximately 9/32" (7.1mm) thick. Weight 1.7oz. (46g) per pair. Notched for ambi safety. Natural wood color and grain patterns will vary.

STOCK #	STYLE	PRICE
#052-020-102DE	Cocobolo Combat	2E24P95 \$ 36.00
#052-040-102DE	Cocobolo Combat PC	2E31U95 \$ 46.00

ALTAMONT 1911 AUTO SLIMTECH GRIPS

Very Thin Panels Increase Gripping Ease For Smaller Hands

Ultra-thin grip panels increase your hand's pressure on the front strap and grip safety for a more secure grip, no matter what size your hand is. Thin contour helps cut down on unwanted bulk for carry or concealed pistols, plus lets the trigger finger wrap farther around the grip to improve reach for shooters with small hands or short fingers.



LASER-CUT - Durable, laminated wood panels have flat-top, laser cut checkering in a beveled, double-diamond pattern to help increase grip friction. Complete with special, thin-line bushings and screws.

SPECS: Laminated Dymondwood, .150" (3.8mm) thick. Rosewood or Walnut color. **Govt.** fits Government and Commander frames. **OFF ACP** fits Officers ACP.

STK # GOVT.	STK # OFF.ACP	COLOR	PRICE
#064-100-001DE	#064-101-001DE	Walnut	4F39T29 \$ 50.00
#064-100-002DE	#064-101-002DE	Rosewood	4F35T71 \$ 44.95

BORDER PATTERN - Resin impregnated Dymondwood and genuine black Micarta are machine checkered with a double-diamond, raised border pattern. Pointed diamonds help ensure a secure grasp. Attractive, durable, furniture-quality finish withstands heavy use. Complete with special, thin-line bushings and screws.

SPECS: Laminated Dymondwood, .150" (3.8mm) thick. Rosewood or Walnut color. Micarta, black. **Govt.** fits Government and Commander frames. **OFF ACP** fits Officers ACP.



STK # GOVT.	STK # OFF.ACP	COLOR	PRICE
#064-000-001DE	#064-000-004DE	Walnut	4F36Y70 \$ 45.83
#064-000-002DE	#064-000-005DE	Rosewood	4F36Y67 \$ 45.83
#064-000-003DE	#064-000-006DE	Micarta	4F36Y67 \$ 45.83

REPLACEMENT SCREWS AND BUSHINGS - Thin-line bushings and screws replace lost or stripped screws or bushings in AFS grips. Sold in pack of four. Will not fit Navidrex grips.

#064-110-004DE Slim Tech Screws & Bushings, 4F09T25 \$ 12.33

Selection • Service • Satisfaction
GUARANTEED

STOCK #	STYLE	PRICE
#052-021-102DE	Cocobolo Diamond	2E34P95 \$ 50.00
#052-030-102DE	Cocobolo Diamond PC	2E43P50 \$ 60.00
#052-021-107DE	Rosewood Diamond	2E36P00 \$ 50.00
#052-030-104DE	Ebony Diamond PC	2E51P00 \$ 70.00

DYMONDWOOD THIN GRIPS - Reduce bulk and overall width of gun to improve grip for all shooters, regardless of hand size, and aid concealment of carry guns. Vertical grasping grooves give a secure grip without abrading or snagging on clothing. Inletted for ambi safety, with cutouts for mainspring housing pin. Thermo-set, resin-impregnated hardwood laminate is dark gray/black with a distinctive silver grain. Thin bushings and screws included.

SPECS: Laminated hardwood, .170" (4.3mm) thick. Weigh 1.1 oz. (30g). Includes polished blue, replacement screws and bushings.

#052-000-037DE Dymondwood Thin Grips, 2E43A50 \$ 60.00



AJAX EXOTIC GRIPS

Functional Grips In Beautiful Exotic Materials

Enhance the looks and feel of your favorite semi-auto pistol. **White (WP)** and **Black Pearlite (BP)** are highly polished with heavy swirls of iridescent pearl color. **Ivory Polymer (IP)** - Cast from natural looking polymer that closely duplicates the look and feel of genuine ivory. **Staglite™** provides the look and feel of rare Sambar stag horn.

SPECS: Plain (PL) or with gold, Colt Medallion (MED).



WHITE PEARLITE GRIPS

STOCK # PL	STOCK # MED	FITS
#041-200-012DE	#041-201-012DE	Colt 1911 Auto
#041-200-010DE	#041-201-010DE	Colt Off. ACP

— Advise # — White Pearlite Plain Grips, 1D33C33 \$ 50.00

— Advise # — White Pearlite Medallion Grips, 1D41H33 62.00

BLACK PEARLITE GRIPS

STOCK # PL	STOCK # MED	FITS
#041-250-012DE	#041-251-012DE	Colt 1911 Auto
#041-250-010DE	#041-251-010DE	Colt Off. ACP

— Advise # — Black Pearlite PL Grips 1D33H33... \$ 50.00

— Advise # — Black Pearlite MED Grips 1D41H33... 62.00

IVORY POLYMER GRIPS

STOCK # PL	STOCK # MED	FITS
#041-150-012DE	#041-151-012DE	Colt 1911 Auto
#041-150-010DE	#041-151-010DE	Colt Off. ACP

— Advise # — Ivory Plain Grips 1D33C33 \$ 50.00

— Advise # — Ivory Medallion Grips 1D41C33 62.00

STAGLITE GRIPS

STOCK # PL	STOCK # MED	FITS
#041-000-007DE	#041-000-008DE	Colt 1911 Auto
#041-000-009DE	#041-000-010DE	Colt Off. ACP

— Advise # — Staglite Plain Grips 1D40B00 \$ 60.00

— Advise # — Staglite Medallion Grips, 1D48B00 72.00

ALL AMERICA 1911 AUTO ELEGANT PEWTER GRIPS



Cast Pewter Grips Add Weight; Improve Balance

Heavy weight gives increased recoil control. Relieved for mag catch and flush fitting grip screws. **Florentine** scroll with finely matted background shows tremendous detail. **Checkered** with double-diamond pattern, 18 lpi. **Heavy Checkered** raised boss fills in the cutouts in frame. **RKBA**, Right To Keep and Bear Arms eagle and banner. **American Eagle**, gray, Checkered and Florentine scroll with our National symbol on each grip.

SPECS: Cast pewter alloy, matte gray or gold finish. 4 1/8" (10.4cm) long, 4.7 oz. (132 g) wt. per pair. Fits 1911 Auto Gov't., Commander, Gold Cup. May require minor fitting. Heavy Checkered will require minor fitting. 9.3 oz. (263 g) wt.

#047-191-000DE	Gray Florentine Grips	7D39C33... \$ 60.00
#047-191-100DE	Gold Florentine Grips	7D53C85... 65.00
#047-000-001DE	Gray Checkered Grips	7D39X33... 60.00
#047-000-002DE	Gold Checkered Grips	7D53X85... 65.00
#047-000-003DE	Gray Heavy Checkered	7D53X85... 65.00
#047-000-004DE	Gray RKBA Grips	7D53X85... 65.00
#047-000-005DE	Eagle Scroll Grips	7D40X82... 66.73
#047-000-006DE	Eagle Checkered Grips	7D40X82... 66.73

ALUMAGRIP 1911 AUTO ALUMINUM GRIPS

Precision Machined For Style, Endurance, Function



Tough, machined aluminum creates exceptionally durable grips that withstand years of hard, tactical use. Faultless, border-pattern checkering features unique, smooth-top diamonds with square edges for a very comfortable and secure grip that won't abrade clothing. CNC'd with all curves, angles and cutouts true and exact. Comes in both 1911 Auto and Officers Model.

SPECS: Aluminum, anodized. *Not cut for ambi safeties. **Black 1911 Auto**, brushed finish, **Light Olive Gray 1911 Auto**, brushed finish, **Black Officer**, brushed finish. Approximately 1/4" (6.7mm) thick.

#100-000-507DE Black 1911 Auto Grips, 5K43D96 \$ 54.95

#100-000-898DE Black Officer Grips, 5K43H96 54.95

#100-000-900DE Light OD 1911 Auto Grips, 5K43H96 54.95

SLIMLINE 1911 GRIPS - Very thin aluminum grips help shooters with small hands get a good hold on the gun. CNC machined checkering is cut to full depth for a superb, no-slip grip, with smooth top diamonds that won't damage clothing. 1911 Auto available in black and olive gray; Officers Model in black only. **SPECS:** Aluminum, anodized, satin finish, black or olive gray. Not cut for ambi safeties. .153" (3.9mm) thick nominal.

STOCK #	FITS	COLOR	STYLE
#100-001-356DE	1911 Auto	Black	Checkered
#100-001-358DE	1911 Auto	Olive Gray	Checkered
#100-001-360DE	Officers	Black	Checkered

— Advise # — SlimLine Grips 5K43C96 \$ 54.95

SLIM GRIP SCREWS AND BUSHINGS

Replacement package of four, short screws and bushings for use with Slim Grips. Socket head looks great and prevents ragged looking screws. Polished Blue or Stainless Steel.



#080-000-074DE Blue Slim Grip Screws & Bushings, 8K08Y67 \$ 11.56

#080-000-075DE SS Slim Grip Screws & Bushings, 8K10Y00 13.34

BAR S GRIPS SEMI-AUTO TRU IVORY™ GRIPS



Handmade Pistol Grips Look & Feel Like Genuine Ivory

Handcrafted and polished from a man-made, state-of-the-art, ivory substitute that looks and feels so much like genuine elephant ivory that only an expert can tell the difference. Available in two natural shade variations with authentic grain layering throughout the full cross-sectional density. **Natural White (NWN)** mimics un-aged, virgin ivory with a beautiful off white grain pattern. **Slightly Aged (SA)** is a subtle shade darker with a hint of yellowing and natural scarring. Can be carved and checkered like natural, elephant ivory. Available in standard, 1911, A-1 configuration or with square bottom (**S/B**) for proper fit to frames equipped with add-on magazine wells.

SPECS: Manmade ivory substitute. Natural White (NWN) or Slightly Aged (SA).

STK # NW	STK # SA	FITS	PRICE
#100-001-713DE	#100-001-714DE	1911 Govt A-1	7A78B67 \$ 95.00
#100-001-717DE	#100-001-718DE	1911 Govt S/B	7A78B67 \$ 95.00
#100-001-715DE	#100-001-716DE	1911 Officers A-1	7A78B67 \$ 95.00
#100-001-719DE	#100-001-720DE	1911 Officers S/B	7A78B67 \$ 95.00

ALUMAGRIP 1911 AUTO TACTICAL ALUMINUM GRIPS



CNC Machined For Tactical & Competition Applications

Sturdy, machined aluminum creates extra strong, long-lasting grips that withstand years of hard, tactical use. Checkering features unique, smooth-top diamonds with square edges for a very comfortable and secure grip that won't drag on clothing and gives you a firm grip for a positive draw in tactical and competition situations. Half grip pattern creates an distinctive, eye

catching look that is fully functional and comfortable. Overall dimensions as well as screw holes, and safety cutout are CNC precision machined.

SPECS: Aluminum, anodized. Full Size grips are 4 1/8" (10.5cm) long, approximately 1/4" (6.7mm) thick. Compact grips are 3 1/8" (7.9cm) long, approximately 1/4" (6.7mm) thick.

- #100-002-466DE Full Size Tactical Grips, Black, 5K46P00 \$ 57.50
- #100-002-467DE Full Size Tactical Grips, Olive Gray, 5K46P00 57.50
- #100-002-470DE Compact Tactical Grips, Black, 5K46P00 57.50
- #100-002-471DE Compact Tactical Grips, Olive Gray, 5K46P00 57.50

SLIMLINE TACTICAL 1911 GRIPS - CNC-machined, aluminum grips are extremely durable but lightweight and thin to help shooters with small hands get a good hold on the gun. Smooth-top, square edged checkering pattern covers half the grip and provides an instant and positive grip with every draw. Select from Slimline or Compact Slimline in Black or Olive Gray.

SPECS: Aluminum, black or olive gray. Slimline grips are 4 1/8" (10.5cm) long, approximately .155" (.39cm) thick. Compact Slimline grips are 3 1/8" (7.9cm) long, approximately .155" (.39cm) thick.

- #100-002-468DE Slimline Tactical Grips, Black, 5K43P96 \$ 54.95
- #100-002-469DE Slimline Tactical Grips, Olive Gray, 5K43P96 54.95
- #100-002-472DE Compact Slimline Tactical Grips, Black, 5K43P96 54.95
- #100-002-473DE Compact Slimline Tactical Grips, Olive Gray 5K43P96 54.95

CARBON CREATIONS 1911 AUTO CARBON FIBER GRIPS

Lightweight Hi-Tech Grips For 1911's



Strong, lightweight, durable, carbon fiber and kevlar woven together, then resin-impregnated to create a distinctive grip. Weave pattern changes with the viewing angle. Double-diamond, 18 lpi checkering. Hard, clear, synthetic finish resists cleaning solvents.

SPECS: Approximately 1/4" (6.3mm) thick. Models for Govt/ Commander & Officers ACP.

STK # BLUE	STK # RED	STK # BLACK	MODEL
#222-100-001DE	#222-000-001DE	#222-101-001DE	Colt Govt
#222-100-002DE	#222-000-002DE	#222-101-002DE	Officers ACP

— Advise # — Carbon Fiber Grips, 2B55Y00 \$ 80.00

CARBON FIBER SQUARE BOTTOM GRIPS - Square cut along the bottom to eliminate the unsightly gap left by conventional grips on guns equipped with add-on mag wells.

SPECS: Approx. 1/4" (6.3mm) thick. Fits Govt/Comm. & Off. ACP.

STK # BLUE	STK # RED	STK # BLACK	MODEL
#222-100-004DE	#222-000-003DE	#222-101-004DE	Colt Govt
#222-100-005DE	#222-000-004DE	#222-101-005DE	Officers ACP

— Advise # — S/B Carbon Fiber Grips, 2B55Y00 \$ 80.00



BROOKSTACTICAL AGRIP

Improves Handling & Control, Secure Grip Helps Increase Accuracy

Pre-cut, wrap around sleeve sticks on easily with an ultra high-tech, pressure-sensitive adhesive. Won't peel off in harsh conditions, even under water. Provides a comfortable, secure grip for competition, law enforcement and tactical firearms. Non-slip and non-abrasive, with a soft feel that's not tacky. Extremely durable, resists splitting, tearing, abrasion, and wear. Flexible, conforms to Glock frames with and without finger grooves. Resistant to most oils and solvents.

SPECS: Black. Soft texture. #100-001-234DE AGRIP, for 1911 Auto, 5K19Z50 \$ 27.95

CRIMSONTRACE 1911 AUTO LASER GRIPS

Instant On-Off Aiming Without The Bulk Of An Accessory Laser Unit



Laser Grips give you an immediate, decisive advantage because 80% of self-defensive shootings occur in low light conditions or complete darkness. Provides an added defensive edge in any light condition. With just a squeeze of your shooting hand the laser grip unit instantly projects a bright red aiming dot on your intended target; even in broad daylight. Makes a great training tool; provides instant feedback to shooting students learning how to achieve a steady trigger pull, consistent follow through, proper sight alignment and instinctive aiming. Grips are made from a rugged but soft, over molded rubber for increased shooting comfort. Laser units are located in the top of the grip. Laser unit on Wrap Around (W/A) models are activated from the pressure sensitive finger pads located on either side. The pressure switch located in the lower front finger groove activates laser unit on Front Activated (F/A) models. Both models include a manually activated on/off switch on the lower left side helps prevent dead batteries and accidental laser activation.

SPECS: Injection molded rubber, black, matte. Front Activated 1911 Auto models require shortening of right side thumb safety lever. Includes batteries, installation instructions and training manual.

STOCK #	FITS	STYLE
#100-002-590DE	1911 Govt./Comm.	W/A
#100-002-592DE	Off. ACP/Def	W/A
#100-002-600DE	1911 Govt./Comm.	F/A
#100-002-601DE	Off. ACP/Def	F/A

— Advise # — Crimson Trace Laser Grips, 4B00UAV \$ 329.00



FALCON INDUSTRIES 1911 AUTO XT GRIPS

Extremely Tough, Textured Grip Surface

Strong, lightweight, and extremely tough, heavily textured grips provide excellent handling and stability in all conditions. Cut for ambidextrous safeties. Install easily with standard grip screws and bushings. Models available for Government/Commander grip frame, as well as Officers Model. Beveled has a neatly beveled bottom edge that allows fast hand clearance during draw and minimizes "printing" through clothing on concealed carry pistols. Square Bottom gives a flush, tight fit against magazine guides and chutes that attach to the 1911.

SPECS: Injection molded nylon-based rigid polymer. Govt/Comm available with beveled bottom edge (BB) or square bottom (SB) in black, coyote brown, O.D. green. Officers in beveled black only.



HOGUE 1911 AUTO PISTOL GRIPS

Hand-Filling, Versatile Designs In Rubber & Wood

Hand-filling grips help absorb recoil by spreading the shock over a wider area of the hand. Finger groove models for semi-autos tighten the grip upward, into the triggerguard for better recoil control. All wood grips are cut from imported, select grades of hardwood. Molded rubber grips cushion recoil. Non-slip, pebble finish. Checkered grips are Double Diamond pattern.

SPECS: Select model from chart. Model designations abbreviated as follows. Checkered (CH); Finger Grooves (FG); Goncalo Alves (GA); Pau Ferro (PF); Rubber (RU); Slabs (SL); Smooth (SM).

STOCK #	MODEL	FITS	PRICE
#408-602-045DE	RU/SL	1911 Auto	8K10A17 \$ 16.95
#408-602-145DE	RU/FG	1911 Auto	8K14A97 \$ 24.95
#408-000-013DE	RU/SL/CH	1911 Auto	8K10T17 \$ 16.95
#408-605-045DE	GA/CH/SL	1911 Auto	8K29A96 \$ 39.95
#408-606-045DE	PF/CH/SL	1911 Auto	8K29A96 \$ 39.95
#408-603-145DE	GA/SM/FG	1911 Auto	8K52C46 \$ 69.95
#408-604-145DE	PF/SM/FG	1911 Auto	8K52A46 \$ 69.95
#408-602-245DE	RU/FG	Off ACP	8K14A97 \$ 24.95
#408-602-010DE	RU/FG	Para-Ord P-10	8K14A97 \$ 24.95
#408-602-012DE	RU/FG	Para-Ord P-12	8K14A97 \$ 24.95
#408-602-014DE	RU/FG	Para-Ord P-14	8K14A97 \$ 24.95

HOGUE 1911 AUTO EXTREME ALUMINUM GRIPS

Comfortable, Good-Looking; Machined From Solid Aluminum For Strength & Durability



Extreme-duty grips precision machined from solid 6061 T6 aluminum billet help you maintain a firm, comfortable, no-slip grasp on your pistol in combat or competition, even when your hands are wet. These grips weigh only a few tenths of an ounce more than traditional wood grips, yet stand up to the harsh wear and tear of tactical operations. The crisp, precision-cut diamond pattern, broken by smooth diamonds at the grip screw holes, replicates fine 18 lpi checkering and provides a superior gripping surface that won't bite into your hand. Custom-quality features include cutouts for mainspring housing pin, neatly beveled bottom edges, and a left panel inleted for an ambi safety.

SPECS: Machined 6061 T6 aluminum, Type III hard anodized, matte black finish. Approximately 1/4" (6.4mm) thick. Fits 1911 Govt Model & Commander.

#408-000-073DE Checkered Extreme Grips, 8K51U95 \$ 59.95

- NEW #573-000-046DE Govt/Comm BB Grip, Black, 3G17B60 \$ 22.00
- NEW #573-000-047DE Govt/Comm BB Grip, Coyote Brown, 3G17B60 22.00
- NEW #573-000-048DE Govt/Comm BB Grip, O.D. Green, 3G17B60 22.00
- NEW #573-000-049DE Officers Model BB Grip, Black, 3G17B60 22.00
- #573-000-040DE Govt/Comm SB Grip, Black, 3G17V60 22.00
- #573-000-041DE Govt/Comm SB Grip, Coyote Brown, 3G17V60 22.00
- #573-000-042DE Govt/Comm SB Grip, O.D. Green, 3G17V60 22.00



HOGUE 1911 AUTO SQUARE BOTTOM GRIPS

Additional Length Fits Pistols Equipped With Add-On Mag Wells

Extra-long grip panels, cut square at the bottom, fit flush and look great on guns equipped with add-on mag wells. Does away with the unsightly gap left by standard length grip panels. Cut slightly fuller than factory grips for extra shooting comfort and recoil control. Functional, combat-style, 18 lpi checkering provides additional, no-slip grip.

SPECS: Approximately 1/4" (6.3mm) thick. #408-607-245DE Pau Ferro S/B Grips, 8K29A96 \$ 39.95
#408-607-345DE Goncalo S/B Grips, 8K29A96 39.95

McCORMICK 1911 AUTO SLIM CARRY GRIPS

40% Narrower For Carry & Concealment Comfort



Thinner-than-stock, Slim Carry grips reduce overall width to better fit shooters with small hands, and make pistol more concealable for any shooter. Exhibition grade rosewood has a reddish brown color with contrasting black grain. Right panel is relieved for ambidextrous thumb safety. Hand cut, 18 lpi checkered models feature the popular, double diamond pattern to provide a positive grip. Smooth, uncheckered models really show off the beauty of the wood and work great for concealed carry; won't catch or drag on clothing.

SPECS: Rosewood. Double diamond checkered (Chk), or Smooth. Fits 1911 Auto and Officers Model (Off.). Approximately 1/2" (4mm) thick. Includes shorter bushings and screws.

- #207-559-003DE Checkered 1911 Grips, 7B36X26 \$ 48.95
- #207-559-005DE Smooth 1911 Grips, 7B36X26 48.95
- #207-559-004DE Checkered Officers Grips, 7B36X26 48.95
- #207-559-006DE Smooth Officers Grips, 7B36X26 48.95



McCORMICK 1911 AUTO EXHIBITION GRADE ROSEWOOD GRIPS

Distinctive Elegance For The Finest Pistols

Best quality, exhibition grade, rosewood, properly shaped and contoured to improve handling and grip feel for better recoil control. Hand cut, 18 lpi, checkering in the double diamond pattern provides a positive grip. Colors vary from light reddish shades to dark burgundy with contrasting dark lines. Right panel is relieved for ambidextrous thumb safety.

SPECS: Rosewood. Fits 1911 Auto and Officers Model. #207-559-001DE 1911 Auto Grips, 7B32X22 \$ 43.50

#207-559-002DE Officers ACP Grips, 7B32X22 43.50



THE WORLD'S LARGEST SUPPLIER OF FIREARMS ACCESSORIES AND GUNSMITHING TOOLS™

MIL-TAC KNIVES & TOOLS 1911 AUTO

G10 TACTICAL GRIPS

Made From Nearly Indestructible G10 Laminate; Aggressive Patterns Prevents Slippage

Fully CNC-machined, G10 laminate grips are impervious to solvents, heat (below 258° F), sweat and moisture for non-degrading dimensional stability in all conditions. Tactical Flat Bottom (TFB) grips are machined from solid black laminate with the right panel relieved for ambidextrous thumb safety. Traditional diamond checkering pattern provides an outstanding gripping surface. Square bottom provides a proper fit for guns equipped with add-on magazine wells. Government Beveled (GB) grips are machined from two-tone, black/grey laminate to the standard A-1 configuration with beveled bottom; aggressive, vertical row diamond pattern forms a vise-like gripping surface. Both models feature a notched thumb ramp on the left panel for fast reach to the magazine release.

SPECS: G10 laminate. TFB - Square bottom, black. GB - A1 configuration, black/grey. Fit 1911 Govt. model grip frame.
#100-002-545DE TFB G10 Grips, Black, 5A56X00 \$ 69.99
#100-002-546DE GB G10 Grips, Black/Grey, 5A56X00 69.99



NAVIDREX CONTOURED GRIPS

Shaped For Small Hands



Sculptured areas place the hand closer to the frame. All feature hand-cut checkering. **Partial Checkered** features smooth, contoured areas; **Full Checkered** and **Double Diamond**, fully checkered except for diamonds around both holes. **Materials:** Black

Micarta; genuine Westinghouse Micarta; **Grained Ebony**, close grained, black, with brown, vertical grain stripes; **Dymondwood (DW)**, resin-impregnated, laminated hardwood looks like rosewood.

SPECS: Available **Standard (STD)** or **Square Bottom (S/B)** for frames equipped with add-on Mag Wells. 18 lpi checkering. Relieved for ambi safety. Contoured for left- and right-hand shooters.

PARTIAL CHECKERED GRIPS

STOCK # STD	STOCK # S/B	MATERIAL
#647-112-001DE	#647-112-101DE	Micarta
#647-111-001DE	#647-111-101DE	Ebony
#647-113-001DE	NA	Dymondwood

FULL CHECKERED GRIPS

#647-112-002DE	#647-112-102DE	Micarta
#647-111-002DE	#647-111-102DE	Ebony
#647-113-002DE	#647-113-102DE	Dymondwood

DOUBLE DIAMOND GRIPS

#647-112-003DE	#647-112-103DE	Micarta
#647-111-003DE	#647-111-103DE	Ebony
#647-113-003DE	#647-113-103DE	Dymondwood

- Advise # - **Micarta/DW Contour Grips, 7D34T00 \$ 48.00**
 - Advise # - **Ebony Contoured Grips, 7D30T00 40.00**

NAVIDREX CUSTOM GRIPS

Handcrafted From Genuine Westinghouse Micarta® & Laminated Dymondwood

Long-wearing, solid, comfortable grips hand crafted and checkered from two of the best handgun grip materials ever invented; genuine Micarta and laminated Dymondwood. The Micarta is available in a gorgeous, jet **Black** that's close to ebony, or **Ivory** that has the looks and warmth of real tusk. The resin-impregnated Dymondwood looks like real **Rosewood** but its synthetic compound is much harder; it never wears, and resists gun solvents and bore cleaners. Double diamond pattern features hand cut, 18 lpi checkering and models to fit either Government/Commander length (**STD**) **1911 Auto** or **Officers ACP**-length frames. Grips marked (**S&A**) are cut longer to fit flush on guns equipped with Smith & Alexander mag guides.

SPECS: Approximately .246" (6.3mm) thick.

1911 AUTO

STOCK # STD	STOCK # S&A	COLOR	PRICE
#647-011-001DE	#647-011-101DE	Black	7D30Z00 \$ 40.00
#647-011-002DE	#647-011-102DE	Ivory	7D40Z61 \$ 54.14
#647-011-003DE	#647-011-103DE	Rosewood	7D28Z78 \$ 39.00

OFFICERS ACP

#647-012-001DE	#647-012-101DE	Black	7D30A00 \$ 40.00
#647-012-002DE	#647-012-102DE	Ivory	7D40A61 \$ 54.14
#647-012-003DE	#647-012-103DE	Rosewood	7D28A78 \$ 39.00

NAVIDREX MAHOGANY GRIPS

Genuine Philippine Mahogany



A true asian hardwood with the beauty of expensive exotics, at a fraction of the cost. Deep reddish/brown color of varying intensity provides attractive contrast with blue and stainless steel guns. **Contoured (Ctd)** is relieved in the center to improve grip for persons with smaller hands. Available **Standard** or square bottom (**S/B**) for guns with add-on mag wells. Fits 1911 Auto and Officers Model frames.

SPECS: Approximately 1/4" (6.7mm) thick.

STK #1911	STK # OFF. ACP	STYLE
#647-025-001DE	#647-026-001DE	Std Double Diamond
#647-025-002DE	#647-026-002DE	S/B Double Diamond
#647-025-003DE	#647-026-003DE	Std Double Diamond Ctd
#647-025-004DE	#647-026-004DE	S/B Double Diamond Ctd
#647-025-005DE	#647-026-005DE	Std Full Checkered
#647-025-006DE	#647-026-006DE	S/B Full Checkered
#647-025-007DE	#647-026-007DE	Std Full Checkered Ctd
#647-025-008DE	#647-026-008DE	S/B Full Checkered Ctd

- Advise # - Mahogany Grips 7D14Y00. \$ 18.00

NAVIDREX PARA-ORDNANCE DOUBLE DIAMOND CHECKERED GRIPS

Extra-Thin Design For Extra Comfort

Cut much thinner than the factory grips to provide increased comfort. Beautiful, hand-cut, 18 lpi, double-diamond checkering enhances the grip for a solid, no-slip feel. Direct replacement for both the old- and new-style P-14 factory grip and the compact P-13 and P-14. Available in three different materials: **Grained Ebony (GE)** - beautiful, dense, natural black hardwood that features dark-brown vertical graining. **Micarta® (MC)** - genuine, jet-black,



NAVIDREX SLIM GRIPS

Reduces Bulk For Easy-To-Grip Shooting & Carry Comfort

Extra-thin to reduce bulk for concealed carry and give shooters with small hands a better hold. Available **Smooth**, uncheckered, **Checkered** with full coverage checkering or **Double Diamond** checkered to fit 1911 Auto and Officers ACP. All require slim bushings and screws listed below, not included. **Black Micarta** gives the appearance of fine ebony. **Black Rosewood** is a deep, reddish brown with contrasting black vertical stripes. **Ebony** is very deep brown/black, almost black, with mild grain pattern. **Mahogany** is deep reddish/brown color of varying intensity.

SPECS: Approximately .165" (4.2mm) thick. **Black Rosewood** and **Ebony** are resin impregnated Dymondwood. **Mahogany** is genuine Philippine mahogany.

MICARTA

STK # GOVT.	STK # OFF. ACP	STYLE	PRICE
#647-000-003DE	#647-000-006DE	Smooth	7D30Z00 \$ 40.00
#647-000-004DE	#647-000-007DE	Checkered	7D30Z00 \$ 40.00
#647-000-005DE	#647-000-008DE	Double Dia.	7D30Z00 \$ 40.00

BLACK ROSEWOOD

STK # GOVT.	STK # OFF. ACP	STYLE	PRICE
#647-000-009DE	#647-000-011DE	Checkered	7D24Z68 \$ 32.89
#647-000-010DE	#647-000-012DE	Double Dia.	7D24Z68 \$ 32.89

EBONY

STK # GOVT.	STK # OFF. ACP	STYLE	PRICE
#647-000-013DE	#647-000-015DE	Checkered	7D24Z68 \$ 32.89
#647-000-014DE	#647-000-016DE	Double Dia.	7D24Z68 \$ 32.89

MAHOGANY

STK # GOVT.	STK # OFF. ACP	STYLE	PRICE
#647-000-017DE	#647-000-019DE	Checkered	7D13Z34 \$ 17.80
#647-000-018DE	#647-000-020DE	Double Dia.	7D13Z34 \$ 17.80

SLIM GRIP SCREWS AND BUSHINGS

Replacement package of four, short screws and bushings for use with Slim Grips. Socket head looks great and prevents ragged looking screws. Polished Blue or Stainless Steel.

#080-000-074DE Blue Slim Screws/Bshgs 8K08Y67 . . \$ 11.56
#080-000-075DE SS Slim Screws & Bshgs 8K10Y00 . . \$ 13.34

PACHMAYR COMBAT GRIPS

Faster Handling For Combat Matches



Improved features enhance handling and help shooters reload faster in action shooting events. **GM-45CS "Special"** has no thumbrest and features a "sculptured" cutaway so the thumb reaches the magazine release button quicker. **GM-45C** has flat sides, with no thumbrest or cutaway.

SPECS: **GM-45CS "Special"** and **GM-45C** fit 1911-style Auto except Officers ACP.

#692-545-345DE GM-45CS "Special", 2F18P66 \$ 27.98
#692-545-245DE GM-45C Grip 2F18P66 27.98

Westinghouse Micarta has superior wearability and strength. **Dymondwood® (DW)** - resin-impregnated laminated hardwood that has the look and color of genuine rosewood plus, withstands solvents and wears much longer than natural wood.

SPECS: Available for **P-14 Old-** or **New-**style, full size Para-Ordinance frames. May require minor fitting.

STOCK # GE	STOCK # MC	STOCK # DW	MODEL
NA	#647-013-101DE	#647-013-201DE	P-14 New
#647-013-002DE	#647-013-102DE	#647-013-202DE	P-14 Old
NA	NA	#647-013-203DE	P-13

- Advise # - Para-Ordinance Checkered Grips, 7D50A00. \$ 60.00

PACHMAYR SIGNATURE GRIPS

Wrap-Around, Non-Skid, For Semi-Autos

Unique, wrap-around grips specifically designed for semi-auto pistols incorporate front strap checkering to meet the demands of competitive shooters - as well as police officers and military personnel. Over 22 square inches of sharp diamonds molded into durable semi-soft Neoprene rubber compound for superior gripping surface, wet or dry. Checkering scientifically designed to provide a firm, non-slip grip without biting into your hand. No alteration to gun. Eliminates time-consuming job of stippling or checkering the front strap. For either right or left-handed shooters, these one-piece steel reinforced grips will compliment the finest accurizing job or combat alterations.

SPECS: Molded, black, neoprene rubber.

STOCK #	PACHMAYR MODEL #	MFG - MODEL	PRICE
#692-545-145DE	GM-45	Colt Govt. Mod.	2F18P66 \$ 27.98
#692-545-500DE	GM-45G	Colt Govt. Mod. Grooved	2F18P66 \$ 27.98
#692-545-400DE	CO-45	Colt Off. Mod. 45	2F18P66 \$ 27.98
#285-511-100DE	Detonics	Combat Master	5H21A42 \$ 26.78

PACHMAYR 1911 AUTO AMERICAN LEGEND GRIPS

The Look & Feel Of Real Wood, Plus The Handling & Control Of Rubber



Rugged, dual-material grips combine the appearance and feel of real wood with the control and handling benefits of rubber combat grips. Smooth grip panels of attractive Pacwood, a rosewood laminate with a durable satin-finish, are inlaid for ambi safeties, with cutouts for

mainspring housing pin and neatly beveled bottom edges. The insert of durable, semi-soft Decelerator® neoprene rubber has sharp diamonds molded in the side panels for superior gripping surface, wet or dry, that won't bite into your hand. Deep, molded finger grooves on the frontstrap provide maximum control and comfort. For either right- or left-handed shooters, these grips will complement the finest accurizing job or combat alterations. Installation requires no alterations to gun.

SPECS: Smooth rosewood laminate, with black molded neoprene rubber. Fits 1911 Auto Govt. and Commander pistols.

#692-000-022DE Legend Finger Groove Grips, 2F28A00 \$ 41.98

PEARCE SEMI-AUTO GRIPS

1911 AUTO MODULAR HANDGUN GRIPS - Soft, rubber grips add both style and controllability to any full-size 1911 Auto. Thin, contoured shape provides additional support for the inside of the palm. Gives reach for shooters with smaller hands. Classic, double-diamond pattern with sharp 18 lpi checkering ensures a positive, no-slip grip. Use independently or with the finger-groove, wrap-around grip enhancement below.

SPECS: Soft rubber, black. Reinforced backing.

#092-100-011DE 1911 Auto Grip Panels 2K09Z10 . . \$ 14.50
#092-100-014DE Officers ACP Grip Panels 2K09Z10 . 14.50

FINGER-GROOVE GRIP ENHANCEMENT - Adds increased control and repeatable finger placement. Installs easily, no permanent modifications required. May be used with the **Pearce Soft Rubber Grips** above, or your favorite aftermarket panel.

SPECS: Soft rubber, black.

#092-100-012DE 1911 Grip Enhancement, 2K06Z90 \$ 11.00
#092-100-017DE Officers ACP Grip Enh., 2K06Z90 11.00

1911 AUTO

GRIPS & SCREWS

Shop

1911 grips Search

brownells.com

ROCO FIREARMTECHNOLOGY 1911 AUTO WALNUT GRIPS



Designed For Shooting Comfort & Accuracy

Solid walnut grips enhance your hold with their contoured swell that fills and supports the palm for increased shooting comfort. Helps accommodate differences in finger length for a more consistent trigger pull and accuracy. Stippled surface allows secure, non-slip contact with the hand without abrading the skin during recoil. Made from fancy Turkish Walnut hardened for extra strength, then finished and sealed with urethane resin.

SPECS: Turkish Walnut. Fits Government length grip only. #100-002-551DE 1911 Grip 3A31Z92 \$ 39.90

1911 MASTER GRIP - Wrap-around shape and formed palm swell helps ensure a consistent hold. Stippled surface in the palm area helps prevent slipping. Designed for either left or right hand shooting; increased length provides ample space for a stronger, two-hand hold.

SPECS: Turkish Walnut. Fits Govt. length grip frame only. Will not fit guns with add-on Mag wells or Springfield 1911s built before 2004.

#100-002-552DE 1911 Master Grip 3A73Z13 \$ 97.50



Blast Black Desert Blonde

VZ GRIPS 1911 AUTO VZ 320 GRIPS

Extremely Stable In All Weather Conditions; Superior Gripping Texture That Won't Snag On Clothing

Attractive, square bottom warp-proof panels of lightweight canvas Micarta laminate provide an excellent gripping surface that will not abrade or catch on clothing, making these grips the perfect addition to any carry gun. Micro CNC milling, plus a unique texturing process creates a grip texture similar to fine, 320 grit sandpaper. Laminate construction forms a resilient, solvent-resistant panel that's completely stable in all temperature and

humidity extremes to maintain a custom fit indefinitely. Grips are not relieved for ambidextrous safety. **Blasted Black Canvas** is a versatile, medium gray color overall, highlighted with light gray strands of canvas. **Desert Blonde Canvas** is a medium tan color with contrasting strands of light tan canvas that matches well with desert camo gear.

SPECS: Canvas Micarta laminate, Blasted Black or Desert Blonde. 3/16" (5mm) thick. Fits 1911 Auto Government and Commander models.

#100-003-191DE Blasted Black 320 Micarta Grips, 7A45Y00 \$ 56.00

#100-003-192DE Desert Blonde 320 Micarta Grips, 7A45Y00 56.00

VZ GRIPS 1911 AUTO "GATOR-BACK" GRIPS

Comfortable, Non-Slip MICARTA® Grip



Durable Micarta® panels provide a custom look to your 1911. Available in three Micarta® types: **Paper**, which is dense in color and very decorative; **Linen**, medium grade in toughness and durability; **Canvas**, thickest of the three with canvas threads in the milled finish for additional grip texture. All resist temperature changes and have length-wise ridges that resemble alligator back hide for a distinct look and a comfortable, non-slip grip. Models available for Government & Officers standard, slim, and Bobtail.

SPECS: Standard is approximately .25" (6.3mm) thick, Slim is approximately .175" (4mm) thick.

GOVERNMENT

STD. STK #	SLIM STK #	COLOR
#100-001-742DE	#100-001-750DE	Blast Black Canvas
#100-001-743DE	#100-001-751DE	Green Canvas
#100-001-744DE	#100-001-752DE	Black Paper
#100-001-745DE	#100-001-753DE	Green/Black Linen

- Advise # - Gator-Back Grip Gov't Std 7A45C00 . . . \$ 56.00
- Advise # - Gator-Back Grip Gov't Slim 7A45C00 . . . 56.00

OFFICERS

STD. STK #	SLIM STK #	COLOR
#100-001-746DE	#100-001-754DE	Blast Black Canvas
#100-001-747DE	#100-001-755DE	Green Canvas
#100-001-748DE	#100-001-756DE	Black Paper
#100-001-749DE	#100-001-757DE	Green/Black Linen

- Advise # - Gator-Back Grip Off. Std 7A48C00 . . . \$ 56.00
- Advise # - Gator-Back Grip Off. Slim 7A48C00 . . . 56.00

BOBTAIL GOVERNMENT

STD. STK #	COLOR	PRICE
#100-001-758DE	Blast Black Canvas	7A48C00 \$ 60.00

VINTAGE GUN GRIPS REPRODUCTION HANDGUN GRIPS



Faithful Reproductions Of The Original, Hard, Black Rubber Grips

Modern, high-quality reproductions of the original Colt 1911 Commander grip panels make restoring that "turn-of-the-century" pistol easier and more authentic. Guaranteed to fit correctly and look "right" because the checkering pattern, rampant Colt logo, borders and decorations have all been faithfully reproduced

from the originals using CAD/CAM techniques and injection molding.

SPECS: Black, plastic. Screws and escutcheons are not included. Fits Colt 1911 Commander.

#121-100-027DE Colt 1911 Comm. Grips 1B25Z40 . . . \$ 31.75

WILSON COMBAT 1911 AUTO EXOTIC WOOD GRIPS

Beautiful Hardwoods, Custom Crafted

Double-diamond, 20 lpi checkering, relief cut for ambi safety with Wilson "Eagle" logo.

SPECS: Approx. 1/4" (6.3mm) thick. Fit Govt./Comm.

#965-351-105DE Kingwood Grip, 5F50H96 \$ 59.95

#965-351-102DE Cocobolo Grip 5F50H96 59.95



BROWNELLS 1911 AUTO TiN-COATED TORX & ALLEN HEAD GRIP SCREWS



Bright Gold Accents For Your Favorite 1911; Ultra-Hard To Resist Wear

Really dresses up and accentuates the grip panels on any model of 1911 Auto; a great finishing touch for your favorite custom pistol. Brownells, **Stainless Steel Grip Screws** with ultra-hard, gold-colored, Titanium nitride coating; Allen or Torx sockets help prevent stripped or damaged screw heads.

SPECS: Stainless steel, .150"-50 x .250" top. 4 screws per pak, includes correct wrench.

#080-833-004DE TiN Torx Grip Screws 8K09D93 . . . \$ 14.21
#080-834-004DE TiN Allen Grip Screws 8K09D23 . . . 13.18

BROWNELLS 1911 AUTO ALLEN HEAD GRIP SCREWS

No-Slip Head With A Custom Look

Puts an end to scratched and marred screw heads on 1911 Auto pistols. Machined and hardened screws use an Allen head socket to prevent the wrench from slipping and making your "masterpiece" look less-than-perfect.

SPECS: Steel, heat treated. .150"-50 x .250". Available blued (BLU) or stainless steel (SS). Sold in single and multiple paks of 4 screws, each pak contains one wrench.

STOCK #	FINISH	QTY.	PRICE
#080-831-004DE	BLU	4	8K08D59 \$ 12.25
#080-831-104DE	SS	4	8K10D14 \$ 13.85
#080-831-024DE	BLU	24	8K40D23 \$ 57.49
#080-831-124DE	SS	24	8K42D09 \$ 60.77
#080-831-048DE	BLU	48	8K68D64 \$ 85.71
#080-831-148DE	SS	48	8K72D72 \$ 103.88

BROWNELLS TORX® HEAD GRIP SCREWS



Prevents Scratched Frames & Grips

Positive wrench engagement prevents scratches and marks on 1911 Auto frames and custom grips. Miniature star shape adds that distinctive, personal touch to a favorite pistol. Machined and hardened screws fit flush in all factory and aftermarket 1911 Auto grip panels.

SPECS: Steel, heat-treated. .150"-50 x .250". Available blued (BLU) or stainless steel (SS). Sold in single and multiple paks of 4 screws, each pak contains one wrench.

STOCK #	FINISH	QTY.	PRICE
#080-830-004DE	BLU	4	8K07H96 \$ 11.37
#080-830-104DE	SS	4	8K08D85 \$ 12.65
#080-830-024DE	BLU	24	8K37H01 \$ 52.85
#080-830-124DE	SS	24	8K41D40 \$ 59.15
#080-830-048DE	BLU	48	8K65D22 \$ 93.15
#080-830-148DE	SS	48	8K72D06 \$ 102.95

ED BROWN ALLEN HEAD GRIP SCREWS

Give Your 1911 Auto That High Tech Look

Beautifully machined with the correctly proportioned head and hole size, contoured to fit flush in any 1911 grip and look great. No more buggered screw heads.

SPECS: Heat-treated steel, .150"-50 x .250". Available in blued (BLU) or stainless steel (SS). Pak of 4 includes 3/32" Allen wrench.

#087-011-004DE 4-Pak, BLU Grip Screws 7H05U91 . . . \$ 740
#087-011-104DE 4-Pak, SS Grip Screws 7H06U38 798
#087-011-024DE 24-Pak, BLU Grip Screws 7H32U51 . . 40.65
#087-011-124DE 24-Pak, SS Grip Screws 7H35U06 . . . 43.83

S & A 1911 AUTO ENGRAVED GRIP SCREWS

Give Your Gun A Unique, Individual Appearance

Hand engraved, polished and blued screws with an attractive floral pattern that provides a distinctive, custom look to 1911 Auto pistols. Hex head "slot" blends into the engraving pattern, plus reduces the possibility of slot damage. Blue or Stainless steel complements the finest exotic wood grips.

SPECS: Steel, polished blue or stainless steel (SS) matte finish. Four per pack.

#849-015-011DE Blue 1911 Engraved Screws, 9D16Y00 \$ 20.00
#849-015-111DE SS 1911 Engraved Screws 9D16Y80. 21.00

STI 2011 GRIP SCREW KIT

Stainless Steel Replacement Hardware For Polymer Framed 2011's

Factory hardware fits 2011 pistol frames to ensure reliable performance. Kit is the perfect option when building a 2011 pistol, or keep as a spare to replace lost or damaged screws. Includes two grip screw bushings, trigger guard sleeve, two long grip screws, two short grip screws, two trigger guard screws, and three allen wrenches.

SPECS: Stainless steel, natural finish. Kit includes: (2) grip screw bushings, (1) trigger guard sleeve, (2) long grip screws, (2) short grip screws, (2) trigger guard screws, (1) 1/8" allen wrench, and (2) 1/16" allen wrenches.

#791-117-000DE 2011 Grip Screw Kit 1G16Y63 \$ 20.80

VZ GRIPS 1911 AUTO VZ OPERATOR'S GRIPS

Aggressive Texture For Improved Pistol Control

Durable, tactical style grips provide improved pistol control during peak shooting action. Dimensionally stable, CNC machined, square bottom panels feature moderately coarse checkering and diagonal grooving for improved grip traction. Ball-cut grooves increase the available surface area to help you resist grip rotation during recoil. Hard G10 fiberglass composite is non-reflective and meets select military requirements. **Paper Micarta** has a semi-gloss finish. Both models available in black only and are not relieved for ambidextrous safety.

SPECS: Approximately 1/4" (6.3mm) thick. Fit 1911 Auto Govt. and Commander. G10 - Fiberglass composite, black, matte finish. **Paper Micarta** - Micarta, black, semi-gloss finish.

#100-003-189DE G10 Grips, Black 7A53Y50 \$ 65.00
#100-003-190DE Paper Micarta Grips, Black 7A45Y00 56.00

BROWNELLS 1911 AUTO STOCK BUSHINGS, SCREWS & TAPS



Made to Original Factory Specs For Easy Replacement

The 1911 Government model auto is about as rugged as a mountain mule, but when you take the grips off to polish and reblue the critter or put on another set of grips, chances are that at least one of the stock screws will need replacing, or, worse yet, the stock frame bushing will be stripped. And, when you remove the frame bushings to get the best polishing job on the frame, you'll find yourself looking for new bushings.

STANDARD STOCK BUSHING & SCREWS

Nicely made and finished, these special-sized, blued screws and bushings are packed in sets of 4 Screws or 4 Bushings. We've also had the proper sized taps made up as well.

SPECS: Blued steel. Screws - .150"-50. Bushings - .236"-60. Taps - High speed steel. .150"-50 (screws), .236"-60 (bushings). Use $\frac{1}{32}$ " tap drill for bushing; #31 tap drill for .150"-50 screw.

- #080-568-004DE **Stock Bushings**, per 1 set of 4, 8K04T29 \$ 7.15
- #080-568-412DE **Stock Bushings**, 6 sets of 4 (24), 8K19T26 41.05
- #080-568-425DE **Stock Bushings**, 12 sets of 4 (48), 8K29T75 81.00
- #080-569-004DE **Stock Screws**, per 1 set of 4, 8K03T63 7.88
- #080-569-412DE **Stock Screws**, 6 sets of 4 (24), 8K15T65 45.93
- #080-569-425DE **Stock Screws**, 12 sets of 4 (48), 8K23T56 88.69
- #080-598-150DE **1911 Auto Screw Tap** 2K27T07 34.95
- #080-598-236DE **1911 Auto Bushing Tap** 2K28T42 37.10

STAINLESS STEEL STOCK BUSHING & SCREWS

Look "right" on stainless steel and nickel-plated guns. **SPECS:** .150"-50 thread.

- #078-045-104DE **SS Stock Bushings**, Set of 4, 8G06A23 \$ 10.79
- #078-045-412DE **SS Stock Bushings**, 6 sets of 4 (24), 8G30A68 64.35
- #078-045-425DE **SS Stock Bushings**, 12 sets of 4 (48), 8G46A34 128.12
- #080-573-004DE **SS Stock Screws**, Set of 4, 8K04T99 8.32
- #080-573-412DE **SS Stock Screws**, 6 sets of 4 (24), 8K23T85 49.23
- #080-573-425DE **SS Stock Screws**, 12 sets of 4 (48), 8K40T12 95.60

GRIP SCREWS & BUSHINGS

BROWNELLS TRI-WING GRIP SCREWS - Offers positive driver purchase plus a neat way to set your 1911 Auto apart. Three recesses in a symmetrical design.

SPECS: Stainless steel, heat treated, .150"-50 x .250". Sold 4 screws per pak. Includes Tri-wing driver.

- #080-863-104DE **Tri-Wing Grip Screws**, 8K11Y74 \$ 17.65

NOWLIN CUSTOM HEX HEAD GRIP SCREWS & BUSHINGS - Fully machined and hardened hex head grip screws in natural stainless steel that's a real eye-catcher on custom pistols.

SPECS: Stainless steel. .150"-50 tpi x .250". Four per pak.

- #654-109-104DE **SS Hex Head Screws**, 4E08V11 \$ 10.13
- #654-110-004DE **Grip Screw Bushings**, 4E04V45 5.57

BROWNELLS 1911 AUTO OVERSIZED STOCK BUSHINGS & TAP



Professionally & Easily Replace Stripped-Out Bushing Holes - No Welding Or Drilling

Easily and professionally solves the problem of stripped out stock bushing holes. Special tap cleans out stripped frame threads, cuts new ones without pre-drilling. Matching bushing screws right in, uses original grip screw. Will save your life when polishing/bluing, accurizing .45"!

SPECS: Bushings - .255"-60, blued steel. Tap - High speed steel.

- #080-570-000DE **Oversized Bushing Set**, Basic, 1 set of 4/one tap 8K29T74 \$ 54.00
- #080-571-100DE **Oversized Bushing Set**, Deluxe, 6 sets of 4, (24)one tap 8K50T39 92.04
- #080-572-012DE **Oversized .45 Bushings**, per 1 set of 4, 8K07T98 12.47
- #080-572-025DE **Oversized .45 Bushings**, 6 sets of 4, (24), 8K38T50 59.97
- #080-572-050DE **Oversized .45 Bushings**, 12 sets of 4, (48), 8K61T59 96.97
- #080-598-225DE **Oversized Bushing Tap**, each, 8K24T64 44.58

BROWNELLS 1911 AUTO SLIM GRIP SCREWS AND BUSHINGS



The Right Fit For Thin Grips

Replacement package of four, short screws and bushings for use with Slim Grips. Hex head looks great and prevents ragged looking screws.

SPECS: Steel, blued or stainless steel, natural. Socket head screws. .150"-50 tpi. Bushings: .236"-60 tpi.

- #080-000-074DE **Blue Slim Grip Screws & Bushings**, 8K08Y67 \$ 11.56
- #080-000-075DE **SS Slim Grip Screws & Bushings**, 8K10Y00 13.34

WILSON COMBAT 1911 AUTO HEX HEAD GRIP SCREWS




Eliminates Burred Screw Slots

Gives positive purchase for removing grip screws and prevents damaged, ragged-looking grips and screws. Fit flush with most grips. Available with blue or natural stainless steel finish to match your pistol.

SPECS: Steel, heat treated, .150"-50 x .250". Available blue or stainless steel. Includes Allen wrench.

- #965-313-004DE **4 Hex Head Blue Screws** 5F05A70 \$ 6.95
- #965-313-024DE **24 Hex Head Blue Screws** 5F29A11 35.50
- #965-313-104DE **4 Hex Head SS Screws** 5F06A52 7.95
- #965-313-124DE **24 Hex Head SS Screws** 5F32A76 39.95

ARISTOCRAT 1911 AUTO ADJUSTABLE SIGHTS



Simplified Mill-In Installation

Blends beautifully with the 1911 Auto slide. Hidden recoil shoulder prevents shoot-off. Your $\frac{1}{8}$ " center-cut end mill makes the necessary cuts, no dovetails. **Tri-Set** - Slotted cam selects three pre-set positions for fast elevation changes.

SPECS: Blued steel, satin finish. **Body** - 2.2" (5.6cm) long, .700" (17.7mm) wide. **Blade** - .874" (22mm) wide, .432" (11mm) high.

Notch - .11" (2.8mm) wide. Use approx. .215" (5.4mm) high front sight. Installation requires milling of slide.

- #044-045-401DE **TS-45 Tri-Set Rear**, 4D130U08 \$ 154.95

ARISTOCRAT 1911 AUTO SIGHT RIB



Front & Rear Adjusting Ribs

Unique, Poly-Set system allows selection of three, pre-set sight elevations for standard combat distances. Can be reset to any of those distances with a quick, easy movement of the elevation cam. Also adjusts for windage. Rib top is serrated and blade notch beveled to reduce glare. Underside internally hollowed to save weight. Durable, steel front sight won't snag and break off. Available for Govt. Model and Govt. Model with long slide.

SPECS: Steel, blued. Screws and instructions included. Gunsmith installation required. **Govt. Model** - 7/8" (18.1cm) long; fits 1911 Auto Government Model with 5" barrel. **Govt. Model Long** - 8 1/4" (21cm) long; fits 1911 Auto Government Models with long slides and 6" barrel.

- #044-000-023DE **Govt. Model Auto 5" Rib**, 4D165P62 \$ 204.95
- #044-000-024DE **Govt. Model Long Auto 6" Rib**, 4D165P62 204.95



BRAZOS CUSTOM LIGHTNING ROD SIGHT

Bright Red Sight Holds Your Eye On Target

Extra long, fiber optic rod provides a glowing sight picture that draws your eye to the sight. Open center blade lets in lots of light for a bright red, easy-to-see dot. Five heights, for use with, fixed and adjustable, ghost ring, v-notch and conventional sights. Includes green, yellow and red optic rods.

SPECS: Steel, black, matte finish. Kimber/Novak, 65° x .330" x .075" dovetail. .127" (3.2mm) wide, .150" (3.8mm), .160" (4mm), .175" (4.5mm), .200" (5mm), .240" (6mm) high. .820" (21mm) long.

- #985-000-001DE **.150" Lightning Rod Sight**, 5H28C00 \$ 34.95
- #985-000-002DE **.160" Lightning Rod Sight** 5H28C00. 34.95
- #985-000-003DE **.175" Lightning Rod Sight** 5H28C00. 34.95
- #985-100-330DE **.200" Lightning Rod Sight** 5H28C00. 34.99
- #985-000-004DE **.240" Lightning Rod Sight** 5H28C00. 34.95

CASPIAN FIBER OPTIC DOVETAIL SIGHT

Enhanced Sight Picture, Faster Sight Pickup

Light gathering, interchangeable green and red fiber optic rods really stand out against various target backgrounds. Improves front sight visibility, excels with ghost ring rear sights.

SPECS: Steel, matte black finish. Blade .185" high, .125" wide. **60N:** 65° x .330" x .75" dovetail. **60H:** 60° x .300" x .60" dovetail. **#168-203-600DE 60N Fiber Optic Sight** 8F17B17 ... \$ 21.46

#168-203-605DE 60H Fiber Optic Sight 8F17B17 ... 21.46

CASPIAN ADJUSTABLE SIGHT

3 Styles Improve Sight Picture, Target Acquisition, Visibility

Low profile body with rounded corners helps eliminate snagging. Serrated rear blade prevents glare and helps guide your eye to the sight. **Target** - narrow notch provides precise, open sighting for Bullseye or target competition. **Round Ghost Ring** - gives quick sight alignment for fast target acquisition. **Diamond Ghost Ring** - combines speed and accuracy in bright lighting conditions when used with fiber optic front sights. Fits the **BM-1** sight cut or the **LPA** sight cut found on Springfield, Para-Ord and others. Fully adjustable for windage and elevation.

SPECS: Steel, black, matte finish. Rear blade .423" (10.7mm) high. .900" (22.8mm) wide. Target notch .128" (3.27mm) wide. Installation requires machining of slide.

CHAMPION GUNSIGHT DEFENSIVE SIGHTS

Low Profile, No-Snag Design For Self Defense Pistols



No sharp edges to drag on holsters or snag clothing because these low profile sights are designed specifically for concealed carry. EDM machined from 4140 steel, then heat-treated to Rc 38-40 and vacuum tempered. Fully Adjustable (**Adj.**) models are click-adjustable for windage and elevation. Elevation Adjustable (**Elev.**) model provides the consistency of click adjustment for elevation only. Fixed (**Fxd.**) models feature no adjustments for maximum reliability and simplicity preferred by many shooters. White Dot (**WD**) model features two white, ABS plastic .070" (1.8mm) diameter dots, one on each side of rear notch. Tritium (**Trit.**) versions feature dual, self-luminous, .076" (1.9mm) diameter, green Tritium dots on both sides of the rear notch for improved sighting in low light conditions. Serrated (**Sert.**) models feature fine line serrations on the rear surface of the sight. Available to fit Novak-style dovetail and Kimber pistols equipped with factory fixed sights.

SPECS: 4140 steel, blue, matte finish. **Lo-Mount** - fits Novak-style 65° x .495" dovetail cut. **Kimber** - fits Kimber models with factory-equipped fixed sights.

STOCK #	MODEL	PRICE
#100-002-639DE	Lo-Mount, Adj.	5A51Y50 \$ 64.95
#100-002-640DE	Lo-Mount, Adj./Sert.	5A53Y00 \$ 68.95
#100-003-068DE	Lo-Mount, Adj./Sert./WD	5A54H95 \$ 69.95
#100-002-641DE	Lo-Mount Elev./Trit.	5A79T95 \$ 99.95
#100-002-642DE	Lo-Mount Adj./Trit.	5A89T95 \$ 117.95
#100-002-643DE	Lo-Mount Fxd./Sert.	5A27T95 \$ 34.95
#100-002-916DE	Lo-Mount, Fxd./WD	5A27P95 \$ 35.95
#100-002-644DE	Lo-Mount Fxd./Trit.	5A55T97 \$ 74.95
#100-002-645DE	Kimber Mount Adj./Sert.	5A28T95 \$ 36.95
#100-002-646DE	Kimber Fxd./Trit.	5A58T95 \$ 76.95

CHAMPION GUNSIGHT 1911 AUTO ADJUSTABLE NIGHT SIGHT

Glowing Tritium Lamps Maximize Sight Visibility In Low Light

Genuine, Trijicon, green Tritium lamps feature polished quartz lenses for improved sight recognition in low light, plus appear as white dots for enhanced sight acquisition in bright sunlight as well. Sight bodies are EDM machined from 4140 steel, then heat-treated to Rc 38-40 and vacuum tempered to retain the extra-tight tolerances. Features precise click-adjustments for consistent changes in windage and elevation. Fine line serrations on rear blade surface cuts light reflection to enhance sight pick up.

SPECS: 4140 steel, blue, matte finish. .076" (1.9mm) diameter Tritium lamps. **BM #1** retrofits pistols modified to accept the Bo-Mar BMCS rear sight. **LPA** fits Springfield Armory, Para-Ordnance, and Charles Daly 1911 Autos using the LPA TRT dovetail. **Kimber Adjustable** fits Kimber models with adjustable factory rear sight. **Elliason** fits Colt Gold Cup, Officer's Model Match, Ace, and others originally fitted with either Accro or Elliason sights.

- #100-002-627DE **BM #1** 5A84Y95 \$ 109.95
- #100-002-628DE **LPA** 5A87Y95 114.95
- #100-002-629DE **Kimber Adjustable** 5A87Y95 114.95
- #100-003-407DE **Elliason Adjustable** 5A83H50 104.95

STOCK #	FITS	STYLE	PRICE
#168-202-100DE	BM-1	Target	8F53B00 \$ 66.25
#168-202-101DE	BM-1	Round	8F53B00 \$ 66.25
#168-202-102DE	BM-1	Diamond	8F53B00 \$ 66.25
#168-202-110DE	LPA	Target	8F53B00 \$ 66.25
#168-202-111DE	LPA	Round	8F53B00 \$ 66.25
#168-202-112DE	LPA	Diamond	8F53B00 \$ 66.25

Model
NEW **CHAMPION GUNSIGHT 1911 AUTO CLASSIC TARGET SIGHT**



Produced For Precision Fit & Function

Provides consistent accuracy through better production methods. Electro-discharge machined from 4140 steel, heat-treated to Rc 38-40, then vacuum tempered to help retain these tolerances for many years to come. One-piece blade is cut from solid steel barstock, so it won't fly apart when your shot matters most. Consistent, click-adjustable detents for windage and elevation give precise repeatability. All models except **Accro** feature a full-serrated, square corner blade for better target recognition and a rebated square notch for improved, "shadowless" front sight definition. **BM #1 Deep Notch** features a .020" deeper sight notch and finer surface serrations than standard model for easier front sight acquisition. **White Dot** model has rounded corners like the old Bo-Mar combat style adjustable sight, and features two, white, .070" (1.8mm) diameter dots, one on each side of rear notch.

SPECS: 4140 steel, blue, matte finish. Blade - .750" (19mm) wide, .433" (1mm) thick. Notch - .100" (2.5mm) deep (except BM #1 Deep Notch), .134" (3.3mm) wide.

STOCK #	FITS DOVETAIL	PRICE
#100-002-632DE	BM #1 Standard	5A51Y50 \$ 64.95
#100-002-633DE	BM #1 Deep Notch	5A52Y50 \$ 69.95
#100-003-069DE	BM #1 White Dot	5A54H95 \$ 69.95
#100-002-634DE	Kimber 1911 Adj.	5A52Y50 \$ 67.95
#100-002-635DE	Elliason	5A40Y00 \$ 53.95
#100-003-408DE	Accro	5A40H00 \$ 59.95

CHAMPION GUNSIGHT 1911 AUTO COMBAT CARRY ADJUSTABLE SIGHT

Rounded Blade Edges Won't Snag



Enjoy the accuracy of a fully adjustable, competition-style rear sight in a package suitable for daily carry. Beveled edges on sight body and radiused corners on blade minimize chances of snagging on clothing or holster. Blade, sight body, and base are EDM-wire machined from high-grade, 4140 billet steel, then heat-treated to Rc 28-32 to retain the extra-tight tolerances. Front hinge pin is hardened to Rc 60 for reliable, long-lasting service without breakage. Fine serrations EDM machined on the rear sight blade surface reduce light reflection to enhance sight pick up in all light conditions. Consistent, click adjustable detents for windage and elevation provide precise, repeatable settings.

SPECS: 4140 steel, blued, matte finish. **BM #1** - Fits pistols with the Bo-Mar BMCS rear sight dovetail. **Spgfild 1911** - Fits Springfield Armory, Para-Ordnance, Nowlin, High Standard, Olympic Arms, and Charles Daly 1911 auto slides cut for adjustable sights.

#100-002-637DE	BM #1 Rear Sight, 5A51Y50	\$ 64.95
#100-002-638DE	Spgfild 1911 Rear Sight, 5A52Y50	67.95

ENTREPRISE ARMS 1911 AUTO GHOST RING NIGHT SIGHT

Easy-to-See, Day or Night



Low, trim design positions the aperture close to the slide for minimum bulk, maximum speed and accuracy. Large ring and post-style front sight with green Tritium inserts help you quickly acquire targets using the eye's natural ability to center objects in a circle. A fast, accurate sighting system. Great for self-defense pistols.

SPECS: 4140 steel, blue, matte finish. Rear Aperture - (2) Tritium inserts. .193" (4.9mm) diameter ghost ring. Front Sight - (1) Tritium insert, wide tenon, 65° x .330" x .075" dovetail, installation requires modification to slide.

#292-011-100DE Ghost Ring Sight Set 2B120H00 . . \$ 171.01

EGW 1911 AUTO FIBER OPTIC FRONT SIGHT

Enhanced Sight Picture In Bright Or Low Light

Interchangeable, red or green, fiber optic insert glows brightly, drawing your eye to the sight for fast pickup and improved shooting performance. Open center gathers lots of light for a bright dot. Three heights match most rear sights. **Kimber** and **Para-Ord** replace factory height blades. Fits factory dovetails. **SPECS:** Steel, black, matte finish. Blade - .125" (3.2mm) wide. Models for 65° x .330" x .070", 60° x .330" x .070" dovetails, plus Kimber Classic, and Para-Ord Limited.

STK # 65°	STK # 60°	HEIGHT	PRICE
#296-065-160DE	#296-060-160DE	.160"	6B24Z00 \$ 30.00
#296-065-185DE	#296-060-185DE	.185"	6B24Z00 \$ 30.00
#296-065-200DE	#296-060-200DE	.200"	6B24Z00 \$ 30.00

STK # KIMBER	STK # PARA	HEIGHT	PRICE
#296-000-004DE	NA	.150"	6B24X00 \$ 30.00
#296-000-005DE	NA	.160"	6B24X00 \$ 30.00
#296-000-006DE	#296-000-008DE	.175"	6B24X00 \$ 30.00
#296-000-007DE	#296-000-044DE	.200"	6B24X00 \$ 30.00

REPLACEMENT RODS - Change sight colors or replace damaged rods. 4 rods per pak, 2-red and 2-green. Fits above sights. **SPECS:** Fiber optic rods. .058" (1.5mm) dia. Approximately 1/2" long.

#296-000-009DE 4-Pak Replacement Rods 6B06X00 . \$ 75.00

BIG DOT REPLACEMENT RODS - Big, glowing dot grabs your eye. 4 rods per pak, 2-red and 2-green. Fits above sights. **SPECS:** Fiber optic rods. Approx. 1/2" long. .0885" (2.25mm) dia.

#296-000-045DE 4-Pak Big Dot Repl. Rods 6B07A34 . \$ 97.78

HEINIE SPECIALTY 1911 AUTO TRIJICON® FRONT DOVETAIL SIGHT

Serrated Ramps & Tritium Dots For Fast Pickup



Fully-contoured, cross-dovetail sights complete with the increased, low light visibility of genuine Trijicon, tritium vials. Tapered dovetail holds the sight firmly. Fits nominal 60° x .300" x .060" front sight dovetails.

SPECS: Steel, blued, matte finish, green dot. **Blade:** .126" (3.2mm) wide, .175" (4.4mm), .185" (4.6mm), .190" (4.8mm) or .200" (5mm) high. Installation requires machining of slide.

#394-000-001DE	.175" Tritium Sight 4C39Z97	49.96
#394-311-185DE	.185" Tritium Sight 4C39Y97	49.96
#394-311-190DE	.190" Tritium Sight 4C39Y97	49.96
#394-311-200DE	.200" Tritium Sight 4C39Y97	49.96

HEINIE SPECIALTY 1911 AUTO RAMPED DOVETAIL FRONT SIGHT

A Bold, Easy-To-See Sight Picture In A Compact, Easy-To-Carry Shape



Serrated-ramp fronts provide a perfect match for low mount, rear sights.

Available with **Black Ramp (BR)** or **White Dot (WD)**. Installation requires machining of slide. .185" or .190" match Heinie 1911 and Bo-Mar BMCS rears. .200" front matches Heinie Browning HP Rear.

SPECS: Steel, blue, matte finish. **Blade** - .126" (3.1mm) wide, .175" (4.4mm), .185" (4.6mm), .190" (4.8mm), .200" (5mm) high, .500" (12.7mm) long. **Dovetail** - 60° x 300" x .060" with .002" taper.

STOCK # BR	STOCK # WD	HEIGHT
#394-000-002DE	NA	.175"
#394-309-185DE	#394-312-185DE	.185"
#394-309-190DE	#394-312-190DE	.190"
#394-309-200DE	#394-312-200DE	.200"

- Advise # - BR Ramped Front Sight 4C17Z72 . . \$ 22.15
- Advise # - WD Ramped Front Sight 4C19Y49 . . \$ 24.36

Models **HEINIE SPECIALTY 1911 AUTO SLANTPRO™ NIGHT SIGHTS**



No-Snag, Low-Profile With Tritium Dots For Enhanced Visibility In Low Light

The ultimate marriage of quality and function, Trijicon® self-illuminating tritium inserts provide a fast, easy-to-acquire sight picture in all light conditions. Wedge shaped body has fully rounded edges and sets low in the slide for minimum profile and a smooth, snag-free draw for concealed carry and competition guns. Fine line serrations on rear of blades eliminate glare for the best possible sight picture. Dovetails are cut .002"-.003" oversized to fit existing sight cuts; gunsmith fitting may be required. Supplied as a set of front and rear sights except where indicated. **Straight Eight** - One tritium dot on the front sight and one on the rear align vertically for exceptionally fast acquisition. **Ultra Low Mount** provides an even more compact profile; fits pistols with Novak-type .500" x 65° dovetail in slide. "T" suffix on model number indicates rear sight is .050" taller to provide correct sight picture on smaller short-slide pistols. **Ultra Low Mount Ledge** - Front edge of the rear sight blade has been cut square to provide adequate purchase for one-handed racking of the slide. Available in standard and T models, with one centered Trijicon insert for "Straight Eight" sight picture or with two side-by-side inserts for a more traditional, three-dot horizontal sight picture. **SPECS:** Steel, matte blue finish. **Straight Eight** - Rear notch is .125" wide. **1911 Auto** fits .375" x 65° rear dovetail and .300" x 60° front dovetail. May require milling of slide to install. Instructions included. **Kimber** and **S&W** fit factory dovetails. May require minor fitting. **Ultra Low Mount**, including **Ledge**, fits Novak-type .500" x 65° dovetail. "T" suffix on model number indicates .050" taller height for short-slide compact pistols. May require minor fitting. **357R** may be used with factory front sight.

STRAIGHT EIGHT FRONT/REAR SETS

STOCK #	MODEL #	FITS	HEIGHT		PRICE
			REAR	FRONT	
#394-102-306DE	3005	1911 Auto	.450"	.190"	4C103A74 \$ 129.68
#394-102-355DE	355	Kimber (fixed rear)	.375"	.185"	4C103A74 \$ 129.68
#394-000-020DE	357	Kimber (adj. rear)	.465"	.185"	4C103Z74 \$ 129.68
#394-000-021DE	357R	Kimber (adj. rear, only)	.465"	-	4C63Z82 \$ 79.78
#394-000-026DE	405	S&W 1911	.305"	.175"	4C103Z74 \$ 129.68

ULTRA LOW MOUNT REAR SIGHTS

STOCK #	MODEL #	STYLE	HEIGHT	NOTCH	PRICE
#394-000-008DE	365	Standard, 1 dot	.325"	.125"	4C63Z82 \$ 79.78
#394-000-034DE	365-T	Standard, 1 dot	.375"	.125"	4C63A82 \$ 79.78
#394-000-031DE	362	Standard, 2 dot	.325"	.125"	4C76Z18 \$ 95.22
#394-000-037DE	366	Ledge, 1 dot	.325"	.140"	4C63A82 \$ 79.78
#394-000-038DE	366-T	Ledge, 1 dot	.375"	.140"	4C63A82 \$ 79.78
#394-000-035DE	363	Ledge, 2 dot	.325"	.140"	4C76A18 \$ 95.22
#394-000-036DE	363-T	Ledge, 2 dot	.375"	.140"	4C76A18 \$ 95.22

ORIGINAL "STRAIGHT EIGHT" NIGHT SIGHT - Heinie's classic, low-mount, no-snag **Combat/Competition Fixed Sights** with Trijicon self-illuminating tritium lamps give a fast, easy-to-see sight picture in any light. The exclusive two-dot "Straight Eight" design makes sighting simple and fast. Serrated face of rear blade angles slightly toward the shooter to eliminate glare; smooth, rounded corners can't catch on clothing or holsters. Sold as a matching front and rear sight set.

SPECS: Steel, matte blue finish. **Rear Sight** - Body: 1.04" (2.6cm) x .695" (17 mm) x .440" (11mm). **Notch:** .125" (3.1mm) x .112" (2.8mm). **Fits** 65° x .375" dovetail. **Front Sight** - .190" high. **Fits** .300" x 60° dovetail. Installation requires milling of slide.

#394-300-000DE 1911 Auto Straight 8 Sights 4C103Y74 \$ 129.68

HEINIE SPECIALTY SLANT PRO™ SIGHT

Gives A No-Snag Draw



Wedge shaped body with rounded edges provides a smooth, snag-free draw. Sets low in the slide for minimum profile. Front and rear sight blades have fine line serrations to eliminate glare and ensure the best possible sight picture. Supplied as a front/rear set for all models listed except **Low Mount**, which is a rear sight only to fit guns with Novak dovetail dimensions. **Low Mount T** is .050" taller than standard Low Mount to provide correct sight picture on smaller, short-slide pistols. **Kimber Fixed** fits Kimber pistols with factory fixed sights. **Kimber Adj.** is a fixed sight replacement for Kimber models with factory adjustable sights.

SPECS: Steel, matte black finish. **1911** and **Kimber** - Rear: 1" (25mm) x 1/16" (17mm). **Front:** 1/2" (13mm) x 1/8" (3mm). **Low Mount** and **Low Mount T Rear** - 1" (25mm) x 1/16", fits Novak dovetail only. **Rear Sight Notch** - 1/8" wide, height varies.

STOCK #	FITS	PRICE
#394-102-305DE	1911, set	4C45A16 \$ 56.45
#394-102-350DE	Kimber Fixed, set	4C45A16 \$ 56.45
#394-000-017DE	Kimber Adj., set	4C46Z06 \$ 57.58
#394-000-007DE	Low Mount, rear	4C31Z00 \$ 38.75
#394-000-033DE	Low Mount T, rear	4C31A00 \$ 38.75



HIVIZ KIMBER 1911 AUTO INTERCHANGEABLE FIBER OPTIC FRONT SIGHT

Improves Visibility With Interchangeable Rods



Advanced fiber optic sight maintains perfect sight/target contrast in all shooting conditions by allowing you to easily interchange fiber optic rods at any time from red to green, or to a solid white color as lighting conditions change. Innovative sight base uses a locking spring to keep the LitePipe secure, while allowing interchangeability in the field with the provided key. Streamlined, no snag design helps prevent holster catch that can slow down your draw. Fits Kimber 1911 dovetail and regulates with the original factory rear sight. Includes rods, carrying case, and key for interchanging the rods. Gunsmith fitting is recommended.

SPECS: Steel, black, matte finish. Includes (3) red, (2) green, (1) white rod, carrying case, and key. Overall Sight Dimensions - 3/4" (19.1cm) long, 1/8" (3.2mm) wide, .186" (4.72mm) high from top of slide. LitePipe - .092" (2.3mm) diameter. Requires 60° x .330" x .075" dovetail. Will not fit Kimber .22 rimfire. #638-000-082DE Kimber Inter. Sight 8C21H53 \$ 35.95

MMC ADJUSTABLE PISTOL SIGHT

Low Mount, Tactical Carry Sights

Low-mount, no-slug design is adjustable for windage and elevation, plus the fully-protected rear blade won't catch on holsters or clothing.



REAR SIGHT - All steel combat-style design features adjustable blade protected by steel ears. Black, matte finish prevents glare; blends well with most duty-style applications. **Standard** sight available in Plain target, white outline and white dot. **Tritium**

models include, double bar, single bar and box bar in green; 2-dot in green, red, orange and yellow. **1911 Auto** requires machining slide for Novak Lo-Mount cut. **Kimber** fits models originally equipped with fixed sights.

FRONT SIGHT - Plain black, white dot and tritium green dot. Tritium dot is brighter than rear. **1911 Auto**, .65" x .330" x .075" (Commander) or x .050" (Officers) dovetail, .125" wide blade. Commander uses .075" dovetail. Officers uses .050" dovetail.

- SPECS:** Steel, blue, matte finish.
 - Advise # - Target Black Sight 7A19U96..... \$ 24.95
 - Advise # - White Dot Sight 7A20U76..... 25.95
 - Advise # - Tritium Sight 7A35U96..... 44.95

MMC ADJUSTABLE REAR SIGHTS

FITS	TARGET BLACK	WHITE OUTLINE	WHITE DOT	TRITIUM GREEN	TRITIUM RED	TRITIUM ORANGE	TRITIUM YELLOW	TRITIUM BOX BAR	TRITIUM DOUBLE BAR	TRITIUM SINGLE BAR
1911 Auto Govt. Comm., Officers	7A56X76 \$ 70.95 #617-150-011DE	7A60X76 \$ 75.95 #617-151-011DE	7A60X76 \$ 75.95 #617-152-011DE	7A82C36 \$ 102.95 #617-153-011DE	7A82C36 \$ 102.95 #617-154-011DE	7A82C36 \$ 102.95 #617-155-011DE	7A82H36 \$ 102.95 #617-156-011DE	7A82H36 \$ 102.95 #617-157-011DE	7A82H36 \$ 102.95 #617-158-011DE	7A82D36 \$ 102.95 #617-159-011DE
Kimber Fixed Sight Models	7A56T96 \$70.95 #617-066-020DE	7A60T76 \$ 75.95 #617-066-001DE	7A60T76 \$ 75.95 #617-066-002DE	7A82T36 \$ 102.95 #617-066-003DE	7A82T36 \$ 102.95 #617-066-004DE	7A82T36 \$ 102.95 #617-066-005DE	7A82T36 \$ 102.95 #617-066-006DE	7A82T36 \$ 102.95 #617-066-007DE	7A82T36 \$ 102.95 #617-066-008DE	NA

MMC FRONT SIGHTS					
FITS	HEIGHT	WIDTH	TARGET BLACK	WHITE DOT	TRITIUM GREEN
1911 Auto Dovetail	.125"	.125"	#617-170-125DE	#617-171-125DE	#617-172-125DE
	.150"	.125"	#617-170-150DE	#617-171-150DE	#617-172-150DE
	.175"	.125"	#617-170-175DE	#617-171-175DE	#617-172-175DE
	.200"	.125"	#617-170-200DE	#617-171-200DE	#617-172-200DE



INNOVATIVE WEAPONRY PT NIGHT SIGHT

Speeds Low-Light Aiming

Green front and colored rear, tritium lamps provide fast sight recognition in all low-light situations. Optically clear lamp lenses and high-density, shock-absorbing housings make these fixed sights a great choice for self-defense and law enforcement. **Factory** guarantees tritium elements for 15 years.

SPECS: Steel housing, matte finish, blue. **1911 Auto, Colt Govt, Officers Models Enhanced** have stake-on front sight. **Colt Enhanced Dovetail** fits Colt Enhanced Slides and old model Colt Defender with dovetail front sight cut; does not fit current production Defender.

3-DOT GREEN FRONT/RED REAR

STOCK #	FITS
#441-000-001DE	1911 Auto, wide tenon
#441-000-002DE	Colt Govt. Enhanced
#441-000-003DE	Officers Model Dovetail Front
#441-000-004DE	Officers Model Enhanced
#441-000-005DE	Colt Enhanced Dovetail Front
#441-000-011DE	Kimber

3-DOT GREEN FRONT/ORANGE REAR

STOCK #	FITS
#441-102-011DE	1911 Auto, wide tenon

3-DOT GREEN FRONT/YELLOW REAR

STOCK #	FITS
#441-103-011DE	1911 Auto, wide tenon
- Advise # - 3-Dot PT Sights 1D65X00..... \$ 85.00	

3-DOT GREEN FRONT/GREEN REAR

STOCK #	FITS
#441-000-019DE	Para-Ordnance LDA
- Advise # - 3-Dot PT Sights 1D65X00..... \$ 89.95	

KIMBER PARA ORDNANCE MEPROLIGHT TRITIUM NIGHT SIGHT

Daytime Visibility Plus Confidence In Low Light Conditions



Rugged, steel tritium sight gives you a bright, white dot for fast target acquisition in low light situations. Rear sight has two dots, front sight has one dot for positive sight picture. Sealed, Tritium vials aren't affected by even the most aggressive cleaning solvents.

SPECS: Blued steel with white tritium inserts. Fits Para Ordnance LDA models with fixed dovetail front/rear sights.
 #387-000-038DE Tritium Night Sight, 7H68U00..... \$ 99.00

LPA SEMI-AUTO PISTOL SIGHT



Compact, Adjustable - Low Mount
Rears Or High-Visibility Sets

Two styles of sights, both with micro-click windage and elevation screws and all-steel construction. Available in: solid black target model; white-outline rear; 2-dot rears or 3-dot systems.

SPECS: CNC machined steel, matte blued finish.

TPU REAR SIGHTS - Extra low profile, adjustable sight mounts down, out of the way, and increases sight radius for enhanced sight picture. Rectangular body, raised adjustment screws. Requires no alteration to the slide; fits in the standard dovetail and uses the existing front sight.

STOCK #	STOCK #	STOCK #	FITS MODEL
TARGET	WHITE OUTLINE	3-DOT REAR	
#625-100-111DE	#625-100-211DE	#625-100-311DE	1911 Auto .45 Govt
#625-100-112DE	#625-100-212DE	#625-100-312DE	Colt 1911, 70/80/90

- Advise # - TPU Pistol Sight 3K36P75..... \$ 61.35

SPR FRONT & REAR SIGHT SETS - Standard profile, adjustable sights fit factory dovetails and require no alterations to slide. Tapered body, flush adjustment screws. Front sights may require gunsmith installation.

#625-102-111DE	#625-102-211DE	#625-102-311DE	1911 Auto .45 Govt.
#625-102-112DE	#625-102-212DE	#625-102-312DE	Colt 1911, Ser. 80/90

- Advise # - SPR Front/Rear Sight Set 3K43A20 \$ 71.95

MGW 1911 AUTO FIXED SIGHT COMBO

Easy Installation, Low Profile

Mounts in factory dovetail to replace issue sights. Blade overhangs the back of the slide for fast pickup. Rounded corners and edges.

SPECS: Steel, blue, matte finish. **Rear Blade** - .735" (18mm) wide x .345" (8.8mm) high. **Front** - available in Wide (WT) or Narrow (NT) tenon, .121" (3mm) wide x .195" (4.9mm) high. **Styles** - and **Colors:** Front - Plain Black (PB) or White Dot (WD) in both Improved Ramp Serrated (IRS) or Plain Post (PP).

#584-006-145DE	IRS/PB/NT Front Sight 4H06A75	\$ 9.11
#584-007-446DE	IRS/PB/WT Front Sight 4H06C75	\$ 9.11
#584-006-545DE	IRS/WD/NT Front Sight 4H08C35	\$ 11.27
#584-007-445DE	IRS/WD/WT Front Sight 4H08C35	\$ 11.27
#584-006-345DE	PP/PB/NT Front Sight 4H06C75	\$ 9.11
#584-007-945DE	PP/PB/WT Front Sight 4H06C75	\$ 9.11
#584-003-145DE	IRS/PB/NT Front/Rr Cmb 4H22A27	\$ 30.06
#584-003-545DE	IRS/PB/WT Front/Rr Cmb 4H22A27	\$ 30.06
#584-003-645DE	IRS/WD/NT Front/Rr Cmb 4H27A84	\$ 37.58
#584-003-745DE	IRS/WD/WT Frt/Rr Cmb 4H27A84	\$ 38.57
#584-003-345DE	PP/PB/NT Frt/Rr Cmb 4H22A27	\$ 30.06
#584-003-945DE	PP/PB/WT Frt/Rr Cmb 4H22A27	\$ 30.06



MGW SEMI-AUTO DOVETAIL FRONT SIGHT BLANK



Strong & Ready-To-Shape
For Custom Applications

Long enough and high enough for most custom pistol applications. Dovetail installation is much stronger than staking, so the front sight stays put under heavy recoil or extreme use. Drilled for 1/16" diameter roll pin for more "hold". Blues easily.

SPECS: Steel, blued. **Blade** - .268" (6.8mm) high, .128" (3.2mm) wide, .640" (16mm) long. **Dovetail** - .65" x .330" x .075".
 #584-012-268DE Dovetail Front Sight, 4H09X79..... \$ 13.08

MILLETT FIXED 1911 AUTO SIGHT

MARK I HIGH PROFILE REAR - Fits Colt 1911 Auto dovetail. Sits high, deflects light for sharp, clear sight picture. White outline, **Dual Focus (DF)** style and **Dual White Dot (WD)**. Requires .185" high front sight.

MARK II LOW PROFILE REAR - Held in Colt dovetail by two lock screws. Overhangs slide for fast pickup, extra sight radius. No-slug design. Available in white outline, **Dual Focus (DF)** style, **Dual White Dot (WD)** and solid black **Target** style. Requires .200" high front sight.

MILLETT FRONT SIGHTS - .185" (4.6mm) and .200" (5mm) blade height. Use with Millett **Mark I** and **Mark II** rear sights. **Stake-On** Style comes in **White, Orange, Black** and **White Dot** (available in .185" blade height only.) **Dual-Crimp** Style comes in **White, Orange, Black** and **White Dot** and must be installed using the Millett Dual Crimp tools listed elsewhere.

REAR SIGHTS		STAKE-ON, NARROW TENON FRONT SIGHTS			
STOCK # (STYLE)	BLADE HEIGHT	STOCK # WHITE	STOCK # ORANGE	STOCK # BLACK	STOCK # DOT
#601-026-182DE (Mk I DF)	.185"	#601-402-182DE	#601-402-183DE	#601-402-184DE	#601-402-181DE
#601-026-111DE (Mk I WD)	.185"	#601-402-182DE	#601-402-183DE	#601-402-184DE	#601-402-181DE
#601-027-122DE (Mk II DF)	.200"	#601-402-202DE	#601-402-203DE	#601-402-204DE	NA
#601-027-111DE (Mk II WD)	.200"	#601-402-202DE	#601-402-203DE	#601-402-204DE	NA
#601-027-124DE (Mk II Target)	.200"	#601-402-202DE	#601-402-203DE	#601-402-204DE	NA

REAR SIGHTS		DUAL CRIMP FRONT SIGHTS			
STOCK # (STYLE)	BLADE HEIGHT	STOCK # WHITE	STOCK # ORANGE	STOCK # BLACK	STOCK # DOT
#601-026-182DE (Mk I DF)	.185"	#601-401-182DE	#601-401-183DE	#601-401-184DE	#601-401-181DE
#601-026-111DE (Mk I WD)	.185"	#601-401-182DE	#601-401-183DE	#601-401-184DE	#601-401-181DE
#601-027-122DE (Mk II DF)	.200"	#601-401-202DE	#601-401-203DE	#601-401-204DE	#601-401-201DE
#601-027-111DE (Mk II WD)	.200"	#601-401-202DE	#601-401-203DE	#601-401-204DE	#601-401-201DE
#601-027-124DE (Mk II Target)	.200"	#601-401-202DE	#601-401-203DE	#601-401-204DE	#601-401-201DE

- Advise # - Mark I Rear Sight 1K13Z65..... \$ 22.75
 - Advise # - Mark II Rear Sight 1K23Z37..... 38.95
 - Advise # - Millett Front Sight 1K10P80..... 18.00

MEPROLIGHT DAY/NIGHT SIGHT

FOR POPULAR HANDGUNS
Always "On"; No Batteries, No Charging



Really "shines" when other sights are useless. No switch to turn on, no batteries to wear out. Both front and rear blades have their own green tritium gas light source and provide a green/green, 3-dot sight picture. Unaffected by weather, gun solvents or oils. Used by NATO, U.S., and Israeli armies. Also ideal for law enforcement and others requiring accuracy in low-light conditions. Contains both front and rear sights. Rear sights replace the original rear entirely. Front sights replace the original. The factory warranties TRU-DOT sights to the original purchaser for twelve years.

SPECS: Blued steel with tritium inserts. Sights marked Adj. fit guns originally equipped with factory, adjustable sights. Sights marked Fxd. fit guns originally equipped with factory, fixed/non-adjustable sights. S&W models will NOT fit guns originally equipped with plastic sights.

STOCK #	FITS	PRICE
#387-304-776DE	1911 Auto (Fxd. Wide Tenon)	7H68U00 \$ 99.00
#387-000-008DE	Kimber Full size (Fxd.)	7H68C00 \$ 99.00
#387-000-009DE	Kimber Cust. Target (Adj.)	7H110C00 \$ 169.00

MEPROLIGHT FRONT SIGHTS - Single, front sights only. Replace damaged units or stake-on models after refinishing.

SPECS: Steel body, blue. Self-luminous lamp. Sights marked Adj. are for use with Meprolight Adjustable rear sights; all others are used with Meprolight Fixed sights.

STOCK #	FITS	PRICE
#387-500-011DE	1911 Auto, Adj. (Narrow Tenon)	7H37U50 \$ 50.00
#387-500-111DE	1911 Auto, Adj. (Wide Tenon)	7H37U50 \$ 50.00
#387-500-112DE	Colt Gold Cup w/Wide Tenon front & Ellison rear, Adj.	7H30U00 \$ 40.00
#387-500-211DE	1911 Auto (Narrow Tenon)	7H30U00 \$ 40.00



Mark II Front Mark I

MILLETT 1911 AUTO WIDETENON FRONT SIGHT

Stake-On; For Target & Combat Shooting

Fits Series 80, Delta Elite, etc., requiring the wide tenon. **SPECS:** .125" (3.17mm) wide tenon.

WHITE DOT	WHITE BAR	ORANGE	SERRATED HGT.
#601-403-181DE	#601-403-182DE	#601-403-183DE	#601-403-184DE .185
#601-403-201DE	#601-403-202DE	#601-403-203DE	#601-403-204DE .200
#601-403-221DE	#601-403-222DE	#601-403-223DE	#601-403-224DE .225
#601-403-311DE	#601-403-312DE	#601-403-313DE	#601-403-314DE .312

- Advise # - Millett Wide Tenon 1K10U80 \$ 18.00

MILLETT ADJUSTABLE SIGHT

Complete Assortment Of Fully Adjustable Pistol Sights



Fully adjustable, all-steel sights for semi-autos and revolvers to replace the often less-than-adequate factory fixed and adjustable sights. All the features demanded by top shooters, usually with no modifications to the gun. Carefully manufactured, fitted and finished in a deep, blue/black that blends well with any gun finish. **Millett Rears:** Blades are angled toward the shooter with grooved faces for positive glare prevention. Deep, positive notches and spring-loaded detent balls give crisp, clean windage and elevation adjustments. Anti-backlash feature in windage screw eliminates slop. Semi-auto models have a locking feature that compensates for dovetail variations. **High Profile** fits most existing dovetails and, where the chart says "Factory Front OK", the existing front sight can be used. For all others, use the appropriate Millett Front Sight. **Custom Combat Low Profile** mounts low in Colt and Browning autos requiring milling of the slide, cutting of a new sight dovetail and replacing the front sight with one of the Millett fronts. Both style rear sights are available with a square cornered, **Target** or rounded corner, white outline, **Combat** rear blade. Some are also carried in a **3-dot** rear. Also available on some is a **Marksman Speed** variation which has a taller, Target-style rear blade with an oversized .100" x .125" notch for even faster pickup of the front sight. **Millett Front:** Lightweight steel to hold up under the heavy recoil of magnum and full power loads and resist "flyoff". Available in ramp style, White or Orange Bar, Black Serrated or Dot as shown. Two basic styles: **1) PinOn/StrikeOn/ScrewOn/Dovetail** - Matches original factory-style mounting. Some aren't drilled for the pins to allow precise positioning on individual guns. **2) Dual Crimp**, Millett's own design; installs with their Dual Crimp installation tool (listed elsewhere); no soldering.

*1 - Use Factory Front or .185" Dual Crimp. Fits late adjustable sight models only.

*2 - Must use Millett Front Sight.

*3 - Narrow Tenon - Wide Tenon Front sights are listed elsewhere in the Millett section.

MEPROLIGHT® ADJUSTABLE SIGHT

Adjustable, Illuminated Sights For Handguns

Rugged, all-steel bodies surround a highly visible TRU-DOT tritium lamp for sight definition in dark and low light conditions. Fully adjustable for both windage and elevation with positive, all-steel detents built to withstand the rigors of duty use and rough, inclement hunting conditions. **SPECS:** Blued steel with tritium inserts. Includes front and rear sights. Sights marked **Adj.** fit gun originally equipped with factory adjustable sights. Sights marked **Fxd.** fit guns originally equipped with factory fixed sights. Factory warrants illumination of **TRU-DOT** to the original purchaser for twelve years.

#387-304-276DE 1911 Auto (Fxd. Wide .125 Tenon), 7H110U00 \$ 169.00

NOVAK 1911 AUTO LO-MOUNT WIDE NOTCH REAR SIGHT



Clear Sight Picture, Fast Target Acquisition

.140" wide notch provides more light around the front sight than standard .125" notches for a clear sight picture and fast target acquisition. Helps aging eyes see front sight more easily, and aids in engaging targets swiftly in combat or competition. Lo-Mount design has angled top surface with mitered edges that won't snag on holsters or clothing. Rebated blade fights glare. Three styles available to fit your specific needs: plain black, white dot, and 2-dot Tritium for superior, low-light visibility. **SPECS:** Steel, matte black finish. 1" (25.4mm) long, .72" (18.3mm) wide, .45" (11.4cm) high. Blade is .720" (18.3mm) x .450" (11.4mm) with .140" (3.6mm) wide notch. Use with front sights .175"-.200" (4.5-5mm) high. Requires milling of slide; use 65° x .495" dovetail cutter.

#662-000-027DE Plain Black Wide Notch Rear Sight, 2F27D96 \$ 34.95
#662-000-028DE White Dot Wide Notch Rear Sight, 2F31D96 39.95
#662-000-029DE 2-Dot Tritium Wide Notch Rear Sight, 2F73D56 91.95

NOVAK TRITIUM DOVETAIL FRONT SIGHT

Strong, Easily Changed Sights For Autos

Dovetail mounted, roll-pinned sights (except Kimber) resist shoot-off. Easily changed for different loads or conditions. Bright Tritium dot draws your eye in low light. **TARGET RING** - Includes white ring surrounding tritium dot. **TRITIUM** - Bright, Tritium dot only for shooters who find the white ring distracting. **SPECS:** Includes Instructions. Steel, blue. .125" (3.17mm) wide blade. Govt. Model, Commander, S&W 645/745/59 require 65° x .330" x .070" dovetail in slide. Colt Officers ACP, S&W mini-guns, Browning Hi-Power, CZ-75 require 65° x .330" x .060" dovetail. Kimber - Requires 65° x .330" x .070" dovetail, .150" high only.

TARGET RING TRITIUM		
STK # GOVT	STK # OFF ACP	HEIGHT
#662-000-020DE	#662-007-160DE	.160"
NA	#662-007-165DE	.165"
#662-005-175DE	NA	.175"
#662-005-180DE	NA	.180"
#662-005-190DE	NA	.190"
#662-000-026DE	#662-000-025DE	.215"

- Advise # - Target Ring Tritium Front Sight, except .215" High 2F44H05 \$ 54.95
 #662-006-150DD Kimber Target Ring Trit. Front Sight, 2F44Y05 54.95

TRITIUM		
STK # GOVT	STK # OFF ACP	HEIGHT
NA	#662-000-014DE	.165"
#662-000-015DE	NA	.175"
#662-000-016DE	NA	.180"
#662-000-017DE	NA	.190"

- Advise # - Tri. Front Sight, no white ring, 2F47H96 \$ 59.95

View our online instructional video for measuring Pistol Sight Height at brownells.com

NOVAK 1911 AUTO TRITIUM SIGHT



No-Snag Shape, Low-Light Visibility

Competition plain, target-style, undercut blade with protected notch. Hangs over the rear of the slide and extends sight radius for quicker, more precise sighting. **Lo-Mount** has an angled top surface with mitered edges that won't snag on holsters or clothes. Rebated blade fights glare. **Wide Notch (WN)** has enlarged, .140" notch to provide more light around the front sight for a clearer sight picture and faster target acquisition. Helps aging eyes see front sight more easily. **SPECS:** Machined steel, matte blue finish. .125" (3.1mm) wide notch. Available with two tritium dots (**2-Dot**) or horizontal tritium bar (**Bar**). **Wide Notch (WN)** has .140" (3.6mm) notch. **Competition - 1911** fits in factory dovetail. All Competition rear sight blades are .735" (18.7mm) wide x .425" (10.8mm) high. **Lo-Mount - 1911** requires milling of slide, use 65° x .495" dovetail cutter.

TRITIUM COMPETITION REAR SIGHTS			
STOCK #	FITS/MOD.	USE FRONT SIGHT	PRICE
#662-003-004DE	1911 Bar	.185"-.200"	2F72A06 \$ 89.95
#662-003-002DE	1911 2 Dot	.185"-.200"	2F72A06 \$ 89.95

TRITIUM LO-MOUNT REAR SIGHTS				
STOCK #	FITS/MOD.	USE FRONT SIGHT	REAR	
			FRONT SIGHT	BLADE W x H
#662-002-004DE	1911 Bar	.175"-.200"	.700"x.340"	
#662-002-003DE	1911 2-Dot	.175"-.200"	.700"x.340"	
#662-000-029DE	1911 2-Dot WN	.175"-.200"	.720"x.450"	

- Advise # - Bar Lo-Mount Sight 2F72A06 \$ 89.95
 - Advise # - 2-Dot Lo-Mount Sight 2F72A06 89.95
 - Advise # - 2-Dot WN Lo-Mount Sight 2F73D56 91.95

NOVAK SEMI-AUTO DOVETAIL MOUNT FRONT SIGHT

Strong, Easily Changed Sights For Autos

Dovetail mounted, roll-pinned sights resist shoot-off. Easily changed for different loads or conditions. Full instructions. **SPECS:** Blued steel, .295" (7.5mm) high x .125" (3.17mm) wide blade. Requires milling 65° x .330" dovetail in slide. **.075** size for Govt. Mod., Commander, S&W 645/745/59. **.060** for Colt Officers ACP, S&W mini-guns, Browning Hi-Power, CZ-75. #662-645-075DE .075 Novak Front Sight, 2F14Z00 \$ 17.50
 #662-645-060DE .060 Novak Front Sight, 2F14Z00 17.50

GUN	MILLETT ADJUSTABLE REAR SIGHTS			MILLETT FRONT SIGHTS									
	WHITE OUTLINE STOCK #	TARGET STOCK #	DOT STOCK #	PIN-ON/STAKE-ON/SCREW-ON/DOVETAIL (As required for gun)				DUAL CRIMP					
				WHITE STOCK # (MILLETT No.)	ORANGE STOCK # (MILLETT No.)	DOT STOCK # (MILLETT No.)	BLACK SERRATED STOCK # (MILLETT No.)	WHITE STOCK # (MILLETT No.)	ORANGE STOCK # (MILLETT No.)	DOT STOCK # (MILLETT No.)	BLACK SERRATED STOCK # (MILLETT No.)		
AMT Hardballer *1	1K32D97 \$ 54.95 #601-022-182DE	1K32D97 \$ 54.95 #601-022-184DE	NA	NA	NA	NA	NA	1K10T80 \$ 18.00 #601-401-182DE (DC18501)	1K10T80 \$ 18.00 #601-401-183DE (DC18502)	1K10T80 \$ 18.00 #601-401-181DE (DC18500)	1K10T80 \$ 18.00 #601-401-184DE (DC18503)		
Colt Gov't/Cmndr - High Profile *2	1K38D37 \$ 63.95 #601-024-132DE	1K38D37 \$ 63.95 #601-024-134DE	1K38D37 \$ 63.95 #601-024-131DE	1K10U80 \$ 18.00 *3 #601-402-312DE (SO31217)	1K10U80 \$ 18.00 *3 #601-402-313DE (SO31218)	NA	1K10U80 \$ 18.00 #601-402-314DE (SO31219)	1K10P80 \$ 18.00 #601-401-312DE (DC31217)	1K10P80 \$ 18.00 #601-401-313DE (DC31218)	1K10P80 \$ 18.00 #601-401-311DE (DC31216)	1K10P80 \$ 18.00 #601-401-314DE (DC31219)		
Colt Gov't/Cmndr - High Profile Marksman Speed *2	NA	1K38D37 \$ 63.95 #601-024-149DE	NA	NA	NA	NA	NA	NA	1K10P80 \$ 18.00 #601-401-413DE (DC41031)	NA	1K10P80 \$ 18.00 #601-401-414DE (DC41032)		
Colt Gov't/Cmndr - Cmbt Low Profile *2	1K38D37 \$ 63.95 #601-025-132DE	1K38Z37 \$ 63.95 #601-025-134DE	1K38D37 \$ 63.95 #601-025-111DE	1K10U80 \$ 18.00 #601-402-222DE (SO22513)	1K10U80 \$ 18.00 #601-402-223DE (SO22514)	NA	1K10U80 \$ 18.00 #601-402-224DE (SO22515)	1K10P80 \$ 18.00 #601-401-222DE (DC22513)	1K10P80 \$ 18.00 #601-401-223DE (DC22514)	1K10P80 \$ 18.00 #601-401-221DE (DC22512)	1K10P80 \$ 18.00 #601-401-224DE (DC22515)		
Colt Gov't/Cmndr - Custom Combat - Low Profile - Marksman Speed *2	NA	1K38Z37 \$ 63.95 #601-025-149DE	NA	NA	NA	NA	NA	NA	1K10P80 \$ 18.00 #601-401-273DE (DC27528)	NA	NA		
Colt Gold Cup - High Profile - can use factory front	1K32Z97 \$ 54.95 #601-028-122DE	1K32Z97 \$ 54.95 #601-028-124DE	1K32Z97 \$ 54.95 #601-028-111DE	1K10U80 \$ 18.00 *3 #601-402-202DE (SO20005)	1K10U80 \$ 18.00 #601-402-203DE (SO20006)	NA	1K10U80 \$ 18.00 #601-402-204DE (SO20007)	1K10T80 \$ 18.00 #601-401-202DE (DC20005)	1K10P80 \$ 18.00 #601-401-203DE (DC20006)	1K10T80 \$ 18.00 #601-401-201DE (DC20004)	1K10P80 \$ 18.00 #601-401-204DE (DC20007)		
Colt Gold Cup - High Profile Marksman Speed *2	NA	1K32Z97 \$ 54.95 #601-028-149DE	NA	NA	NA	NA	NA	NA	1K10P80 \$ 18.00 #601-401-273DE (DC27528)	NA	NA		

**NOVAK 1911 AUTO
ADJUSTABLE
EXTREME DUTY SIGHTS**

Low-Profile Mounting; Fully Adjustable



CNC-machined, steel, rear sight with Novak's famous, low-profile design and the added versatility of elevation and windage adjustments. Set screw allows drift adjustment for windage; elevation screw positively stops and audibly clicks for easy fine-tuning. Smooth, contoured edges have less chance of catching or snagging. Front sights are CNC-machined, steel and mount in factory dovetail. Available in Plain Black, White Dot, and Tritium Dot for Colt and clones, Kimber, and SW1911 pistols. **SPECS:** CNC-machined steel, black, matte finish. Front (F) and Rear (R) sights available in Plain Black (PB), 2-Dot White (WD), and 2-Dot Tritium (TR). Rear Dimensions: 1" (2.54cm) long, 1/2" (13mm) high, 3/4" (19mm) wide. Requires matching of slide. Colt and Kimber rear sights regulate properly with .225" high front sights. Select from .275" or .305" high front sight for SW1911.

STOCK #	FITS (F/R)	TYPE	HEIGHT
#662-000-013DE	Colt (F)	PB	.225"
#625-000-009DE	Colt (R)	PB	
#100-001-533DE	Colt (F)	TR	.225"
#625-000-011DE	Colt (R)	TR	
#625-000-010DE	Colt (R)	WD	
#662-000-044DE	Colt (R)	FO red	
#662-000-045DE	Colt (R)	FO grn	
#100-001-534DE	Kimber (F)	PB	.225"
#100-001-521DE	Kimber (R)	PB	
#100-001-535DE	Kimber (F)	WD	.225"
#100-001-522DE	Kimber (R)	WD	
#100-001-536DE	Kimber (F)	TR	.225"
#100-001-523DE	Kimber (R)	TR	
#100-001-537DE	S&W (F)	PB	.275"
#662-000-058DE	S&W (F)	PB	.305"
#100-001-524DE	S&W (R)	PB	
#100-001-538DE	S&W (F)	WD	.275"
#662-000-059DE	S&W (F)	WD	.305"
#100-001-525DE	S&W (R)	WD	
#100-001-539DE	S&W (F)	TR	.275"
#662-000-060DE	S&W (F)	TR	.305"
#100-001-526DE	S&W (R)	TR	

- Advise # - Extreme Duty PB Front Sights, 2F19H96 \$ 24.95
- Advise # - Extreme Duty WD Front Sights, 2F23Y96 29.95
- Advise # - Extreme Duty TR Front Sights, 2F43Y96 54.95
- Advise # - Extreme Duty PB Rear Sights, 2F55T95 69.95
- Advise # - Extreme Duty WD Rear Sights, 2F63T98 79.95
- Advise # - Extreme Duty TR Rear Sights, 2F95T96 119.95
- Advise # - Extreme Duty FO Rear Sights, 2F65D56 81.95

BROWNELLS Gift Certificate

When that special occasion arrives, and you don't know which of our many unique items to give, give a Brownells personalized Gift Certificate. Whether it's for a birthday, Christmas, or the opening of a new shop, you'll be giving just exactly what your favorite gun "tinkerer" wants. **#084-900-000DE Brownells Gift Certificate, 6D00HYG \$ Your Choice \$**

**NOVAK 1911 AUTO
SIGHT**

No-Snag "Angle" Design; Faster Sight Picture



Competition (Comp) plain, target style, undercut blade with protected notch. Hangs over the rear of the slide and extends sight radius for quicker, more precise sighting. **Lo-Mount (LM)** has an angled top surface with mitered edges that won't snag on holsters or clothes. Rebated blade fights glare. **Wide Notch (WN)** has enlarged, .140" notch to provide more light around the front sight for a clearer sight picture and faster target acquisition. Helps aging eyes see front sight more easily. **SPECS:** Machined steel, matte black finish. .125" (3.1mm) wide notch. Available with two white dots (WD) or plain black (P/B). **Wide Notch (WN)** has .1540" (3.6mm) notch. **1911 LM** requires milling of slide, use 65° x .495" dovetail cutter. **1911 Comp** fits in factory dovetail.

PLAIN BLACK REAR SIGHTS

STOCK #	FITS/MOD.	USE FRONT SIGHT	REAR BLADE W x H
#662-250-045DE	1911/Comp	.185"-.200"	.735"x.425"
#662-260-045DE	1911/LM	.175"-.200"	.700"x.340"
#662-000-027DE	1911/LM/WN	.175"-.200"	.720"x.450"

- Advise # - P/B Competition Sight 2F23X96 \$ 29.95
 - Advise # - P/B Lo-Mount Sight 2F26X36 32.95
 - Advise # - P/B Wide Notch Lo-Mount Sight, 2F27D96 34.95

WHITE DOT REAR SIGHTS

STOCK #	FITS/MOD.	USE FRONT SIGHT	REAR BLADE W x H
#662-255-045DE	1911/Comp	.185"-.200"	.735"x.425"
#662-255-046DE	1911/LM	.175"-.200"	.700"x.340"
#662-000-028DE	1911/LM/WN	.185"-.200"	.735"x.425"

- Advise # - White Dot Competition Sight 2F27X96\$ 34.95
 - Advise # - White Dot Lo-Mount Sight 2F30X36 37.95
 - Advise # - WD Wide Notch Lo-Mount Sight, 2F31D96 39.95

**NOVAK 1911 AUTO
CARRY REAR SIGHT**

Low Profile; Fit In Factory Dovetails; Great Sight Picture

Exclusive, wedge-shaped, "Concealed Carry" design puts the sight body and blade close to the slide for a snag-free draw and smooth, comfortable carry. Highly visible rear blade with rebated notch gives fast, glare-free sight pickup for more accurate instinctive shooting. Available in: plain black; with two, white dots; horizontal tritium bar; or two tritium dots. **SPECS:** Machined steel, blue, matte finish.



1911 AUTO - Fits Colt-style, 1911 auto rear dovetail, uses Series 80 factory front. Includes windage lock screw. Tritium models available with Bar or 2 Dot. May require slight fitting. .125" (3.1mm) wide notch. **Rear blade** - .630" (16mm) wide, .223" (5.6mm) high. **#662-017-004DE Black 1911 Carry Sight 2F23C96 . . . \$ 29.95**
#662-017-005DE 2-Dot 1911 Carry Sight 2F27C96 . . . 34.95
#662-001-004DE Trit. Bar 1911 Carry Sight, 2F71A96 89.95
#662-001-002DE 2-Dot Trit. 1911 Carry Sight, 2F71A86 89.95

KIMBER CLASSIC - Fits Kimber Classic dovetail, uses factory front sight. Includes windage lock screw. Available with Bar or 2 Dot. May require slight fitting. .125" (3.1mm) wide notch. **Rear Blade** .700" (17.9mm) wide. .316" (8mm) high. **#662-029-125DE Black Kimber Sight, 2F26C36 \$ 32.95**
#662-030-125DE 2-Dot Kimber Sight, 2F30C36 37.95

**NOVAK
TRITIUM GHOST SIGHT**

Fast, Clear Sight Picture; Compact, No-Snag Size



Streamlined, rugged, all-steel sight eliminates the top half of the conventional ghost ring but still naturally centers the eye on the front sight. One Tritium dot is positioned below the aperture. Wedge shape won't snag. **SPECS:** Steel, blue, matte finish. 1911 requires milling of slide, use 65° x .495" dovetail cutter. Kimber fits factory dovetail. Retrofits to pistols already equipped with Novak sights.

STOCK #	FITS	USE FRONT SIGHT	REAR BLADE W X H
#662-004-003DE	1911	.175" - .200"	.735" x .425"
#662-004-031DE	Kimber	.175" - .200"	.700" x .316"

- Advise # - Tritium Ghost Sight 2F72Y06 \$ 89.95

**NOVAK
FIBER OPTIC SIGHTS**



Maximizes Available Light For Fast, Low-Light Sight Acquisition

Advanced light gathering properties of fiber optic rods make maximum use of ambient light to provide a bright glow that stands out against dark backgrounds and puts you on target fast, even in low-light or high-stress situations. Fronts and rears sold separately, so you can create a custom, three-dot, fiber optic system tailored to your shooting needs. Available with red or green inserts. Lo-Mount rear sights have radiused edges that won't snag on holster or clothing. Front sight can also be used with Novak's plain, wide-notch rear. Colt rear sight fits Government model; requires milling, installation instructions included. S&W rear sight drops in; fits both Commander and Government models. **SPECS:** Machined steel, matte black finish with fiber optic rods in red or green. Colt Front - Blade is .64" (1.6cm) long, .127" (3.2mm) wide. Colt Rear - 1" (2.5cm) long, .72" (1.8cm) wide, .46" (1.17cm) high, with .125" (3.2mm) wide notch. Fits Government model; milling required, instructions included. S&W Front - Blade is .47" (1.19cm) long, .127" (3.2mm) wide. S&W Rear - .94" (2.4cm) long, .69" (1.8cm) wide, .38" (9.7mm) high, with .122" (3.1mm) wide notch. Fits Government and Commander models.

FRONT SIGHTS

STK # RED	STK # GREEN	HEIGHT	FITS
#662-000-036DE	#662-000-037DE	.175"	Colt 1911
#662-000-039DE	#662-000-042DE	.180"	Colt 1911
#662-000-040DE	#662-000-043DE	.190"	Colt 1911
#662-000-030DE	#662-000-031DE	.245"	S&W 1911
#662-000-034DE	#662-000-035DE	.275"	S&W 1911

- Advise # - Fiber Optic Front Sight, 2F27D96 \$ 34.95

LO-MOUNT REAR SIGHTS

STK # RED	STK # GREEN	FITS
#662-000-038DE	#662-000-041DE	Colt 1911
#662-000-032DE	#662-000-033DE	S&W 1911

- Advise # - Fiber Optic Rear Sight, 2F35D96 \$ 44.95

#662-002-032DE Trit. Bar Kimber Sight, 2F72A06 89.95
#662-002-031DE 2-Dot Trit. Kimber Sight, 2F72A06 89.95

**NOVAK 1911 AUTO
FRONT DOVETAIL SIGHTS**

Low Profile Provides Excellent Carry Performance



CNC machined, steel, dovetail front sight won't snag on your holster during presentation. Available with a big, .075" dot for fast sight recognition or with a plain black, serrated face for glare reduction. Requires use of a 65° x .330" dovetail cutter to cut the proper Novak dovetail; roll pin inserts in front to stake sight in place. **SPECS:** Steel, black oxide, matte finish. Fits 1911 Auto or any gun with a 65° x .330" dovetail. Includes roll pin and complete instructions. Gunsmith installation recommended. **Govt.** models have a .070" thick dovetail; **Officers ACP** models have a .060" thick dovetail.

STK # GOVT	STK # OFF ACP	COLOR	HEIGHT
#662-000-019DE	NA	White	.160"
#662-000-022DE	NA	Gold	.160"
#662-000-021DE	NA	Black	.160"
#662-000-055DE	NA	White	.175"
#662-000-056DE	NA	Black	.175"
#662-000-057DE	NA	White	.180"
#662-000-061DE	NA	Black	.180"
#662-000-062DE	NA	White	.185"
#662-000-063DE	NA	Black	.185"
#662-000-018DE	NA	White	.215"
NA	#662-000-024DE	Gold	.215"
NA	#662-000-023DE	Black	.215"
#662-000-012DE	NA	White	.225"
#662-000-013DE	NA	Black	.225"

- Advise # - White Dot Front Sight 2F23H96 . . . \$ 29.95
- Advise # - Gold Bead Front Sight 2F79H96 . . . 99.95
- Advise # - Plain Black Front Sight 2F19H96 . . . 24.95

**STI 1911 AUTO
RAMPED DOVETAIL FRONT SIGHT**



Easy-To-See, Plain Black, No-Snag Design

Low-profile, blue-steel front sight is the perfect match for a fixed, combat-style rear sight on a CCW or tactical pistol. Plain black face provides a straightforward, easy-to-acquire sight picture. Radiused front and angle cut on the rear face virtually eliminate chances of snagging on clothing during draw. Installation requires machining of slide. **SPECS:** Steel, blue, matte finish. Blade - .470" (11.9mm) long, .110" (2.8mm) wide, .175" (4.4mm) high. For pistols with fixed rear sight and barrel lengths between 5" and 6" Dovetail - Fits 60° x .300" x .074" thick dovetail cut.

#791-000-073DE Ramped Dovetail Front Sight, 1G12Z95 \$ 16.95

**STI SEMIAUTO
3-DOT TRITIUM SIGHT SET**

Fully Adjustable, Easy To See



All steel construction, fully adjustable for windage and elevation, sight set fits Government Model 1911's with a BM-#1 cut. Easy-to-see tritium 3-dot system gives great target acquisition in all shooting environments. Low profile, flat blade rear sight is serrated to cut down on glare. Front sight is contoured on the leading edge to prevent hanging up in the holster and won't snag on clothing. **SPECS:** Steel, matte black finish. Rear blade - .447" (11.5mm) high. Notch - .138" (3.5mm) wide. Front blade - .161" (4mm) high x .125" (3.1mm) wide, 65° x .300" dovetail.

#791-000-066DE 3-Dot Tritium Sight Set, 1G103Z34 \$ 124.00

Model
NEW **STI**
ADJUSTABLE REAR SIGHTS



**Low-Profile, Easy Carry;
Precise Sight Picture
With Full Adjustability**

Precision-machined steel rear sights give ideal sight picture for target or carry, with low profile and rounded contours that resist snagging. Flush-mounted, positive-click windage and elevation screws won't get knocked from your selected settings. Flat blade with anti-glare serrations and wide notch provide a clear, fast sight picture that is easy to

acquire under stress. **Adjustable** sits low on the slide for quick alignment, yet provides a precise sight image. Fits Bo-Mar BMCS slide cut. **Tactical Adjustable** combines the adjustability of a target sight with the compact, snag-free profile of a fixed tactical sight that fits a standard Novak rear sight slide cut. Beveled and rounded edges won't catch on clothes when drawing or holstering.

SPECS: Steel, matte black finish. Installation may require milling, drilling, and tapping of slide. **Adjustable** - Blade: .434" (11mm) high, .762" (19.3mm) wide. Notch: .110" (2.8mm) wide. Fits Bo-Mar BMCS (BM#1) 60° x .359" cut. **Tactical Adjustable** - Blade: .325" (8.3mm) high, .690" (17.5mm) wide. Notch: .110" wide. Fits Novak 65° x .495" slide cut.

- #791-256-000DE **STI Adjustable Sight, 1G43P75** \$52.50
- NEW** #791-000-074DE **Tactical Adj. Rear Sight, 1G64Z95** 74.95

TRIJICON®
TRITIUM HANDGUN SIGHTS

**Low Light Handgun Sights
Without Batteries**



Nighttime and low light shooting tests prove sights equipped with these glowing dots are easier to see and more accurate than instinctive shooting with standard black sights. Rugged, heavy duty, Traser®, luminous, 3-Dot tritium lamps provide their own long-lasting energy source. Lamps are mounted in silicone-sealed, metal cylinders to give maximum protection from breakage or leakage. Polished sapphire, crystal windows give a bright, crisp and perfectly round aiming dot in low light. Inlaid white rings around each sapphire make the sights appear as standard white dots in daylight. Very narrow blades do not have the white ring and will look more like a plain black blade in daylight. Most can be installed in factory dovetail or sight base. Tenon, staked, 1911 models require use of special Trijicon installation tools to prevent sight damage.

SPECS: Steel, blued with tritium inserts. Sights listed as **Adj.** are adjustable sights to fit guns originally equipped with factory, adjustable sights. Sights listed as **Fxd.** fit guns originally equipped with factory, fixed sights. **Kimber** fits Polymer Custom, Polymer Stainless, Pro Carry, Pro Carry II, Ultra Carry, Compact, Pro Eclipse II, and Ultra 10. **Para** - Fits Para-Ordance.

STOCK #	FITS	PRICE
#892-101-001DE	Colt 1911, Para P10, P14 (Fxd.) Wide	2H75U00 \$ 99.00
#892-101-002DE	Colt 1911, (Fxd.) Narrow	2H75U00 \$ 99.00
#892-101-004DE	Colt Comm., Para P13 (Fxd.) Wide	2H82U00 \$ 109.00
#892-101-006DE	Colt Enhanced Govt.	2H97U00 \$ 129.00
#892-101-005DE	Colt Off. ACP, Para P12 (Fxd.)	2H82U00 \$ 109.00
#892-101-103DE	Colt Installation Tool	2H274U40 \$ 300.00
#892-000-014DE	Kimber (see specs for fit)	2H75T00 \$ 99.00
#892-000-028DE	S&W 1911 (Fxd.)	2H109T00 \$ 145.00

TRIJICON®
FRONT SIGHT



**Replace Lost Or Removed Sights;
Add Tritium**

Front sights only, to replace those knocked off or removed for refinishing.
SPECS: Steel body, blued. Self-luminous lamp.

STOCK #	FITS	PRICE
#892-500-100DE	1911 Auto Govt. narrow	2H30X00 \$ 48.00
#892-500-101DE	1911 Auto Govt. wide	2H30X00 \$ 48.00
#892-501-101DE	1911 Auto Commander wide	2H30X00 \$ 48.00
#892-502-101DE	1911 Auto Officers wide	2H30A00 \$ 48.00

WILLIAMS
FIRE SIGHTS

**Glowing Fiber Optic Dots
For Faster Sight Pickup**



Direct fixed sight replacements for factory sights on Colt Series 80 and clones equipped with fixed factory sights. Gathers ambient light for superb visibility. The more light, the brighter the beads glow. 3-dot sight picture; front sight has red insert, rear has two green inserts.

SPECS: Aluminum body, black finish. Fiber optic insert. Includes front and rear sights. Fits fixed sight Colt Series 80 and clones with wide, .125" (3.2mm) front sight tenon.

- #962-563-620DE **Colt Series 80 Fire Sight Set, 2F33D95** \$ 46.95

WILSON COMBAT
TACTICAL SIGHT

Snag-Free, Low Profile



Scalloped leading edge blends smoothly into slide; sharp edges eliminated for a snag-free profile. Rear blade provides a crisp sight picture without glare. All include dovetail front sight. Tritium models have bright green front insert, subdued yellow, rear inserts.

SPECS: Steel, black, matte finish. **1911 Auto - Rear Blade:** .722" (18.3mm) wide, .369" (9.4mm) high, .124" (3mm) wide notch. Rear sight fits slides with Novak-style sight cut. **Front Blade:** .125" (3.2mm) wide. Govt. is .173" (4.4mm) high, Officers ACP is .130" (3.3mm) high. Front sight requires .300" x 60° x .070" dovetail. **Kimber** fits 5" Govt. model or Compact.

STK # BLACK	STK # TRITIUM	FITS
#965-463-001DE	#965-463-101DE	Govt.
NA	#965-463-102DE	Kimber Govt.
NA	#965-463-104DE	Off. ACP.
NA	#965-463-105DE	Kimber Compact

- Advise # - **Black Tactical Sight Set 5F38A50** . . . \$ 46.95
- Advise # - **Tritium Tactical Sight Set 5F114A76** 139.95

TACTICAL COMBAT SIGHT - Low-profile, snag-free body with sharp edges eliminated. High-visibility, tritium inserts with subdued yellow rear and bright, green front draw your eye to the front sight. Reverse contour rear blade face eliminates glare. Set includes rear sight and dovetail front sight.

SPECS: Steel, black, matte finish. **Rear Blade:** .722" (18.3mm) wide, .369" (9.4mm) high, .124" (3mm) wide notch. Requires machining of the slide for installation. Rear sight fits slides with Novak-style sight cut. **Front Blade:** .125" (3.2mm) wide. Govt. is .173" (4.4mm) high, Officers ACP is .130" (3.3mm) high. Requires 60° x .300" x .070" dovetail.

- #965-000-014DE **Govt. Model Sight Set 5F114C76** . . \$ 139.95
- #965-000-016DE **Officers ACP Sight Set 5F114C76** . . 139.95

WILSON COMBAT 1911 AUTO
SNAG-FREE SIGHT



**Low Mount, No-Snag
Design For Combat Pistols**

"Melted" design with no sharp corners to catch on holsters or clothing and slow your draw. Low-mount, combat sights give a crisp, easy-to-pickup sight picture that speeds sight acquisition in high stress situations. Rear sight body fits in factory dovetail. Extra-secure front sight mounts in a cross slide dovetail (machining required for installation). Three different blade styles accommodate shooter preferences in sight picture. **Plain Black;** crisp, black front and rear blade; the best choice for all-around use. **3-Dot;** One front, two rear white dots give faster snap shot sight pickup. **Nite-Eyes™;** Glowing Tritium inserts front and rear give increased visibility in low light.

SPECS: Steel, blued. **Rear Blade:** .649" (16mm) wide, .230" (5.8mm) height with .124" (3mm) width notch. **Front Blades** are .125" (3.2mm) wide. Govt. is .173" (4.4mm) high; Officers ACP is .130" (3.3mm) high. Front sight installation requires machining .300" x 60° dovetail in slide. Fits 1911 Auto only.

STOCK # BLACK	STOCK # 3-DOT	STOCK # NITE-EYES	FITS
#965-367-001DE	#965-367-003DE	#965-367-004DE	Govt.
NA	NA	#965-367-006DE	Off. ACP

- #965-367-001DE **Black Snag-Free Sights 5F27H02** . . \$ 32.95
- #965-367-003DE **3-Dot Snag-Free Sights 5F28H66** . . 34.95

- Advise # - **Nite-Eyes Snag Free Sights, 5F98H36** 119.95

60° x .290" DOVETAIL CUTTER - The correct dovetail cutter for installing all current models of Wilson Snag-Free front sights. **SPECS:** High-speed steel. Nominal 60° x .290", .375" (9.5mm) diameter shaft.

- #080-621-290DE **Wilson Dovetail Cutter, 8K26C50** \$ 34.95

XS SIGHT SYSTEMS
TRITIUM EXPRESS SIGHT SET

**Fast Sight Pickup
In Low Light**



High-visibility sight combinations put you on target faster in high stress or low light conditions by pulling your eyes to the front sight. Sight set includes non-tritium, white line V-notch for the rear sight, green tritium dot surrounded by a white ring for the front. Low profile, no-snag design is great for carry and combat competition guns. Matched sight sets offer direct replacement of factory sights. **Big Dot (BD)** front sight has a large, easy-to-see white ring surrounding the tritium dot. **Standard Dot (STD)** front sight has narrow white ring around the tritium dot for precise aiming at longer distances.

SPECS: Machined steel, matte black. **Big Dot.** .161" (4mm) diameter dot. **Standard Dot.** .110" (2.8mm) diameter dot. 1911 Govt and Officers: Rnd. fits round top slides. Novak fits slides with Novak-style sight cut. 1911 front requires 65° x .330" x .075" front sight dovetail. All rear sights are secured with two set screws. All sights are fixed. Gunsmith installation recommended.

STOCK # BD TRIT EXP SET	STOCK # STD TRIT EXP SET	FITS
#006-102-111DE	#006-098-111DE	1911 Govt. Rnd
#006-102-211DE	#006-098-211DE	1911 Govt. Rnd Novak
#006-102-113DE	#006-098-113DE	Officers ACP & .380 Cal. Rnd
#006-000-083DE	#006-000-094DE	Springfield 1911 Loaded
#006-000-084DE	#006-000-095DE	Sprgflld Champion & Cmpct
#006-000-085DE	#006-000-096DE	Sprgflld Ultra & Micro Cmpct
#006-102-101DE	#006-098-101DE	Kimber Cust. & Ultra Carry
#006-102-102DE	#006-098-102DE	Kimber Compact

- Advise # - **BD or STD Express Sight Set, 6K67H50** \$ 90.00

XS SIGHT SYSTEMS
EXPRESS SIGHT SET



Provides A Rapid Sight Picture

White line, V-notch rear sight and a white dot front post pull your eye to the front sight in high stress conditions. Presents a very fast, highly visible sight picture to get you on target quickly. Low profile, no-snag design is great for carry and combat competition guns. Matched front and rear sets offer direct replacement of factory sights. **Big Dot** provides improved speed when engaging targets at close range. **Standard Dot** gives better long range accuracy.

SPECS: Steel, matte black. **Big Dot (BD).** .161" (4mm) diameter dot. **Standard Dot (STD).** .110" (2.8mm) diameter dot. 1911 Govt, Comm, Officers: Rnd fits round top slides. 1911 front requires 65° x .330" x .075" front sight dovetail. All rear sights are secured with two set screws. All sights are fixed. Gunsmith installation recommended.

STOCK # BD SET	STOCK # STD SET	FITS
NA	#006-100-111DE	1911 Govt. Rnd
NA	#006-100-211DE	1911 Govt. Rnd Novak cut
NA	#006-100-112DE	1911 Comm. Rnd

- #006-099-113DE NA Officers ACP & Mustang
- #006-099-101DE #006-100-101DE Kimber Custm, Ultra-Carry
- #006-099-102DE NA Kimber Cmpct, Pro-Carry

- Advise # - **BD or STD Express Set 6K45Z00** \$ 60.00

XS SIGHT SYSTEMS

24/7 TRITIUM EXPRESS SIGHT SET

**Quick Sight Acquisition,
Day or Night**



Matched sight set features green tritium on both the front and rear sights for fast pickup under any light conditions. Rear sight features vertical tritium bar with a highly visible, white border; front includes tritium dot surrounded by a white ring. Rounded, low profile design won't slow your draw. Designed to directly replace factory sights. **Standard Dot** front sight has narrow, white ring around the tritium dot for precise aiming at longer distances. **Big Dot** front sight has a large, easy-to-see white ring surrounding the tritium dot.

SPECS: Machined steel, matte black. **Big Dot.** .161" (4mm) diameter dot. **Standard Dot.** .110" (2.8mm) diameter dot. 1911 Govt, Comm, Officers: Rnd. fits round top slides. Novak fits slides with Novak-style sight cut. 1911 front requires 65° x .330" x .075" front sight dovetail. All rear sights are secured with two set screws. **Para P13/P14 Limited** rear sight has adjustment screws for elevation. Gunsmith installation recommended.


STOCK # BD TRIT EXP SET	STOCK # STD TRIT EXP SET	FITS
#006-000-128DE	#006-000-129DE	Charles Daly EFS
#006-000-130DE	#006-000-131DE	Charles Daly EFS/T
#006-000-132DE	NA	Charles Daly EMS
#006-115-001DE	#006-000-063DE	1911 Govt. Rnd
#006-000-042DE	#006-000-064DE	1911 Govt. Rnd Novak
#006-000-043DE	#006-000-065DE	1911 Comm. Rnd
#006-000-044DE	#006-000-066DE	Officer ACP & .380 Cal. Rnd
#006-000-120DE	#006-000-121DE	Para P10, P12, C6.45, C7.45
#006-000-122DE	#006-000-123DE	Para P13, P14 - Limited, Adj.
#006-000-124DE	NA	Para P14
#006-000-046DE	#006-000-068DE	Springfield 1911 Loaded
#006-000-056DE	#006-000-069DE	Springfield Cham. & Cmpct
#006-000-048DE	#006-000-070DE	Sprgflld Ultra & Micro Cmpct
#006-115-004DE	#006-000-074DE	Kimber Cust. & Ultra Carry
#006-000-052DE	#006-000-075DE	Kimber Compact

- Advise # - **24/7 Express Sight Set, except P13/P14 Limited 6K90X00** \$ 120.00

- Advise # - **24/7 Express Sight Set, P13/P14 Limited, 6K112B50** 150.00

XS SIGHT SYSTEMS PRO EXPRESS SIGHT

Easy-To-See White Line Or Tritium


All steel, fully adjustable for wind-
age and elevation, V-rear blade gives
fast sight alignment. Vertical, **white
line**, or **tritium bar** provides a quick
focal point with the front sight. Use with a tritium or white Big
Dot front sight for a bar-dot setup. 

SPECS: Steel, black, matte finish. **Rear Sight: Blade** - .760"
(19.3mm) wide, .385" (9.8mm) high. **Body** - 1.5" (3.7mm) long, .72"
(17.5mm) wide. Fits BM-1 sight cut. Use with .180" high front sight.
Front Sight: fits 65° x .330" x .075" dovetail. .180" high. .161" (4mm)
diameter dot.

- #006-000-021DE **White Line Express Rear Sight,**
6K50H00 \$ 60.00
- #006-000-022DE **Tritium Express Rear Sight,**
6K75H00 90.00
- #006-000-025DE **White Big Dot Front Sight,**
6K22H50 30.00
- #006-000-026DE **Tritium Big Dot Front Sight,**
6K45H00 60.00


YOST-BONITZ CUSTOM 1911 AUTO "PROFESSIONAL GRADE" FRONT & REAR PISTOL SIGHTS

Quality, Steel Replacement Sights
Provide Outstanding Sight Picture

CNC machined, all steel rear sights are
precision made to give you a sight system
that's both functional and attractive. .140"
wide notch allows fast target acquisition
in tactical or competitive shooting situa-
tions for competitors of all ages. Dehorned edges won't snag in
holsters or catch on clothing and 50 lpi serrations eliminate glare
to keep you firmly on target. Requires milling of the slide. 

SPECS: Steel. Matte black. Notch - .140" (3.5mm) wide, .16" (4mm)
deep, Body - .676" (17.1mm) wide, .986" (25mm) long. Available for
Novak, Yobo, and Heinie spec dovetail cuts and require gunsmith
fitting. Allen wrench included.


- #100-002-402DE **Pro-Grade Sight,** Novak 9A30Y83 . . . \$ 32.00
- #100-002-403DE **Pro-Grade Sight,** Yobo 9A30Y83 . . . 32.00
- #100-002-404DE **Pro-Grade Sight,** Heinie 9A30Y83 . . . 32.00

FRONT SIGHTS - Professional grade front sights are all steel
construction, matte black to give your 1911 great looks and
outstanding accuracy at the range. .240" blank is oversized to
allow for exact zeroing and final shaping for the ap-
pearance you want. Sight pins firmly in place with
included roll pin and factory drilled 1/16" mounting
hole. Instructions included. 

- SPECS:** Steel. Matte black. Blade - .240" (6.1mm)
tall, .110" (2.7mm) . . . 65° x .330" x .075 dovetail. .125"
(3.1mm) wide, .65° x .330" x .075" dovetail. Gunsmith installation
recommended and requires milling of the slide.
- #100-002-405DE **Pro-Grade Front Sight,** .125" blade,
9A12Y75 \$ 15.00
 - #100-002-406DE **Pro-Grade Front Sight,** .110" blade,
9A12Y75 15.00

YOST-BONITZ 1911 AUTO RETRO REAR SIGHT


Give Your Pistol A Traditional Look

Steel sight gives a clear sight picture with
a traditional look of military issue pistols. Wide .140" notch helps
you get on target faster. Edges of sight are dehorned to help
eliminate snagging. Rear surface is serrated to reduce glare. Fits
.330" x 65° dovetail and works with most current production
front sights. Minor fitting may be required. No machining of
slide necessary. 

- SPECS:** Steel, matte black. Sight notch .140" (3.5mm) wide. Fits
1911 Auto pistols.
- #100-002-166DE 1911 Retro Rear Sight 9A25H50 . . . \$ 30.00

YOST-BONITZ "RESCUE" FRONT SIGHT


Salvage The Slide When
Front Sight Dovetail Cuts Go Awry

You won't have to repair weld or explain to
your customer you've ruined his semi-auto
slide when you've "gooed" a dovetail cut,
because this front sight comes to the "res-
cue." Cut to a full 3/8" long x .085" deep, it can
easily be custom-fit to almost any .060" or .075" female dovetail
recess that's been accidentally overcut and no longer accepts
standard dovetail front sights. Blank-shaped blade with 1/16" di-
ameter retaining pin hole requires final shaping, then cold or hot
blue it for a professional-looking front sight installation. 

- SPECS:** Steel, blue, matte finish. Dovetail - .375" (9.5mm) wide,
.085" (2.1mm) thick x 65°. Blade - .125" (3.1mm) wide, .275"
(6.9mm) high x .625" (15.8mm) long. Includes 1/16" (1.5mm) diam-
eter stainless steel roll pin.
- #100-002-610DE "Rescue" Front Sight,
9A17Y00 \$ 20.00

AIMTECH 1911 AUTO GRIP SCOPE MOUNT


Light, "Right Side" Scope Mount

Replaces the grip on the right side of Colt-
Style semi-auto frame so it can't interfere with
thumb safety operation. "Quad Lock" installation
system securely attaches the mount to the frame at
four points. Accepts Weaver-style rings. No drilling or
tapping. 

- SPECS:** Black-anodized, extruded aluminum. Approx. 5 1/2" long, 6"
(15.2cm) high. Includes mounting pins and instructions. Cannot be
used with ambi safety or ambi slide release.
- #017-245-001DE 1911 Grip Mount,
7A42C25 \$ 63.25

ALLCHIN C-MORE COMP MOUNT

Lightweight & Rigid

Single side design helps elimi-
nate ejection interference. Front
deflector shield protects the lens
from blast residue. Mounts on
the dust cover using C-More hole
spacing; two additional holes give increased support. Includes a
removable thumb rest. Accepts C-More, Glock, slide-ride mount
and Weaver-style rails. 

- SPECS:** Aluminum, matte finish. 4.5" (11.5cm) long. 1.7 oz. (48 g).
Includes screws and instructions. Gunsmith fitting recommended.
- #005-100-000DE **C-More Comp Mount,**
5K69C00 \$ 89.00

CLARK 1911 AUTO SLIDE MOUNTED SCOPE BASE

Add Optics
To Existing Holes


Replaces Bomar Tuner rib
and accepts Weaver-style
rings. Available with (WC)
or without (WO) cutout for the
Bomar tuner. 

- SPECS:** Aluminum, black, anodized finish. 7 1/8" (18cm) long, .874"
(21.5mm) wide. 1.7 oz (48 g). Fits 5", Govt. length slides only.
- #181-011-100DE **WC Scope Base,**
1H21T00 \$ 30.00
 - #181-011-200DE **WO Scope Base,**
1H21T00 30.00

Selection • Service • Satisfaction

J.P. ENTERPRISES J-POINT MOUNT


Keeps Optics Low For Fast Target
Acquisition

Gives the J.P. J-Point and the old
Tasco Optima and Fire Point sights the
lowest possible mount for fast eye alignment and
sight pickup. No machining required; fits the factory dovetail.
Four locating studs lock sight to base. **BM #1** fits slides cut for
"melted-in" sight. **LPA** fits Para-Ordnance and others with LPA
sight cut. 

- SPECS:** Aluminum, black anodized, matte finish.
- | STOCK # | FITS | PRICE |
|----------------|-------------------------|------------------|
| #452-000-002DE | BM #1 | 2E32P00 \$ 39.95 |
| #452-000-018DE | 1911 Auto w/fixed sight | 2E32P00 \$ 39.95 |
| #452-000-003DE | LPA | 2E32P00 \$ 39.95 |

WEIGAND COMBAT 1911 AUTO GP SCOPEMOUNT®


Great For All Types Of Shooting

Solid side panels and no-flex design
make this mount great for shooting
full power loads. Light weight helps
reduce red-dot "carry over". Won't
affect ejection or cycling. Accepts
Weaver-style rings. 

- SPECS:** Extruded aluminum, silver or black, matte finish. 4 1/2"
(11cm) long. Fits 1911 Auto. Installation requires drilling and tap-
ping of frame. Includes instructions and screws.
- #957-117-200DE **GP Scopemount,** Silver 7E55P96 . . . \$ 69.95
 - #957-000-051DE **GP Scopemount,** Black 7E55V96 . . . 69.95

WEIGAND COMBAT 1911 AUTO 3rd GENERATION SCOPEMOUNT®


Frame Mount Design
Gives Stable Sight Picture

Exclusive, forward, frame mounting po-
sitions both optical and electronic scopes low,
directly over center of slide and grip frame for bet-
ter balance and pointability. Lightweight, one-piece, no-flex,
dependable base stands up to the demands of competitive pistol
shooting. Won't interfere with ejection or cycling. Will accept the
Tasco PDP4 40mm Red Dot Scope. 

- SPECS:** Aluminum, silver or black, anodized finish. 4 1/2" (11cm) long,
2 oz. (57 g) wt. Fits 1911 Auto, Govt. length frame. Accepts Weaver-
style rings. 3.296" (8.3cm) c-to-c ring spacing. Requires drilling and
tapping of frame. Includes screws and instructions.
- #957-210-000DE **3rd Gen. Scopemount,** Silver,
7E79D95 \$ 99.95
 - #957-000-052DE **3rd Gen. Scopemount,** Black,
7E79V95 99.95

GHOST PRODUCTS GHOST HOLSTER


Lightweight, Fast & Secure

Spring-loaded triggerguard lock provides
positive retention without clips, buckles,
muzzle cups or walk through straps. Holds
the gun securely until you unlock for the
draw; no more concerns about pistol reten-
tion; just run, unlock, draw and shoot. No need
to re-adjust configuration to use Limited and
Open guns in the same holster. Completely
adjustable for height, draw angle and cant.
Lock plate clamps tightly to 1" wide belt, com-
pletely eliminates movement. 

- SPECS:** Steel, aluminum and plastic. Black, matte finish. Right hand
only. 1911 - fits 1911 Auto, STI/Infinity, Para-Ordnance.
- #100-000-293DE 1911 Ghost Holster 3K130A00 . . . \$ 149.95

BLACKHAWK INDUSTRIES 1911 AUTO CQC™ & TACTICAL CARBON FIBER HOLSTERS

Lightweight,
Durable & Fast To Use;
Choose Level 1 Or Level 2 Retention

Injection molded from ad-
vanced carbon fiber nylon to
provide maximum strength.
CQC models have a con-
toured paddle for waist belt
mounting. Tactical models
mount directly to the right
thigh. **CQC Standard (STD)** features a close
friction fit, tension-adjustable, passive reten-
tion system for Level 1 requirements. **CQC
SERPA** has adjustable tension with an index
finger-actuated, Level 2 retention system that
will not release the triggerguard until you
press on the lock while you draw. CQC models
can be mounted using the belt loop or separate
paddle attachment. Paddle and belt loop are
lock-adjustable for forward and rearward cant. **Tactical SERPA**
includes the finger-actuated, Level 2 retention system and at-
taches to the right leg. Length is adjustable; upper and lower leg
straps are built from heavy duty nylon elastic webbing. Quick-
release buckles allow easy removal and installation. Dual top
straps use hook-and-loop fastener for easy installation around
the waist belt and include quick-release pull tabs for fast re-
moval. Polymer swivels allow the holster to pivot when sitting-
down. All models feature a fully covered trigger guard for added
safety, with a cutout trailing edge for maximum clearance during
presentation. Adjusts to fit belts up to 1 3/4" (4.1cm) wide. 

- SPECS:** Injection molded carbon fiber impregnated nylon, black.
Fits belts up to 1 3/4" (4.1cm) wide. Fits Govt. 1911 Auto. Right hand
only. CQC - Paddle attachment. 4 oz (113g) wt. Tactical - Thigh pad,
polymer buckles, nylon elastic webbing. 20.5 oz (581g) wt.
- #100-002-883DE **CQC Std. Holster** 8K32A94 \$ 45.99
 - #100-002-891DE **CQC SERPA Holster** 8K35B00 48.99
 - #100-003-486DE **Tactical SERPA Holster** 8K94B95 . . . 123.99

BLADETECH 1911 AUTO INJECTION MOLDED HOLSTER & MAG POUCH

Tough, Lightweight & Economical

Injection molded to give an exact
gun/holster fit. A built-in sight chan-
nel and low, speed-cut front provide
for an ultra-fast presentation. Twin
screws let you set precise retention force. Excellent for
daily carry, practice, or competition. **Belt** - IDPA approved hol-
ster features a straight drop belt loop with shim inserts. **Paddle**
- Provides 3-position carry for straight drop, muzzle forward or
FBI cant. Delivers optimal comfort and convenience, and per-
mits easy mounting and removal from pants and belts. **Combo
Pak** - Includes belt holster, paddle assembly for easy conversion,
plus a double magazine pouch with TEK-LOK system. **Double
Mag Pouch** - Holds two spare magazines for easy reach and fast
reloads. Low profile design with TEK-LOK belt attachment. 

- SPECS:** Pylon, black, matte. Fits 1 1/4" to 1 3/4" wide belts. Right-hand
only. **Belt model includes inserts to accommodate belt width.**
- #098-000-018DE **Belt Holster** 8K22Y36 \$ 27.95
 - #098-000-021DE **Paddle Holster** 8K22Y36 27.95
 - #098-000-035DE **Combo Pak** 8K43T96 54.95
 - #098-000-036DE **Double Mag Pouch** 8K19T81 24.95

- QUAD MAG POUCH** - Holds four full-size single
stack 1911 magazines. Made from injection-molded
polymer with two adjustable tension screws.
Accommodates both left- and right-handed shoot-
ers; TEK-LOK™ system fits belt widths up to 1 3/4".
SPECS: Polymer, black. Fits 1 1/4" to 1 3/4" wide
belts.
- #098-000-059DE **Quad Mag Pouch** 8K29T95 \$ 39.95

BLADE-TECH INDUSTRIES
KYDEX® HOLSTER & POUCH

Comfortable, Simple, Secure; Impervious To Wear

Kydex provides long-lasting weapon retention, plus it stands up to the harshest environment, does not squeak, and it's impervious to solvents and oils. Tension screws allow you to adjust retention. All models include reducers for 1½" and 1¼" belts.

STANDARD HOLSTER - Paddle model has three-way adjustment for carry angle, FBI cant, straight drop and muzzle forward. Wide, comfortable paddle with adjustable retaining keeper holds the holster to the waistband. **Belt** model has straight-up carry angle, provides fast draw and close, comfortable carry. IDPA approved.



SPECS: Kydex, black. Fits belts to 1¾" (4.4cm) wide. Fits Colt-style slides. *Overrides, aftermarket slides may not fit.*

STK # PADDLE	STK # BELT	FITS
#098-100-011DE	#098-101-011DE	Gov't
#098-100-012DE	#098-101-012DE	Cmdr
NA	#098-101-013DE	Officers

— Advise # — Paddle Holster 8K50T36 \$ 62.95
— Advise # — Belt Holster 8K50T36 62.95

INSIDE WAIST BAND HOLSTER (IWB) - Wear between the belt and pants or inside the waist band. Adjustable for angle of carry; FBI Tilt or straight up carry position. Dual belt loops secure holster. Hammer shield prevents snagging on clothing.



SPECS: Kydex, black. Adjustable to fit belts 1¼" to 1¾" (4.4cm) wide. Fits Colt-style slides. *Overrides, aftermarket slides may not fit.*

#098-000-011DE IWB Holster 8K51Y96 \$ 64.95

FLASHLIGHT/MAGAZINE POUCH - Holds one single stack magazine and a Surefire 6P/9P flashlight, lens down. Tek-Lok™ quick release belt clip fits belts up to 1¾" (4.4cm) wide.



SPECS: Kydex, black, matte finish.
#098-000-016DE Tek-Lok Light/Mag Pouch, 8K45Y56 \$ 56.95

MAGAZINE POUCHES - Single screw with rubber spacer adjusts friction fit; holds magazines without rattling. **Lock** pouches feature quick release, Tek-Lok™ utility belt clip. **Paddle** has molded clip, adjustable for belt width, that snaps over belt or waistband.



SPECS: Kydex, black. Fits belts 1¼" to 1¾" (4.4cm). Fits single stack magazines only.

#098-116-001DE Single Mag Pouch 8K23T96 \$ 29.95
#098-121-001DE Double Mag Pouch, Lock 8K42T36 .. \$ 52.95
#098-120-001DE Double Mag Pouch, Paddle 8K40T76 50.95

FOBUS 1911 AUTO
TACTICAL ELITE HOLSTER

Comfortable Carry That's Light & Secure

Triggerguard-detent, passive retention system provides nearly snatch-proof security, and allows a quick, smooth draw. Molded from lightweight thermoplastic for an exact fit, with a molded-in sight channel to prevent snagging. Contoured paddle with a full width belt lock lets the firearm hug your body.

SPECS: RX18 thermoplastic, black. Right-hand only. **C-21** fits 5" 1911 Auto.

#100-000-286DE C-21 Tactical Paddle Holster, 3K16A40 \$ 26.99

MAGAZINE POUCH - Uses a friction pad retention system to keep magazine secure; prevents rattling. Paddle, with full-length belt lock, holds pouch tightly to your belt.



SPECS: RX18 thermoplastic, black. Accepts single-stack, 1911 Auto magazines.
#100-000-288DE Double Mag Pouch 3K15A67 \$ 24.99

GALCO INTERNATIONAL
PREMIUM GUNLEATHER

For Concealed Carry; Handmade In The U.S.A.



Expertly crafted for superior fit and function. Cut from the top 2% of the finest, "Number One" grade, U.S. vegetable tanned steer hides, then hand-molded for a perfect fit. Hand-rubbed oil preserves the leather. Havana brown is a rich burgundy color produced by penetrating, aniline dyes.

MIAMI CLASSIC - Includes tension-adjustable holster, 1" wide harness and double magazine carrier with tab for cuff case or tie down. Four-point spider harness pivots independently for added mobility. Flexalon, swivel back plate provides excellent support.

SPECS: Steer hide, tan. RH. Fits 1911 barrels 3" to 5" long: Colt, Kimber, S&W, Springfield, AMT Hardballer and Star PD.

#100-001-635DE Miami Classic 7A134U36 \$ 167.95

C.C.P. - Single, adjustment screw gives the Concealed Carry Paddle a wide range of rotation for your preferred angle of carry. Open top and muzzle with injection-molded paddle; includes an adjustable wedge that grips inside the waistband and under your belt.



SPECS: Steer hide, Havana brown. RH. Fits 1911 barrels 5" long only: Colt, Kimber, S&W, Springfield, Para C7, P14, P16, and LDA. Accepts belts up to 1¾" (4.4cm) wide.

#100-001-651DE C.C.P. Holster 7A86U40 \$ 108.00

U.S.A. - Ultimate Second Amendment™ features the Generation III J-Hook; attaches over the waistband, behind the belt and hooks upward over the bottom of the belt for total concealment with a tucked-in shirt.



SPECS: Horsehide, natural. RH. Fits 1911 barrels 3" long only: Colt, Kimber, Springfield and Para LDA. Accepts 1¼" (3.2cm) wide belts.

#100-001-658DE U.S.A. Holster 7A55V96 \$ 69.95

F.L.E.T.C.H. - High-ride, open muzzle design with retention strap fully covers the triggerguard and protects the sights. Low cut grip access ensures fast presentation. Body-side contour gives extra comfort on the hip. Reinforced thumb break.



SPECS: Steer hide, tan. RH. **3.5"** fits 1911 barrels 3.5" long only: Colt, Springfield, Para-Ordnance P12, C7, LDA, and Star PD. **5"** fits 1911 barrels 5" long only: Colt, Kimber, S&W, Springfield, Para C7, P14, P16, LDA, and AMT Hardballer. Accepts belts up to 1¾" (4.4cm) wide.

#100-001-640DE 3.5" F.L.E.T.C.H. Holster, 7A65U60 \$ 82.00

#100-001-642DE 5" F.L.E.T.C.H. Holster, 7A62U80 78.50


CONCEALABLE™ - Low profile belt holster contours your hip for extra stability. Open top provides grip accessibility for fast presentation and reholstering. Belt slots minimize shift give weapon a forward cant.



SPECS: Steer hide, Havana brown. RH. Fits 1911 barrels 4" to 4.25" long only: Colt, Kimber, Springfield and Para P13. Accepts belts up to 1½" (3.8cm) wide.

#100-001-729DE Concealable Holster, 7A75X96 \$ 94.95

YAQUI SLIDE BELT HOLSTER - Concealable under a short jacket. Features minimum bulk with plenty of security. Contoured for zero cant. Tension screws allow fitting to a variety of pistols. Belt slide has cutout for over a belt loop to prevent shifting.



SPECS: Steer hide, tan. RH. Fits all length 1911 barrels: Colt, Kimber, S&W, Springfield, Para, AMT Hardballer, Star PD. Accepts belts up to 1¾" (4.4cm) wide.

#100-001-891DE Yaqui Holster, 7A46Y40 \$ 58.00

HELLWEG
BELT SLIDE HOLSTER

Slim Profile Helps Conceal Pistol



High, close carry for concealability. Top grain, unlined, wet-molded cowhide. **SPECS:** Leather, black. Right-hand only. Fits belts to 1½" wide.

#425-107-101DE 1911 Belt Slide, 3B20U97 \$ 26.22

HELLWEG
KST TACTICAL HOLSTER

Carry Strong Side, Concealed Or Cross-Draw



Wear on the hip for duty, behind the back for concealment, or re-position for cross draw. Standard Belt Plate has clearance for protective vests. Fully adjustable for carry angle and height. Molded Kydex® with suede lining provides outstanding strength, yet is gentle on the gun's finish. Friction fit, no thumb snap; draw is easy and silent. Covers the trigger guard.

SPECS: Kydex plastic, suede leather lining, black. Fits 1911 Government model. Accepts belts to 1½" (3.8cm) wide. Right hand only.

#425-109-011DE Govt. KST Holster, 5B96U10 \$ 120.14

HELLWEG 1911 AUTO
KSTCTACTICAL-C HOLSTER

Rides Low & Close; Gives Natural Draw Position; IDPA Approved



The KST Holster with Concealment Belt Plate lets the gun ride low and close to the body. Positions gun 1½" below the belt. Adjustable for height and angle of carry. Suede lined. Tension screw adjusts resistance.

SPECS: Kydex, suede leather lining, black. Fits 1911 Govt model. Fits belts up to 1½" (3.8cm) wide. Right-hand only.

#425-110-005DE 1911 Tactical-C Holster, 5B96U10 \$ 120.14

HELLWEG
KSL LIMITED HOLSTER

Limited Class Legal, Open Class Fast



Limited class holster that is fast as open class holsters. Variable tension screw holds gun securely, does not impede draw. Fully adjustable, Standard Belt Plate lets you select height and angle of carry, plus holds gun away from body for full access to grip. Made from thermo-molded Kydex® and suede leather lined so it's easy on the gun's finish.

SPECS: Kydex plastic, ½" suede leather lining, black. Fits 5" (12.7cm) 1911 Auto. Fits belts to 1½" (3.8cm) wide. Right-hand only.

#425-105-191DE 1911 Limited Holster, 5B96P10 \$ 120.14

D.M.P. - Ambidextrous, Double Magazine Paddle holds two .45 or 10mm single-stack magazines. Dual, tension adjustment screws for maximum retention. Injection-molded, belt-lock paddle fits inside the waistband and hooks under a belt; keeps mag carrier secure and allow on/off without removing belt.



SPECS: Steer hide, tan only. Approx. 4" (10cm) long x 4" high. Fits belts up to 2" (5.1cm) wide.

#100-001-687DE D.M.P. Magazine Carrier, 7A51V96 \$ 64.95

HOGUE SEMI-AUTO
UNIVERSAL POWERSPEED™ HOLSTER

Maximum Retention; Releases Instantly For A Lightning-Fast Draw



Modular holster securely retains your pistol, then releases instantly as you draw. Exclusive design uses three, extremely powerful rare earth magnets to hold almost any semi-auto pistol snugly on the support platform ready to draw. Separate locking mechanism secures the triggerguard in your choice of two levels of retention. Fully-Locked or Semi-Race; releases instantly with just a light push from the thumb as you draw. Disengage the lock for a

completely unimpeded draw in full-race situations. Made from lightweight, unbreakable, resin impregnated plastic. Holster is fully adjustable for width at triggerguard, height of draw and left- or right-hand carry. Includes two belt mounts: Competition/Duty is adjustable for cant and angle, fits belts 1½" (3.8cm) to 3" (7.6cm) wide; High Rise fits 1½" wide belts and is designed for concealed carry.

SPECS: Plastic, black 7.2 oz. (202 g) wt. Fits most full-size, semi-auto pistols with steel slides and a minimum barrel length of 3½".

#408-300-000DE Powerspeed Holster, 8K85A31 \$ 119.95

MICHAEL'S
KYDEX DOUBLE MAGAZINE CASE

Injection Molded For Durability



Double magazine pouch features individually molded compartments for proper fit of single-stack, 1911-style magazines. Tension screw system lets you adjust the amount of retention for competition or carry. Rugged, Kydex construction ensures smooth insertion and removal of mags and stands up to hard use.

SPECS: Kydex, black. 4½" (10.6cm) long x 3½" (7.9cm) high x 2¾" (7cm) deep x ¾" (2.2cm) thick. Fits two single-stack 1911-style magazines. Accepts belts up to 1¾" (4.4cm) wide.

#593-000-033DE Double Magazine Case 3E16A76 .. \$ 20.95

MILT SPARKS SEMI AUTO
SUMMER SPECIAL 2

Highly Concealable, Comfortable, All-Day Carry



Classic inside the waistband holster offers optimum concealment and comfort. Open top style for a quick draw; wet molded to an exact fit for excellent retention. Steel reinforced top always remains open for easy, one hand reholstering. Rough-side-out texture grips clothing to prevent holster from shifting. Protective backflap prevents thumb safety from snagging on clothing; keeps slide from digging into your ribs. Features sewn-in sight channel and belt loops with one-way directional snaps.

SPECS: Leather, tan. 1½" (3.8cm) belt loops.

#728-002-191DE 1911 Auto Summer Special, 8B73X67 \$ 85.00

#728-002-192DE Commander Summer Special, 8B73X67 85.00

#728-002-193DE Officers ACP Summer Special, 8B73X67 85.00



Brownells continues to work with its vendors to identify all products made in the U.S.A. This information was not available for all products at time of catalog production, but will be regularly updated on our website. Visit brownells.com for the most current information.

MITCH ROSEN
EXPRESS LINE™ GUN LEATHER

Top-Of-The-Line Craftsmanship At An Affordable Price From One Of The Most Innovative Names In Handgun Leather

Hand fitted from the finest quality cowhide to precisely match the contours of the firearm for a snug fit and secure retention. Nylon thread stitching with double-stitched stress points and back-tacked ends for years of service. Formed sight channel ensures the front sight never snags or pulls leather. Excellent attention to detail and design gives comfortable, all-day carry.

ARG. AMERICAN REAR GUARD - Inside-the-waistband. Double leather and steel reinforced top for easy, one-hand re-holstering. Rides extremely low with radical rearward muzzle rake. Single rear belt loop reduces bulk; holds securely to belt. Draws the butt tightly against body for minimal printing. One-way snap for easy removal.

SPECS: Cowhide, tan and brown. Fits 1½" belt loops. Right-hand.

#100-000-465DE ARG Holster, 1911 Auto 5K70H00 . . \$ 90.00

PREMIER HOLSTER - Hand-fitted from the finest quality cowhide to precisely match the contours of the firearm for a snug fit and secure retention. Holster features two snap closures for quick attachment and release without removing belt. Double nylon stitching increases rigidity for easy re-holstering. 18" forward cant gives quick presentation; rides close to the body for minimal printing.

SPECS: Cowhide, black. Fits 1½" belts. Right-hand.

STOCK #	FITS	STOCK #	FITS
#100-001-822DE	1911 Govt	#100-001-823DE	1911 Comm
#100-001-824DE	1911 Off		

- Advise # - Premier Holster 5K70D00 \$ 90.00

DEUCE - Holds two magazines vertically. Attaches to the belt with two, one-way snaps, or thread your belt through the 1½" slots. Features two tension adjustment screws.

SPECS: Cowhide, brass rivets. Black or brown. RH. Single-Stack - 9mm or .45 ACP. Double-Stack - 9mm or .40 S&W, also fits Glock 36.

ACE - Holds a single magazine. Two tension adjustment screws. Attaches with single, one-way snap.

SPECS: Cowhide, brass rivets. Black or brown. RH. Single-Stack - 9mm or .45 ACP. Double-Stack - 9mm or .40 S&W, also fits Glock 36.

STK # DEUCE	STK # ACE	FITS	COLOR
#100-000-480DE	#100-000-484DE	Single-Stack	Black
#100-000-481DE	NA	Single-Stack	Brown
#100-000-482DE	#100-000-486DE	Double-Stack	Black

- Advise # - Deuce Mag Pouch 5K37H50 \$ 50.00
- Advise # - Ace Mag Pouch 5K30H00 40.00

RESCOMP
C-R VERSA POUCH

Adjust Angle & Tension For High-Speed Magazine Changes; Ambidextrous Design

Injection-molded, competition pouch makes it easy to fine-tune the pull tension and angle of draw. Spacer inserts and knurled-head, adjusting screw provide proper fit for most single- and double-stack mags. Finger groove gives a positive, repeatable grip. Belt hanger reverses for left- or right-hand use. Fits belts to 1½" wide.

SPECS: Molded polymer, black, red, or blue. Pouch - 1½" (4.1cm) long, 1¾" (3.5cm) wide, 2¾" (7cm) high. 3.2 oz. (90.7 g) wt. Accepts double-stack hi-cap magazines including STI, SV, SPS, Para Ordnance, Bul M5, and Caspian.

#775-000-018DE Black C-R Versa Pouch 5G29P11 . . \$ 36.40
#775-000-019DE Red C-R Versa Pouch 5G29P11 36.40
#775-000-021DE Blue C-R Versa Pouch 5G29P11 36.40

RESCOMP
C-R SPEED HOLSTER;
MODEL "A"

Highly Functional Design Provides Lightning Fast Draws For 1911 Auto

Ultra-lightweight, rail-style design provides open access to grip for a fast, unrestricted draw. Exclusive, safety-locking lever engages with a flick of your thumb. Fully adjustable for overall length, degree of rake, draw tension, height and outward cant. Fits all barrel lengths, with or without scopes and comps. Can be converted for left-hand use; clamps to belts up to 1¾" wide.

SPECS: Polyethylene plastic, black. 8.8 oz. (250 g) wt. Imported from South Africa. Includes 3mm and 4mm Allen wrenches. Fits 1911 Auto, all styles and models plus, many other guns with triggerguards from ¾" (9.5mm) to .453" (11.5mm) wide.

#775-100-001DE "A" C-R Speed Holster, 5G86U59 \$ 108.25

C-R SPEED MUZZLE PLATFORM - Adjustable position, rigid plastic muzzle platform replaces the muzzle cup on C-R Speed Holsters to shorten draw time by that winning "whisker". Three different sized muzzle spuds are included for use with 9/38, .40, and .45 pistols and can be changed easily with a Phillips head screw driver. Platform can be reversed and mounted in two different positions on the holster for short or long pistols.

SPECS: Polyethylene plastic, black.

#775-000-031DE C-R Speed Muzzle Platform, 5G32P30 \$ 40.37

RESCOMP
WSM SPEED HOLSTER

Functional, Universal Design; Fits Most Semi-Autos; Provides Lightning Fast Draws

Lightweight, open, rail design speeds your draw because it touches and retains the pistol at only two points. Slim, streamlined body lets you come down from the top or "scoop" the gun out from below. Flip on, flip off, safety-locking lever secures pistol in the holster, releases instantly for shooting. Adjusts to fit all barrel lengths, scoped or non-scoped, comped or non-comped variations of standard and high-capacity 1911 Auto's, STI, Infinity, Para-Ordnance, Caspian, Beretta, Taurus, Tanfoglio, Hi-Power, CZ, and Star. Converts for left-hand use. VERSA-Hanger clamps securely to belts up to 1½" wide. Adjusts for outward cant, degree of rake, height, angle of draw, and rotation. **VERSA-Hanger Upgrade Kit** retro fits CR-2000, Model A, and Model G holsters.

SPECS: Holster: Nylon, all black (Blk) or black and red (Red), 11 oz. (310 g) wt. Includes metric Allen wrench. Fits semi-auto pistols with triggerguards from ¾" (9.5mm) to .453" (11.5mm) wide. **Hanger:** Aluminum, black finish. Includes setup instructions. Imported from South Africa.

#775-000-005DE Black WSM Holster, 5G152P67 \$ 190.85

#775-000-006DE Red WSM Holster, 5G152P67 190.85

#775-000-007DE VERSA-Hanger Upgrade Kit, 5G61P95 77.45

ARREDONDO RESCOMP ACCESSORIES

REPLACEMENT MUZZLE PLATFORM - Stud rests inside the bore exit hole; holds the muzzle steady without restricting your draw. Replaces the Rescomp factory muzzle cup. Double sided spud fits 9mm, .38 .40 and .45 caliber bores.

SPECS: Nylon plastic, purple.

#069-210-001DE Rescomp Muzzle Platform, 9F22T67 \$ 34.00

SAFARILAND 1911 AUTO
5188 PADDLE-STYLE
CONCEALMENT HOLSTER

Compact & Lightweight With Low Sides For Comfort & Ease Of Draw

Low-profile, open-top paddle holster offers minimal bulk and a low-cut front to help improve the speed of your draw. Cut-down sides won't interfere with draw and maximize comfort and concealment. Constructed of nearly indestructible Safari-Laminate™ thermal molded to the exact shape of a full-size 1911 Government model pistol for superior retention and no movement of gun while walking or running. Adjustable tension system lets you set the right amount of retention for your gun and the level of resistance during unholstering, while soft, suede lining protects the gun's finish. Self-locking paddle of injection-molded polymer readily conforms to your body for a comfortable, close to the body fit that positions the gun for smooth, fast presentation. Paddle also accepts a belt up to 1¾" wide for extra support. Approved by the International Defensive Pistol Association (IDPA) for competition use.

SPECS: Safari-Laminate with suede leather lining, black. For Govt. Model with 5" barrel. RH only. Fits belts up to 1¾" (4.5cm) wide.
#797-000-102DE 5188 Holster, Govt. 7G29A86 \$ 38.00

SAFARILAND 5182/5186
CONCEALMENT HOLSTERS

Lightweight & Comfortable, For Carry & Competition

Thermal molded, Safari-Laminate™ construction provides the toughness and durability for years of service. Open top, with a low cut front helps improve the speed of your draw.

Soft, suede lining protects gun finish, gives smoother draw. Cut down sides reduce bulk, plus improve wear comfort and concealment. Accessory spacer kit allows the user to adjust the angle of fit between the holster and the body. Tension device may be adjusted to your liking for a customized feel when drawing. Approved by the International Defensive Pistol Association (IDPA).

5182 Paddle - Self-locking paddle provides easy placement and removal of the holster, readily conforms to your body. **5186 Belt** - Fits belts 1" to 1½" wide. Belt loop adjusts for draw angle.

SPECS: Safari-Laminate and suede leather, black. Right hand only. Fits belts 1" to 1½" wide. Fits Govt. Model with 5" barrel.
#797-000-001DE 5182 Paddle Holster, Govt 7G45H58 . \$ 58.00
#797-000-007DE 5186 Belt Holster, Govt 7G45H58 . . . 58.00

Models

SAFARILAND
6004 TACTICAL HOLSTER

Lightweight, Rugged, Secure Weapon Retention & Protection

Thermal-molded laminate holster protects pistol from dents and dings, and ensures retention in the most demanding tactical situations. Self Locking System (SLS) releases the weapon when you push down on the thumb lock and rotate hood forward; pulling up on the gun's grip without releasing the lock actually makes weapon more secure. With no cumbersome snaps to release, SLS design allows a smoother draw, protects weapon from attempted seizure, and is less likely to release accidentally. Molded sight track and suede liner protects sights and finish. Attaches to duty belt and secures to leg with a double strap and contoured shroud system for added comfort and stability. Setscrew allows adjustment for optimal retention force. Available in **Black, Dark Earth and Foliage Green** to match common camo colors.

SPECS: Safari-Laminate™, nylon, ABS plastic, Black, Dark Earth, or Foliage Green. Fully lined. Right-hand only. Holster must be worn with belt up to 2¼" (5.7cm) wide. Fits full-size 1911.

#797-000-074DE 6004 Holster, Black 7G130Z76 . . . \$ 158.00
797-000-117DE 6004 Holster, Dark Earth 7G134Y69 162.75
797-000-121DE 6004 Holster, Fol. Green 7G134Y69 . 162.75

SAFARILAND 1911 AUTO
6304 TACTICAL HOLSTER

Strong, Lightweight & Adjustable; Dual Quick-Release Retention Systems

Rugged, lightweight, thermal-molded laminate holster securely retains your pistol during the most strenuous tactical maneuvers and prevents seizure by unauthorized personnel. Dual quick-release locking systems ensure that you—and only you—can access your weapon. The Self Locking System (SLS) prohibits access until you push down on the thumb lock and rotate the protective hood forward. Upward force on the gun's grip without releasing the lock actually makes the weapon more secure. Hood also serves as a hammer blocking device on a pistol carried in Condition 1. In addition, the Automatic Locking System (ALS) automatically grips the gun from the inside every time you holster it. After releasing the SLS, your thumb is positioned to pull back on the ALS release lever and complete a straight-up draw that is natural, smooth, and faster than traditional snap-and-strap systems. The hood guard at the front of the holster further blocks unauthorized access by another person but won't interfere with your access to the controls. Nearly indestructible Safari-Laminate™ is thermal molded to encase the gun and protect it from impact, while the molded sight track and soft suede lining protect sights and finish. Setscrews allow adjustment retention force to prevent movement of gun when walking or running. Adjustable vertical strap mounts to any width duty belt, and a hook-and-loop system lets you set the exact holster height you want. A contoured leg shroud with two adjustable straps secures the holster to your leg for maximum stability and comfort.

SPECS: Safari-Laminate™, nylon, ABS plastic, with suede lining, black. Fits full-size 1911 with 5" barrel. Right hand only.
#797-000-112DE 6304 Tactical Holster 7G161Y17 . . \$ 194.75

SAFARILAND
012 COMPETITION HOLSTER

Adjustable To Fit All Barrel Lengths

One holster fits both your Limited and Unlimited pistol. Adjustable nosepiece has reduced profile with closed bottom, gives faster draw with improved security. May be quickly adjusted to accommodate pistols with barrel or barrel/compensator combinations from 5" (12.7cm) to 7" (17.8cm) long. Aluminum body accepts all frame- or slide-mounted scope applications with no adjustment necessary. Tension-adjustable insert block locks onto the triggerguard and holds the pistol securely until you're ready to draw.

SPECS: Available in black or black/silver carbon fiber (CF) pattern, right-hand only. Fits 1911 Auto, STI/SVI, EAA Witness, Para-Ordnance, Caspian, CZ75, CZ85, McCormick/Tripp, Sphnix, Strayer-Voigt Infinity, Tanfoglio, JSP Spitfire and Springfield P-9. Fits belts up to 1¾" (4.4cm) wide. Hook and loop fasteners lock holster to belt.
#797-012-001DE Black 012 Holster, 7G208A22 \$ 265.00
#797-000-078DE CF 012 Holster, 7G228A65 291.00

ARREDONDO 012 MUZZLE PLATFORM - Replaces the Safariland factory muzzle strap; secures gun without restricting your draw. Muzzle rests over a nylon spud that will not lose tension with use. Spud fits 9mm/.38/.40/.45 caliber.

SPECS: High impact polyurethane, black, matte finish.
#069-000-002DE 012 Muzzle Platform, 9F28Z00 \$ 35.00

TOLL FREE: 800-741-0015



**SAFARILAND
079 DOUBLE CARRY
MAGAZINE HOLDER**

Ambi Design; Cut Low For Faster Reloads

Low-cut design for easier magazine access, plus adjustable tension so each shooter can set the amount of resistance for getting the draw that feels best, without sacrificing safety.

SPECS: Safari-Laminate™, Black basketweave. Fits belts up to 1 3/4" wide. Reversible to fit either right- or left-hand. **Single-Stack** accepts 1911-style magazines, **Double-Stack** accepts Glock 20/21, Para-Ordnance, McCormick, STI, Infinity.

#797-079-057DE Sgl-Stack Mag Holder 7G31B43 . . . \$ 40.00
#797-079-157DE Double-Stack Mag Holder 7G31B43 40.00

**SAFARILAND
773 COMPETITION MAG POUCH**

Fully Adjustable For Fast, Smooth Draw

Thermo-molded from Safari-Laminate® for light weight and durability. Adjustable draw angle and tension. Closed front improves retention.

SPECS: Safari-Laminate, black basketweave finish for right-handed shooters. Fits belts up to 1 1/2" (3.8cm) wide. Fits: **53** - 1911 Auto, single-stack; **850** - STI/Infinity, Para-Ordnance P-14.

#797-773-001DE Comp. Mag Pouch 53 7G27U50 . . . \$ 35.00
#797-773-005DE Comp. Mag Pouch 850 7G27U50 . . . 35.00



**SAFARILAND
LEVITATION HOLSTER**

**Easily Adjustable;
Lets You Draw Fast & Easily**

Great-looking, machined aluminum holster stabilizes your handgun, while creating very little friction so you can draw quickly and smoothly.

Fan-shaped, belt-mount bracket moves through a 20° arc for adjustability and the injection-molded triggerguard has a tension adjustment for maximum customization. Front nosepiece retains and locates handgun. *Only works with Levitation System from Safariland; available in right- or left-hand.*

Specs: Aluminum body, Safari-Laminate™ hardware, carbon-fiber finish. Right hand only. Fits 1911s, STIs, and CZ clones from 5" to 7 1/2" in length; with or without scopes.

#797-000-042DE Levitation Holster 7G230D62 . . . \$ 293.50

**SPECTER GEAR
TACTICAL THIGH HOLSTER**

**Multiple Adjustments For Comfort;
Securely Retains Your Handgun &
Magazine**

Heavy-duty pistol holster offers all-most infinite adjustability for correct fit and increased wearing comfort. Multiple adjustment points safely and securely retain your handgun at the recommended mid-thigh level for tactical duty applications. Fully adjustable, double leg straps are made with durable, 2" wide nylon webbing with interwoven rubber stitching to prevent shifting during use. Dual, quick-release side buckles with elastic inter-loops evenly distribute weight for less fatigue and expansion of the leg straps during movement. Triple routing channels for the attachment straps provide a perfect fit for all users. Vertical hanger strap with quick-release buckle is constructed of three layers of 2" wide webbing with a full length hook-and-loop pad for up to 6" of vertical drop adjustment. All stitching and seams are sewn with either #69 or #92 mil-spec nylon thread; high stress points are quadruple stitched for added strength. Adjustable hammer



**SAFARILAND
5773 LEVITATION
COMPETITION MAG POUCH**

**Designed For Maximum Reloading Speed
With Levitation System**

Durable, lightweight, Safari-Laminate mag pouch adjusts 90° on your rig for custom positioning. Roller wheels, with adjustable tension, and friction-reducing interior improve reloading speed. For use with Levitation System only.

SPECS: Safari-Laminate™, carbon-fiber finish. Attaches to Safariland's Levitation Outer-Belt only. Pouch - 2 1/4" (5.8cm) long, 3 1/2" (9.0cm) high, 1 3/8" (3.5cm) wide; Bracket - 3/8" (4.1cm) long, 4 1/4" (10.8cm) high, 7/8" (22mm) wide. **Single Stack** fits single stack 1911 auto magazines. **Double Stack** fits Para, McCormick, Tripp, STI, and Infinity double stack magazines only. Right-hand only.

#797-000-046DE Single Stack Mag Pouch 7G33Z79 . \$ 43.00
#797-000-050DE Double Stack Mag Pouch 7G33Z79 . 43.00



**SKYLINE TOOLWORKS
UNIVERSAL CLIPDRAW**

**Attaches In Seconds To Most Handguns;
Easily Removable For Use With Holsters**

Spring steel belt clip installs to most pistols and revolvers to provide secure carry with minimum bulk for maximum concealment. Attach the pre-drilled mounting plate to a clean, flat surface on the gun using the provided high-bond, 3M double-back tape, then fasten the clip to the mounting plate with the included Allen screws. Adhesion actually increases over time. For conventional holster carry, simply unscrew and remove the clip; mounting plate will not interfere with most holster configurations. Installation requires a minimum 3"x1/4" flat surface area on the firearm. Great for any handgun with varying carry requirements. Stretch release technology makes it easy to completely remove all traces of mounting tape with no remaining residue or blemishes to your gun's metal finish.

SPECS: Steel, blue (BL) or stainless steel (SS), natural finish. 3" (7.6cm) long, 1/4" (6mm) wide, 3/8" (10mm) high. Includes adhesive strips, cleaning pads, screws, and Allen wrench.

#918-000-003DE SS Universal Clipdraw 8A11V95 . . \$ 19.95
#918-000-004DE BL Universal Clipdraw 8A11V95 . . 19.95



**SKYLINE TOOLWORKS
CLIPDRAW**

Safe, Convenient Carry Without A Holster

Spring steel clip holds gun securely, provides an inside the waistband carry without the additional bulk of a holster. Installs easily under gun grip panel, does not interfere with gun function.

SPECS: Spring steel, black or nickel finish.

STOCK #	FITS	COLOR	PRICE
#918-011-100DE	1911 Auto	Black	8A11V95 \$ 19.95
#918-011-101DE	1911 Auto	Silver	8A11V95 \$ 19.95
#918-012-100DE	Officers ACP	Black	8A11V95 \$ 19.95
#918-012-101DE	Officers ACP	Silver	8A11V95 \$ 19.95

retention strap with additional security release flaps clear with minimum thumb pressure, yet securely retains your pistol even when low crawling or rappelling. Includes single magazine pouch located at the front of the holster.

SPECS: Ballistic nylon w/ 1000 denier cordura nylon outer shell, black. Approx. 1 lb. (1.5 kg) weight. Available in right hand (RH) or left hand (LH). Fits 5" 1911 Govt.

#100-002-860DE 1911 Thigh Holster, RH, 4K42T25 \$ 65.00
#100-002-861DE 1911 Thigh Holster, LH, 4K42T25 65.00



**BROWNELLS 1911 AUTO
LIGHT RAIL MOUNT**

**Add Lights & Lasers
To Non-Railed Frames**

Add-on light rail makes it cost-effective to convert any 1911 Auto-type pistol without an integral frame rail to accept a wide assortment of popular weapon lights and lasers. Rail attaches permanently with the supplied screws and Acraglas Gel™ to form a seamless mate with the dust cover. Aluminum model keeps aluminum-framed pistols lightweight and maneuverable. Steel version provides extra strength and added weight for improved balance and recoil control, plus can be welded into place and finish-shaped for a "built-in" appearance on steel framed pistols. Installation requires permanent alteration of the frame and must be completed by a competent gunsmith or machinist.

SPECS: Aluminum or steel, matte black. 1 1/16" (4cm) long, 1 3/16" (2.1cm) wide, 3/8" (9.5mm) high. Weight: Aluminum - .6 oz. (17g). Steel - 1.2 oz. (34g). Fits 1911 Auto-type pistols. Slot centers located .510" from each end.

#078-000-076DE Alum. Light Rail Mount 8G39Y95 . \$ 49.95
#078-000-078DE Steel Light Rail Mount 9A40Y07 . . . 50.10

**YOST-BONITZ 1911 AUTO
LIGHT RAIL & ADAPTER
SYSTEM**

**Secure, Drill & Tap Retrofit
For Fast On/Off Light Deployment**

Easily retrofit 1911 Auto frames to accept the Surefire X200 Weapon Light. Single aluminum rail allows easy drill and tap installation on the dust cover of most 1911 Auto frames. Beveled forward edge helps locate the light on the rail for fast, push-button installation and removal. Kit includes aluminum adapters that convert either the Surefire X200A or X200B Weapon Light for attachment to the light rail.

SPECS: Rail - Aluminum, black, matte finish. 2" (5.1cm) long, 1/2" (12.7mm) wide. Adapter - Aluminum, black, matte finish. 1 1/2" (3.8mm) long, 7/16" (11mm) wide. Requires drilling and tapping of dust cover. Includes screws, hex wrench, and instructions.

#100-002-791DE Light Rail System 9A68D00 \$ 80.00



SAFARILAND RLS RAPID LIGHT SYSTEM

**Instant Transition From Handheld To
Weapon-Mounted Illumination**

Detachable light with modular mounting system is powerful enough to be your primary handheld light, compact enough to mount on a pistol, and transitions almost instantly to provide light where you need it, when you need it. Fits most pistol accessory rails. Simply slide the RLS mount over the rail, then rotate the light to the left or right, depending on the side of the gun you want it on, until the locking tab clicks into the rail groove. The light unit detaches easily from the mount for quick transition to handheld use. Belt clip on the light lets you carry the light alone or the light plus the mount on your belt. The light's Prism Reflector System focuses and projects the intense 65 lumen LED output up to 350 feet in an even pattern free of dark spots or shadows. Uses three inexpensive, easy-to-find AAA batteries; 50 hours battery life. Sealed push-button switch on the end cap has momentary and steady-on modes. When the light is mounted on a gun, the switch is positioned for easy activation by the thumb of the support hand in a two-handed stance. The **RLS Mount** is also available separately and accommodates most compact hand-held flashlights .970" (24.6mm) to 1.060" (26.9mm) in diameter.

SPECS: Light - Aluminum, hardcoat anodized, matte black. 4 1/2" (11.4cm) long, 1" (2.5cm) diameter. 4.6 oz. (129g) weight. 3 AAA batteries included. **Mount** - Reinforced injection molded polymer. 2 3/4" (7cm) long, 2" (5.1cm) wide, 3" (7.6cm) high. 1.2 oz. (35g) weight.

#797-000-095DE RLS Rapid Light System, 7G91A86 \$ 125.00
#797-000-096DE RLS Mount, only 7G31A43 45.00

**STREAMLIGHT®
TACTICAL WEAPON LIGHTS**

Lightweight, Powerful; Mounts Directly To Gun

TLR-1 WEAPON LIGHT - Powerful weapon-mounted light fully illuminates target with 80 lumens of intense, white light. Ambidextrous, momentary- or constant-on switch let you control light output to match your needs. Super Hi Flux 3 watt Luxeon LED lamp with impact-resistant Borofloat glass lens and deep-dish parabolic reflector produces a uniform beam with peripheral illumination and no hot spots or shadows. Runs on two CR123 lithium batteries for 2.5 hours of continuous runtime. Solid-state current regulation system maintains consistent illumination level through battery life cycle. Lightweight, machined 6000 series aluminum construction adds just 4.2 ounces; doesn't upset weapon balance, yet withstands hard field use. Unique locking bar system clamps directly to MIL-STD-1913 Picatinny mounts, and most Weaver-style rails. Fits all holsters designed to accept pistols mounted with the earlier Streamlight M-3/-5/-6 series lights.



SPECS: Machined aluminum, matte black anodized finish. 80 lumens. 3 1/4" (8.3cm) long, 1 1/2" (3.8cm) wide, 1 7/16" (3.7cm) high. 4.2 oz. (119g) weight, including batteries. Uses two CR123 lithium batteries, included.

#100-003-009DE TLR-1 Weapon Light 1K105H55 . . \$ 135.33

TLR-2 WEAPON LIGHT/LASER SIGHT - Adds a highly visible, red, 650-660 nm aiming laser to the powerful lighting capabilities of the TLR-1 Weapon Light to help you hit your target. Selector switch allows you to choose light only, laser only, or light plus laser illumination. Ambidextrous, momentary- or constant-on, four-position switch lets you apply your selection when you need it. 2.5 hours continuous runtime for light, 45+ hours in laser-only mode. Laser is fully adjustable for windage and elevation, with screws mounted in brass bushings for reliable return to zero. Fits same rails/mounts as TLR-1.



SPECS: Machined aluminum, matte black anodized finish. 80 lumens. 3 1/4" (8.3cm) long, 1 1/2" (3.8cm) wide, 1 3/4" (4.5cm) high. 4.7 oz. (134g) weight, including batteries. Uses two CR123 lithium batteries, included.

#100-003-106DE TLR-2 Weapon Light/Laser Sight, 1K289D77 \$ 482.95

**SUREFIRE
X300 WEAPON LIGHT**

**Powerful Tactical Illumination
For Rail-Equipped Handguns**



Compact, lightweight weapon light provides powerful target illumination for tactical pistols equipped with Picatinny and Universal Standard mounting rails. Solid-state, shock-isolated, electronically controlled LED outputs 110 lumens of clean, white light—more than five times a standard two-D-cell flashlight—for up to 2 1/2 hours runtime. LED is protected by a tempered Pyrex™ lens; anti-reflective coating ensures maximum light transmission. Specially engineered Total Internal Reflection focusing lens tightens light beam to project a more focused beam at longer distances, yet provides enough surround beam to support peripheral vision. Ambidextrous constant on/off toggle switch provides fail-safe operation under stress. Push button, spring-loaded mounting clamp allows you to instantly attach or detach light for any situation. O-ring sealed fittings are waterproof to 70 feet. Adapter plates and mounting hardware for Picatinny and Universal Standard rails included.

SPECS: Aluminum body, mil-spec Type III hardcoat anodized, black. 3 3/8" (9.2cm) long, 1 3/8" (3.5cm) wide, approximately 1" (2.5cm) high when mounted. 3.8 oz. (108g) weight, with two, included, SF123A lithium batteries installed.

#152-000-041DE X300 Weapon Light 2E00YTP \$ 249.00

NEW Items **LASERMAX**
UNI-MAX RAIL MOUNT
LASER SIGHT

Low-Profile, Lightweight,
Mounts On Weapon
Accessory Rail



Compact, lightweight laser sight projects a bright, highly visible beam on the target for precise shot placement. Mounts in seconds on any pistol, rifle, or shotgun with 1/4" or more of Picatinny or Weaver-style rail space. Ambidextrous switch is comfortably positioned for quick engagement when pistol shooter's index finger rests along the slide in the Universal Cover Mode. Beam may be set to constant output or rapidly pulsating mode for even greater visibility. Low-profile housing allows many guns fitted with the Uni-Max to be carried in standard holsters. Integral Picatinny rail on underside of housing allows mounting of tactical weapon light. Windage and elevation adjust easily with the included tools, also used to set beam output mode. **Uni-Max Red** produces a bright red/orange beam that's suitable for most close quarter combat applications. Unit operates in temperatures from 10 to 130° F with a normal battery life of 3 1/2 hours with two, 357 batteries, included. **Uni-Green** outputs a bright green beam that's more visible to the human eye in all lighting conditions and over longer ranges. Timeout circuit automatically turns the unit off after 10 minutes to extend battery life. Normal battery life is 1 hour with two, 1/3N batteries, included. Operates in temperatures from 40 to 100° F. Uni-Green includes a heavy duty, polymer hardcase with foam lining. **SPECS:** Fiber reinforced nylon, black. 2 1/4" (5.7cm) long, 1" (2.5cm) wide, 3/4" (1.9cm) high. Beam Diameter - 5/16" (1.6cm) at 7 yards, 3/4" (1.9cm) at 25 yards. **Uni-Max Red** - 635 nm wavelength laser. .9 oz. (26g) weight. Includes (2) 357 batteries and (2) Allen wrenches. **Uni-Green** - 532 nm wavelength laser. 1 oz. (28g) weight. Includes polymer hardcase, (2) 1/3N Lithium batteries, and adjustment tool.

- #100-003-110DE Uni-Max Red Laser Sight, 1B160D00 \$ 189.00
- #100-003-568DE Uni-Green Laser Sight, 1B334X95 399.95

MOMENTARY ACTIVATION SWITCH - Easy-to-install replacement switch provides momentary on/off control of your Uni-Max, so you can conserve battery power and avoid giving away your position. Squeeze the large 3" x 3/4" pressure activation pad to activate the laser when you're ready to acquire a target. Velcro® attachment system lets you position the pad on the forearm or vertical grip of a tactical rifle/shotgun, even the grip panels of some pistols, yet detaches quickly for temporary removal of the sight. Smooth, straight cord, in 6" or 10" lengths. Recessed master on/off switch prevents unintentional activation.



- SPECS:** Molded plastic and synthetic rubber, black. Available with 6" (15.2cm) or 10" (25.4cm) cord. Kit includes switch assembly, two mounting screws, installation tool, and instructions.
- #100-003-319DE Momentary Switch, 6" cord, 1B53Y00 \$ 69.00
 - #100-003-320DE Momentary Switch, 10" cord, 1B53Y00 69.00

BROWNELLS
SIGNATURE SERIES
PISTOL CASE

Protect Handguns From Nicks & Dings During Transport



Protect your favorite handgun from bumps, nicks, and scratches with this premium pistol case. Roomy rectangular shape and generous dimensions easily accommodate guns with optics, lasers, or tactical lights. Triple-protection system starts with a heavy duty, 1000 denier Cordura nylon outer shell that resist moisture, abrasions, scuffs, and tears. Next, a dual-layer of dense, shock-absorbing foam cushions the gun and isolates it from shock and damage due to shifting, and finally an inner lining of soft, nylon Tricot won't scratch the finish or snag on controls. A sturdy, self-healing YKK nylon zipper with brass slide and pull keeps the case sealed, and a brass D-ring securely fastened to the exterior with a heavy duty stitched leather anchor lets you lock the case (padlock not included). A super-strong, 1 1/4" box-X stitched, nylon-web carry strap and a brown leather patch on the front sporting the Brownells ram logo complete this handsome package. Use as a stand-alone case or for extra protection when carrying your handgun in a range bag with other gear. **SPECS:** Brown Cordura nylon shell, black Tricot interior. 12" (30.5cm) long, 8" (20.3cm) high, 1 1/2" (3.8cm) thick when zipped. #084-000-155DE Signature Pistol Case, 4H15T96... \$ 19.95

SAFE DIRECTION
PISTOL TRANSPORT CASE BALLISTIC
CONTAINMENT SYSTEM

NEW



Helps Control An Unintentional Discharge For Added Safety While Loading & Unloading

Heavy duty handgun case features a 1000 denier Cordura® nylon outer shell, plus an internal energy absorbing/dispersing panel that will contain a single accidental discharge of standard or +P rated handgun ammunition in 9mm, .38 Special, .357 Sig, .357 Magnum, .40 S&W, .44 Magnum, and .45 ACP calibers. Helps address safety concerns when loading and unloading your pistol indoors and at the range. Engineered to prevent penetration through walls, floor, or ceiling; Ballistic-Seal® energy absorbing panel minimizes damage to any supporting surface and offers protection comparable to NIJ-IIIA ballistic protection. Soft, polyester lining inside the case helps prevent snagging. Double-stitched accessory pocket on the outside provides convenient storage for magazines, ammunition or other gear. Heavy duty, YKK zippers with extra large pulls accept your own padlock for added security. Nylon web handles allow for easy carry. **Not for use as personal body armor or with Armor Piercing (AP), steel core, or hardened type bullets.** **SPECS:** 1000 denier Cordura® nylon exterior, polyester lined interior, black. Case - 11" (29cm) long, 2" (5cm) wide, 8" (20cm) high. Accessory pocket - 8" (20cm) long, 2" (5cm) wide, 6" (15cm) high. #100-003-435DE Pistol Transport Case 1B189D95 \$ 249.95

PELICAN
WATERTIGHT
PROTECTOR PISTOL CASE

Unbreakable Hard Shell Protects Your Handguns From Dust, Water & Shock



Super-tough, lightweight hard-shell cases protect your valuable guns from just about any punishment you can dish up, from everyday bangs and dings to the rigors of tactical operations. These cases even float, so a gun overboard isn't lost for good. The outer shell of high impact, polypropylene structural resin has an open-cell core and solid walls to safeguard the guns inside from dust, water, and many chemicals. High-density polyurethane foam inside protects them from vibration and shock. A tongue-and-groove lid with a neoprene sponge O-ring provides an airtight, waterproof seal, while the unique, one-way automatic purge valve equalizes pressure inside for ease in closing the lid. Easy-opening ABS polymer latches lock up good and tight when you want them to. Long-wearing, stainless steel pins in the hinges and handles provide years of trouble-free service. These cases meet MIL-STD 4150J and have an Ingress Protection rating of IP-67. **Pistol Case** has plenty of room for pistols, revolvers, or other gear up to 17 1/8" long. **SPECS:** Shell - High-impact polypropylene, black. Interior - High-density foam, gray. **Pistol Case** - 19 1/8" long, 15 1/8" wide, 7 1/8" high. #100-002-323DE Pistol Case 2Z106P78..... \$ 133.95

BIOMETRX
BIobox FINGERPRINT SAFE

NEW



Fingertip Recognition For Fast Retrieval Of Handgun & Other Valuables

All-steel security box uses advanced fingerprint recognition technology to provide instant access to your secured handgun with less than one second required for each fingertip scan. Can be programmed for multiple users with recognition capability for up to six sets of different fingerprints; flash memory retains this information even under power loss. New technology provides improved detection of fingerprints through dirt and oil. Lightweight, compact design allows easy transport while traveling. Non-skid, rubber feet can be removed to allow permanent mounting with bolts or screws up to 3/8" diameter. Double loop cable provides temporary attachment to permanent structures. Includes two, double-sided backup keys and instructions. Four AA batteries provide over 1000 openings. Batteries not included. **SPECS:** Steel, black, matte finish. Exterior Dimensions - 10 3/4" (27.3cm) long, 7 1/4" (18.4cm) wide, 2" (5.1cm) high. Interior Dimensions - 8 3/4" (22.2cm) long, 7" (17.8cm) wide, 1 1/2" (3.8cm) deep. Wall Thickness - .080" (2mm). Weight - 3 lb. 5 oz. (1.4kg). Includes two (2) keys and 40" (102cm) long x 1/8" (3.2mm) dia. cable. Requires four (4) AA batteries, not included. #100-003-232DE BioBox Safe 5C209T95..... \$ 259.00

AACFI
HANDGUN SECURITY BOX

Secures Handgun When Not Under Your Direct Personal Control



All steel, portable lock box provides handgun security where armed carry is prohibited or unwanted. Foam-lined mobile case features pre-drilled holes in base to allow permanent mounting on a solid surface. Rounded corners and edges provide easy handling and stowing in compartments or vehicles. Included steel cable allows secure, temporary attachment to solid fixtures. Accepts 1911 Gov't and most other full size pistols and 4" barreled revolvers with a cylinder diameter less than 1.57". Meets TSA checked baggage guidelines for "locked hard-sided container." Includes two, double-sided keys, foam lining, 3' polymer-coated cable, and instructions. **SPECS:** 21 gauge steel, black powdercoat finish. 9 1/2" (24.1cm) long, 6 1/2" (16.5cm) wide, 1 1/4" (4.4cm) high. 30.4 oz (862g) wt. #100-003-201DE Handgun Security Box, 1B24Y95 \$ 30.00

SAFESHELL
FIREARM SAFETY DEVICE

NEW



Internal Safety System Prevents Unauthorized Weapon Operation

Easy-to-use internal safety device protects against unauthorized use of firearm and accidental discharge. Inserts into chamber like a live round or snap cap. When you squeeze the trigger, the impact of the firing pin on the barrel, preventing the slide of a semi-auto from racking or the cylinder of a revolver from turning. Insert the reset tool into the muzzle to retract the extension, then cycle the action to eject the SafeShell. May be left in the chamber unactivated; when you need the gun, simply rack the slide or advance the cylinder to clear the SafeShell, so the weapon may be operated normally. An attempt by an unauthorized person to fire the gun will activate SafeShell, making the gun inoperable. Precision machined from aluminum; rugged design allows hundreds of activation/reset cycles. Distinctive yellow and blue markings clearly distinguish SafeShell from live ammo, dummy rounds, or ordinary snap caps. **SPECS:** Aluminum, anodized, bright blue and yellow finish. Available in 9mm, .40 S&W, and .45 ACP. #100-003-207DE 9mm SafeShell 1B19Y95 \$ 24.95 #100-003-208DE .40 S&W SafeShell 1B19Y95 24.95 #100-003-209DE .45 ACP SafeShell 1B19Y95 24.95

BROWNELLS
AMMO BOX PLUS

Protects Ammo & Supplies During Storage & Transport



Large capacity, impact-resistant, plastic, dry box keeps ammo and precision shooting equipment secure during transport and storage. Lockable, hinged cover features beefy, fold down, carry handle and integral tool compartment. Cam latch pulls cover down for watertight seal between gasket and base. Inside, 13 1/2" x 7 1/4" tray lifts out for easy access to 13 1/2" x 6 3/4" x 5 1/4" base compartment. **SPECS:** Impact-resistant plastic, black. Approximately 15" (38cm) long, 8" (20cm) wide, 10" (25cm) high. 2 lb. 13 oz. (822g) wt. #080-000-188DE Ammo Box Plus 3A18X39 \$ 23.33

NEW INNOVATIVE PRODUCTS

STARLIGHT CASE

Super Strong Mil-Spec Cases Withstand Roughest Use



Premium, hard side cases made from molded polymer resin, ideal for storage, shipping and protection of small arms, optical equipment and precision instruments. Used by the military to protect sensitive items, meets mil-spec MIL-C-4150 and ATA specifications. Pressure equalization valve and watertight O-ring seal keep dust and moisture out. Features rounded

corners, stackable, interlocking design, dent, rust and corrosion proof. Naturally buoyant plus, they're watertight to 400 feet. Protective ears surround the snap latches to prevent accidental opening. Two attaching points for padlocks. Stainless steel latch and hinge pins. Spring-loaded, padded, steel handle always lays flat. Fully padded interior, lined with hex-cut, high density foam, configures to fit any shape. **SPECS:** Polymer resin, black. Interior dimensions: 016 - 6" (15cm) x 10" (25cm) x 16" (40cm). 5.6 lbs. (2.5 kg). 414 - 7" (18cm) x 14" (35cm) x 14" (35cm). 8.1 lbs (3.6 kg). #636-100-016DE 016 Pistol Case 6C74V67..... \$ 100.00 #636-100-414DE 414 Pistol Case 6C121V35..... 168.00



Brownells continues to work with its vendors to identify all products made in the U.S.A. This information was not available for all products at time of catalog production, but will be regularly updated on our website. Visit **brownells.com** for the most current information.

BROWNELLS

SIGNATURE SERIES RANGE BAG

Versatile, Two-In-One Design; Holds All Your Gear For Competition & Range Work; The Ultimate Range Bag



We've taken the suggestions our customers have given us at the matches, those of pro-circuit, competition shooters, and added in the "gotta-haves" from our own staff to come up with the best range bag we've ever seen. We're so proud of it, we had our logo branded in leather and sewn right on the front of the bag. Simply put...this is the bag, when only the best will do! We hand picked only the finest quality materials for minimum weight and maximum ruggedness, then selected a skilled supplier to provide the careful construction and attention to detail you've come to know and expect from Brownells.



Our bag-in-a-bag design makes it easy to bag-out for each stage and not carry everything to the line. Plenty of compartments hold gear plus, the hard bottom and Sherpa-lined handgun pouch protects your match gun.

The Signature Series Range Bag is a versatile, two-in-one bag system featuring a roomy, outer bag with large exterior, bellow pockets and an inner, open bag with adjustable dividers, padded pistol inserts, magazine pouches and much, much more. Both bags are constructed of long lasting, 1000 denier, Cordura® nylon with non-scratching, self-healing, YKK zippers and solid brass pulls. We added top-grain, leather straps to the zipper pulls to make opening and closing the "high-use" compartments easier when wearing shooting gloves. Adjustable shoulder strap is made of strong, 1½" wide nylon webbing and includes a comfortable pad lined with non-slip, suede leather. Quickly detachable, brass-plated swivel clips are springloaded for extra security and allow shoulder strap to be interchanged between inner and outer bags. Inner bag provides safe transport for match pistols when you don't want to leave them in your competition holster. Use the inner bag to carry just what you need to the firing line and for fast "bag-up" after shooting. If you have a lot of gear, use the bags separately for nearly twice the storage capacity. The double-layered, ¾" thick, corrugated bottom panels in both bags give full support for heavy loads of ammunition, pistols, tools, sandbags and other shooting accessories while retaining the original shape of the bag. The Signature Series is a full-featured bag, designed to perform and built to last.

Outer Bag:

- Moisture-resistant, 1000 denier, Cordura nylon.
- Large, main compartment with zippered top, measures 18" long, 9" wide, 12" high.
- Zippered, main, side pocket: 17" long, 2½" wide, 10" high. Holds shooting glasses, muffs, and cleaning supplies.
- Two, padded end pockets 7" long, 2½" wide, 10" high provide ample room for choke tubes, spare parts, etc.
- Two, flat, zippered pockets 18" long, 7" and 8" high for targets, notebooks, ballistic sheets, etc.
- Four, brass-plated D-rings provide lockable storage when used with your own padlocks.

BROWNELLS LEATHER SIGNATURE SERIES RANGE BAG



Huge Capacity To Hold Everything In One Place; Adjustable & Versatile The Perfect Range Bag

Durable, amply-sized bag crafted from 4 oz., tanned, suede looks great, holds up well, and customizes to fit your needs. Self-healing, YKK zippers, with suede accent pulls, protect a large, multi-sectioned interior that's perfect for carrying ammo, hearing protection, notebooks, and anything you need at the range. Adjustable dividers let you decide how big you want each internal compartment to be. Carry handles completely wrap around the bag and won't tear when carrying a heavy load. Outside, bellows pockets contain Sherpa®-lined, foam-padded, pistol inserts that protect your handguns from harm or damage. A hard bottom panel, and a padded, cowhide shoulder strap provide rigidity and comfortable carry. We were so impressed with these bags, we proudly put the Brownells logo on each one.
SPECS: Suede, brown, matte finish. Inside dimensions: 7½" (19cm) high, 7" (17.8cm) wide, 16" (40.6cm) long. Pistol Inserts - 6½" (16.5cm) tall, 15" (38.1cm) long.
#100-001-150DE Leather Signature Series Bag, 4H124U65..... \$ 155.85

- Adjustable shoulder strap with quick-release, swivel clips.
- 2" wide, wrap-around carry handles with contoured grip area and hook and loop carry handle.
- Self-healing zippers and solid brass, #9 zipper pulls.
- Full ¾" thick, bottom panel is composed of two, corrugated, double-wall, plastic sheets glued, then layered in opposite directions for superior strength and rigidity.

Inner Bag:

- 1000 denier, Cordura nylon with knit back; expanded vinyl lining for excellent water-resistance.
- Two, fully padded pistol inserts with soft, wool-like Sherpa® lining and hook and loop closure straps fit inside the full-length, zippered side pockets for extra security. Accepts scoped, competition guns, spotting scopes, etc.
- Two, removable, high-strength, plastic dividers with reinforced hook and loop edging for spacing adjustments; provides up to three individual compartments.
- Brass-plated D-rings for shoulder strap attachment.
- ¾" thick, double-layered, bottom panel supports heavy gear.
- Padded end panels for extra protection of inner bag contents.
- Six, individually sewn, magazine pouches.
- Self-healing zippers and solid brass, #9 zipper pulls.
- Two, elastic, retaining straps for shooting towels, extra ammo and magazines.
SPECS: 1000 denier Cordura® nylon body; plastic bottom support inserts; leather zipper pull-straps; brass zipper hardware; brass-plated D-rings and swivel clips. Outer Bag - dark brown. Inner Bag - Tan with dark brown accents. Overall: 23" (58cm) long, 11½" (29cm) wide, 12" (30cm) high.
#084-000-118DE Signature Series Range Bag, 4H205Y40..... \$ 249.95

WILEY X

SHOOTING GLASSES



PT-1 shown

Lightweight, Comfortable Eye Protection With Style

Die-cut, wrap-around, curve design gives distortion-free viewing and less eye fatigue. Made from shatterproof, ballistic, selenite, polycarbonate that protects your eyes from harm but is lightweight and comfortable to wear. Tough, triloid nylon framewithstands the rigors of daily wear. Exceeds ANSI Z87.1 and Z80.3, plus Mil-STD-662 fragmentation safety standards.

PT-1 BALLISTIC SHOOTING GLASSES - 2.3mm thick lens, interchangeable lens system. Adjustable nose piece. Blocks 100% of harmful UV rays. Four lens colors match various light conditions to enhance visual clarity and improve target acquisition.

SPECS: Triloid nylon frame, black, neoprene rubber nosepiece and ear tips. Includes carry pouch.

PT-1 BALLISTIC SHOOTING GLASSES

STOCK #	STYLE	COLOR	PRICE
#717-000-010DE	Clear	Neutral	7A52P50 \$ 70.00
#717-000-011DE	Smoke	Neutral	7A52P50 \$ 70.00
#717-000-012DE	Light Rust	Light Orange	7A52P50 \$ 70.00

PT-1 REPLACEMENT LENS

STOCK #	STYLE	COLOR	PRICE
#717-000-015DE	Smoke	Neutral	7A18P00 \$ 24.00
#717-000-016DE	Light Rust	Light Orange	7A18P00 \$ 24.00

ROMER II - Virtually unbreakable, triloid nylon frames have an easy to use, snap-in, interchangeable lens system. Die cut, ballistic, selenite, polycarbonate lens protects your eyes from wind and debris. Gives optically correct vision to reduce eye fatigue. Includes Light Rust, Clear, and Neutral Slate colored lenses.



SPECS: Triloid nylon frame, black. 2.3mm thick lens. Molded nosepiece. Includes carry pouch.
#717-000-009DE Romer II Glasses, 7A67P50..... \$ 90.00

SABER - 2.5mm lens gives enhanced protection against fragmentation. Adjustable, neoprene rubber tipped temples along with rubber nosepiece provide a comfortable fit for all day wear.



SPECS: Triloid nylon frame, black, rubber nosepiece. Includes carry pouch.

SABER GLASSES

STOCK #	STYLE	COLOR	PRICE
#717-350-001DE	Clear	Neutral	7A30X40 \$ 38.00
#717-350-003DE	Neutral Slate	Gray	7A30X40 \$ 38.00

TILT P-58 POLARIZED GLASSES - Polarized, Selenite™ polycarbonate lenses are shatterproof for safety and resist smudging to provide tightly focused vision and outstanding contrast, even when viewing objects below water level. Flexible, TR 90 nylon frames



feature a wide temple design that surrounds the eyes for optimal protection from all directions. Rugged, lightweight construction and neoprene ear tips provide added comfort, and help keep frames stationary during active sporting activities.
SPECS: Frame - TR 90 nylon, Silver Flash (dark metallic grey). Lenses - Selenite polycarbonate, Z-axis multicoat mirror tint. Includes fabric carry pouch and leash cord.
#717-000-032DE Tilt P-58 Shooting Glasses, 7A90U00..... \$ 120.00

CREWS, INC.

SHOOTING GLASSES



Adjustable, Lightweight, Impact-Resistant Eye Protection

Wrap-around lens and a molded plastic frame with ratchet-adjustable earpieces provide protection from 99.9% of all ultraviolet rays and shooting debris. Scratch-resistant coating.

SPECS: Plastic frame and earpieces; polycarbonate lens, molded nosepiece. Mossy Oak (M/O) models have camo frame. Winchester (Win) models have black frame.

#100-000-695DE M/O Amber Glasses, 7K10A76.....	\$ 16.09
#100-000-697DE M/O Clear Glasses, 7K09A88.....	14.77
#100-000-698DE M/O Clear/Mirror Glasses, 7K10A31.....	15.42
#100-000-702DE Win. Amber Glasses, 7K10A79.....	16.13
#100-000-703DE Win. Clear Glasses, 7K09A88.....	14.77
#100-000-704DE Win. Clear/Mirror Glasses, 7K10A31.....	15.42
#100-000-705DE Win. Gray Glasses 7K10A31.....	15.42

REMINGTON ARMS ELECTRONIC THIN MUFFS



Protects From Ear-Damaging Noises & Amplifies Normal Conversation

Cushioned, lightweight, dual-volume, electronic, ear muffs snugly seal out noises above 84dB, and still let you hear regular conversation. Foam-filled PVC cups and padded stainless steel band adapt to the contours of your head for all-day comfort.

SPECS: O.D. green muffs, black mainframe. Requires (1) 1.5V battery (included). Dual volume controls. Sounds do not exceed 84 dB, 9.2 oz. (261g).

#768-000-004DE ElectronicThin Muff, 6G90T78..... \$ 113.47

AIRRAGE 696 LIGHT-ADJUSTING GLASSES - Light-adjusting, Selenite lenses quickly tame bright sunlight, as well as optimize available ambient light during dawn and dusk hours for an unobstructed view of your surroundings. Tough, TR 90 nylon frames can be worn with or without the supplied neoprene facial cavity seal to block out airborne debris and moisture. Elastic temple strap keeps glasses comfortably positioned during competition or tactical exercises. Meets ANSI Z87.1-2003 high velocity standards.



SPECS: Frame - TR 90 nylon, Gloss Black. Lenses - Selenite polycarbonate, light-adjusting grey tint. Includes soft case w/lens cloth, temple strap, and leash cord.

#717-000-031DE Air Rage 696 Light-Adjusting Glasses, 7A101U25..... \$ 135.00

BLINK 556 LIGHT-ADJUSTING GLASSES - Light-adjusting, shatterproof lenses made of Selenite polycarbonate keep your field of vision bright and sharply focused in all light conditions. Aerodynamic TR 90 frames with removable, neoprene facial cavity seal keeps dirt, debris, moisture, wind, and glare from interrupting your shooting sessions. Neoprene ear socks help grip as you perspire. Meets ANSI Z87.1-2003 high velocity safety standards.



SPECS: Frame - TR 90 nylon, Metallic Black. Lenses - Selenite polycarbonate, light-adjusting grey tint. Includes soft case w/lens cloth, temple strap, and leash cord.

#717-000-033DE Blink 556 Light Adjusting Glasses, 7A101U25..... \$ 135.00

E-A-R

DISPOSABLE EAR PLUGS

Fits Any Ear Canal - Economical Box of 50

Inexpensive plugs for hearing protection in the most hazardous noise ranges. Form fit to any ear size. Lightweight, comfortable, washable, re-usable. Use alone or in combination with muffs for super protection. Available with traditional flat ends or new Round-Tip (RT) for easy insertion. 50 pair, individually sealed in counter display box.

SPESCS: Approx. overall length 3/8" (19mm), 1/2" (12.7mm) dia. NRR 33 dB.

#284-313-130DE Disposable Ear Plugs, 4H19T13 \$ 30.15

#284-000-005DE RT Disposable Ear Plugs, 4H20T17 31.80

ULTRA-FIT EAR PLUGS - Comfortable, easy-to-carry ear plugs protect your ears. Molded from safe, washable, non-irritating polymer rubber. Triple-flange forms a perfect seal in any size ear canal so one size fits all. Convenient, stay-together cord lets you hang 'em around your neck when not in use.

SPESCS: 1 pr., 1 carrying case, 1 key chain per bag, 50 bags per box. NRR 25 dB.

#284-340-001DE Ultra-Fit Earplugs, 1 pr. 8K00TPU . \$ 2.07

#284-340-010DE Ultra-Fit Earplugs, 10-pak 4H16V26. 20.35

#284-340-050DE Ultra-Fit Earplugs, 50 box, 4H74V67 100.00

COMBAT ARMS EARPLUGS - Dual-end, three flange design meets the demands of modern military and law enforcement personnel whose hearing protection needs are duty- or mission-specific. Patented, nonlinear acoustical design of the yellow end provides "hear-through" protection so low level sounds such as normal speech communication, footsteps, rifle bolts, or approaching danger can be detected as quickly as possible to maintain mission safety. Internal filter reacts instantly to dampen, high-level impulse noises like weapon fire and explosions up to 190 dB Peak. During operations around high-level, steady-state noises like running vehicles, generators and aircraft, the olive-colored side delivers up to 22 dB of constant protection - greater than many electronic muffs. Molded polymer is washable and provides a comfortable fit and effective ear canal seal for most adults. Available in pairs.

SPESCS: (1) pair. Molded polymer. 1 1/16" (3.3cm) long x 3/16" (1.4cm) dia. NRR 22 dB. Includes carrying case and instructions.

#284-000-006DE Combat Arms Earplugs, 4H10T25 \$ 13.15

SUREFIRE

EARPRO SONIC DEFENDERS

Noise Filter Blocks Loud Sounds To Help Prevent Hearing Damage

In-the-ear plugs help prevent hearing damage by blocking potentially dangerous noise from entering the ear canal. Patented, Hocks Noise Braker® blocks sounds above 80dB, but allows attenuated sounds below that level to pass, so your ability to hear conversation is not adversely affected. Made from a soft, comfortable, hypoallergenic medical-grade polymer that's ergonomically shaped for a tight seal and secure fit that won't work loose. Where extra sound isolation is desired, insert attached stopper plugs to block low-level sounds as well. Available in standard EP3 model (16dB NRR) and EP4 Plus with enhanced noise reduction (19dB NRR).

SPESCS: Soft polymer. One pair, right and left. Both models available in Medium size (fits most ears); EP4 also available in Large.

#152-000-039DE EP3 Sonic Defenders, Med, 2E00VBX \$ 12.95

#152-000-054DE EP4 Sonic Defenders Plus, Med, 2E00VBX 13.95

#152-000-048DE EP4 Sonic Defenders Plus, Large, 2E00PUA 13.95



PRO-EARS

DIMENSION GOLD™ SERIES ELECTRONIC MUFFS

Latest Audio Technology Lets Normal Sounds Through While Compressing Dangerous Noise To A Safe Level

Lightweight, compact muffs use advanced electronic circuitry that reacts instantly to block the sound of gunshots and protect your hearing on the range or in the field. Dynamic Level Sound Compression (DLSC) technology compresses loud noises to a safe 70 dB level in less than 1.5 milliseconds, while letting you continue to hear normal conversation and range commands. Separate amplifier circuits and volume controls in each ear cup provide directional stereo sound and eliminate wires that can snag or break. Volume controls offer 50 dB gain to let you amplify low-level sounds as much as 8 times their actual level—without compromising protection from hearing damaging noise. An advance over earlier Dimension muffs, all Gold Series models are user programmable to change gain sensitivity, and now have an audible battery indicator that warns you when the batteries reach 50% and 90% discharge levels. Auto shutoff circuit prevents accidental battery drain by cutting power after 4 hours of continuous operation. Non-corroding gold-plated connectors provide superior conductivity for best possible sound quality, and fully enclosed military-grade circuit boards stand up to extremes of temperature and weather. "Smart" 8-bit microprocessor performs a complete diagnostic of the electronics every time you turn on the muffs, while a flashing LED gives you visual feedback that the diagnostic is in progress, so you know your muffs are working properly before you fire a shot. Extra-soft, padded ProForm Leather ear cushions and a fully padded, adjustable head band provide maximum wearer comfort, even over glasses. Leather allows skin to breathe more naturally than synthetics during long sessions. Dimension 1 models have all the features described above. Dimension 2 models add input jacks and a 48" cable with standard 3.5mm mini plug that let you feed the audio output from a radio, mobile phone, MP3 player, CD player, or other electronic communication device to your muffs.

SPESCS: Shock-resistant composite housing, supports, and head band. All models use four (4) 1.5-volt N-type batteries, included. 200 hour minimum battery life.

PRO-SLIM™ - Versatile, general-use muffs with powerful noise reduction and a slim profile that's great for a broad variety of shooting applications, including rifle and shotgun shooting. May be used with additional foam plugs when shooting large bore or muzzle brake equipped rifles.

SPESCS: NRR 28. 12.3 oz. (349g) weight with batteries.

#773-000-020DE Pro-Slim Dim. 1, Black 3G239A26 \$ 304.95

#773-000-021DE Pro-Slim Dim. 1, Green 3G239A26 . 304.95

SPORTING CLAYS™ - Extra-low-profile cups won't hinder fast shouldering of shotguns and rifles. Place the cup with the soft fleece exterior pad on the side where you shoulder the gun to protect the stock finish.

SPESCS: NRR 25. 11.1 oz (315g) weight with batteries.

#773-000-022DE Sporting Clays Dim. 1, Black, 3G239A26. \$ 304.95

#773-000-023DE Sporting Clays Dim. 1, Green 3G239A26 304.95

#773-000-027DE Sporting Clays Dim. 2, Black, 3G270A65 344.95

STALKER™ - Extra gain extends range and scope of hearing to help the hunter hear game from long distances. Lets you hear your own movement, too, so you hear what the game hears. "Chop side" ear cups contoured for better cheekweld when mounting long guns, while soft fleece pad prevents noise of cup contacting stock and spooking game.

SPESCS: NRR 25. 11.1 oz (315g) weight with batteries.

#773-000-024DE Stalker Dim. 1, Green 3G239A26 . \$ 304.95

#773-000-029DE Stalker Dim. 2, Green 3G270A65 . . . 344.95



PELTOR HEARING PROTECTORS

Excellent Noise Reduction, Plus Unique Features

Various styles of hearing protection from an industry leader. All feature replaceable cushions and adjustable top strap.

ULTIMATE 10 - Dual, internal cups separated by a layer of compressed foam cut down resonance within the protector and control high frequency noises. Helps achieve the highest reduction rating possible for muff-style protectors. Plus, the lower resonance makes it easier to understand voices around you.

SPESCS: NRR when worn over the head is 29 dB. 9.3 oz (263g). Foam ear cushions.

#284-100-010DE Ult 10 Hearing Protector 4H16T95 \$ 28.24

TACTICAL "7" LONG-EAR STEREO - Dual microphones reach out 100 yards to amplify sounds while special circuitry automatically suppresses loud noises to protect hearing. Range commands and game moving through the woods come through loud and clear but anything over 85 dB is silenced. Padded, adjustable, spring-wire top strap for over-the-head wear. Liquid-filled foam cushions provide hours of comfortable wear.

SPESCS: NRR is 21 dB. 13.3 oz (377g).

#284-100-107DE Tactical "7" Protector 4H164T33 . \$ 273.89

COMTAC - Electronic sensor instantly suppresses gunfire and harmful impulse noise to a safe 82 dB level. Audio input jack lets you use portable radios and other communication devices. Dual microphones provide stereo sound. Electronic volume control lets you hear range commands, conversations and game sounds in the woods. Waterproof, folding design with leather head band and liquid-filled foam ear cups.

SPESCS: NRR is 19 dB. Green. 12.8 oz (363 g) wt.

#284-000-001DE Comtac Protector 4H295T27 \$ 492.11

PRO-MAG™ - NRR 33 gives these muffs the most powerful noise reduction of the Dimension Gold series, yet with the same DLSC to let you hear normal sounds going on around you. Large ear cups have extra insulation for heavy-duty protection from the big noises without resorting to supplementary foam plugs. Excellent for the big bore shooter or anyone using indoor firing ranges.

SPESCS: NRR 33. 15.1 oz. (428g) weight with batteries.

#773-000-025DE Pro-Mag Dim. 1, Black 3G243A97 . \$ 310.95

#773-000-030DE Pro-Mag Dim. 2, Black 3G274A57 . . 349.95

PRO-TAC™ - Designed specifically for law enforcement personnel who need a compact, lightweight muff that won't hinder mobility, coupled with powerful noise reduction that still allows them to clearly hear verbal commands and surrounding communication. "Chop side" ear cups won't interfere with shouldering the gun; fleece pad on the ear cup exterior prevents cup-to-stock contact.

SPESCS: NRR 25. 11.3 oz (320g) weight with batteries.

#773-000-034DE Pro-Tac Dim. 1, Black 3G243Y96 . . \$ 304.95

#773-000-035DE Pro-Tac Dim. 2, Black 3G275Y96 . . . 344.95

PREDATOR - Low-profile with pre-set 15 dB amplification are designed for the hunter or shooter who's looking for ultra-lightweight hearing protection with DLSC compression, but who doesn't need incremental increases in amplification. Doesn't have high-frequency filtering, so it's an excellent choice if you have high-frequency hearing loss.

SPESCS: NRR 26. 10.6 oz (300g) weight with batteries.

#773-000-032DE Predator Dim. 1, Black 3G239A26 \$ 304.95

#773-000-031DE Predator Dim. 1, Green 3G239A26 . 304.95



RANSOM MACHINE REST

Ultimate Handgun Accuracy Tester

The finest handgun machine rest. Shows pistolsmiths, competitive shooters and accuracy buffs the true shooting potential of their guns. Performance proven to duplicate the human wrist and hand action during shooting, but without the element of human error. Positive stop pad gives exact repositioning after each shot. Adjustable for elevation. Interchangeable grip inserts add versatility. Inserts available separately.

SPESCS: 9 3/8" (23.8cm) x 8" (20.3cm) x 6 3/8" (16.8cm). 7 lbs. (2.9kg).

#164-100-000DE Ransom Rest, only 4F342T15 \$ 400.95

#164-001-069DE Caspian Insert 4F45T23 56.53

#164-001-002DE Colt Govt. 1911 Insert 4F45U23 56.53

#164-001-067DE McCormick/STI/SVI Insert, 4F45T23 56.53

#164-001-066DE Para-Ordinance Insert 4F45T23 56.53

RANSOM WINDAGE BASE - Get positive control over windage with your Ransom Rest by mounting it on this fully adjustable base.

SPESCS: 12 3/4" (32.4cm) x 9 9/16" (24.4cm) x 3 1/8" (8cm). 5 lb. (2.2kg).

#164-003-000DE Windage Base 4F192T07 \$ 225.08



COMPETITION ELECTRONICS POCKET PRO II

Packed With Upgrades

Easily configured to display only the information you want. Review four shots at once with shot numbers, times, and splits with the high resolution digital LED screen. Keep track of your shot time with shot number, split and start delay type. You can also adjust shot sensitivity and shot dead time to eliminate echoes. Date/time display allows you to keep complete records; memory stores up to 100 shots.

SPESCS: Plastic, blue or coyote tan. Powered by one 9 volt battery, not included. Includes detailed instructions.

#225-000-001DE Blue Timer 5B111Y96 \$ 129.90

#225-000-002DE Coyote Tan Timer 5B121P96 140.73

POCKET PRO CARRY CASE - Protects your timer during transport and storage. Hook-and-loop strap allows belt attachment. Includes attachment points for carry strap or carabiners and front storage.

SPESCS: Vinyl, black. Fits Pocket Pro & Pocket Pro II.

#225-000-003DE Carry Case 5B10P95 . . . \$ 13.95



COMPETITIVE EDGE DYNAMICS CED8000 SHOT ACTIVATED TIMER

Compact, Packed With Features

Provides every timing function any competitive shooter needs. No complicated toggle switches or key pads. Features include: Easy-to-read illuminated LCD display • Unlimited shot record and review • 999.99 second time record capacity • Split time recorded and shown for all shots fired • Programmed NRA Bianchi, PPC and Field Shooting events • Sportsman Challenge Countdown and Gunsmithe Modes • Par-time function • Repetitive mode • Combined Comstock function (programmable up to 199.9 sec.) • Low-battery indicator • Power down mode • Input jacks for airsoft or stop plates • Auxiliary jacks for earphone and external horn • Self-diagnostic system • Low frequency buzzer • Convenient steel belt clip and much, much more.

SPESCS: Plastic housing, blue. 3 3/4" (9.5cm) long, 3 1/2" (8.9cm) wide, 1 1/2" (3.2cm) high w/display closed. 8.6 oz. (244g) wt. Includes case and instruction booklet. Uses (1) 9 volt battery (not included).

#399-000-007DE CED8000Timer 9C00BXC \$ 149.00



NEW Item **COMPETITIVE EDGE DYNAMICS**
CED7000 SHOT ACTIVATED TIMER



Compact & Lightweight
So You Hardly Know It's There

Now you can practice improving your shooting times with a full-featured timer that's so compact you'll forget you're wearing it. Entire unit is roughly the size of a cell phone and just as easy to operate. Plus, it can be upgraded for wireless connection to a CED BigBoard or CED Time Keeper for displaying results up to 50 yards away from the timer. Contains 25 features including:

- Custom PAR for single or multiple time settings
- Variable delay intervals to .01 seconds
- Easy-to-read illuminated LCD display
- Split and first time shots on each shot fired
- Countdown Mode
- Memory storage including recall and unlimited shot record and review
- 999.99 second time record capacity
- Auxiliary jack for external loud horn, visual starts or target turning
- Digital sensitivity shot detector with adjustable software filter
- Rechargeable battery
- Combined Comstock function
- Multi-Par mode (for multiple Par setting from one timer activation)
- Universal plug-in charger, wrist and neck lanyards included.

SPECS: High impact plastic case, black. 3 7/8" (9.8cm) long, 1 3/4" (4.4cm) wide, 1 1/8" (1.7cm) thick. 2.9 oz. (80g) weight. Universal plug-in charger, wrist and neck lanyards included.

#399-000-008DE CED7000 Timer 9C00UAV \$ 119.95

CED EXTERNAL BATTERY PACK

Holds two Alkaline "AAA" batteries and provides up to 25 hours of normal use, while charging the internal battery on the CED7000 at the same time. Attaches directly to the timer unit or separately with included cable. Small size fits comfortably in a pocket.

SPECS: Molded plastic, black. 1 1/2" (3.8cm) long, 2" (5cm) wide, 5/8" (1.5cm) thick. Batteries sold separately.

#399-000-009DE CED Ext. Battery Pack 9C00XCH . . . \$ 11.95



WRIST BAND - Allows you to carry your CED7000 shot timer conveniently on your wrist during shooting matches. Constructed of flexible Neoprene and covered with a light felt fabric for comfort. Timer snaps firmly into plastic holding bracket and won't shake loose when you're running from stage-to-stage. Fully adjustable to all wrist sizes with sewn-in, no-slip hook-and-loop patches.

SPECS: Neoprene, black. 12" (30.4cm) long 1 5/8" (4.1cm) wide.

#399-000-010DE Wrist Band 9C00ZAY \$ 19.95



BELT CLIP - Convenient clip lets you carry your CED7000 on your belt or pants pocket, freeing both hands for shooting during competition or practice. High impact polymer body with soft, protective rubber insert securely grips the timer and protects it from shock, while stainless steel buckle holds the timer close to your body. Sturdy piano hinge allows you to rotate the timer up to see the screen and work the controls.

SPECS: Molded plastic body, black; stainless steel belt clip, silver.

#399-000-011DE Belt Clip 9C00PUA \$ 14.95



WALKER FOUNDRY TARGET STAND

Rugged, Portable, Weather Resistant

Heavy-duty, cast iron construction provides years of use. Gives individual shooters and clubs an extremely durable stand that's completely unaffected by weather. Accepts nominal 1" x 2" furring strips. Staple on a 18" x 24" cardboard backer or use with IDPA and USPSA targets. Easily portable; stake or sand bag for additional stability in windy conditions.

SPECS: Cast iron, black, painted finish. 16" (40.6cm) wide x 20" (50.8) long, 15 lb. (6.8 kg) wt.

#100-000-146DE Target Stand 2K48A40 \$ 62.22



SHOOTING CHRONY
BETA CHRONY
CRONOGRAPH

Eliminates Velocity Guesswork

Saves time and money searching for the most consistent load. Provides precise speed and cumulative data on factory loads or reloads. Compact, easy to set up and operate; powered by one, 9 volt alkaline battery. Attaches to a 1/4"-20 tpi camera tripod. Measures high, low and average velocities from 70 to 5,000 fps, extreme spread and standard deviation; measures feet and meters per second; saves data for later review or download to computer. Gives info on each shot, each string and string to string data.

SPECS: Steel case, 14 1/2" (36cm) long, 4" (10cm) wide, 2.5 lb (1kg) wt. Includes diffusers, support rods and complete instructions.

#796-100-002DE BetaChrony Chronograph, 6G91H15 \$ 113.95

BALLISTIC PRINTER - Provides an instant, printed record of velocity as you shoot, or velocity and stats after each shot string, 14 foot cord.

SPECS: 7.5" (19cm) long, 3.75" (9.5cm) wide, 1.5" (3.8cm) high. 11.9oz. (337g) weight. Adapter included. Uses 1.5" paper roll.

#796-101-000DE ChronyPrinter, 6G66H95 \$ 92.95



BEAST ENTERPRISES
THE BEAST TARGET STAND

Fast, Convenient Setup
For All Types
Of Paper Targets

Three-piece, all-steel target stand sets up and takes down quickly. Accepts nominal, 1" x 2" pine furring strips spaced for stapling 18" x 24" pieces of cardboard or USPSA approved, Milpark targets. Support legs attach with quick-release hitch pins and are drilled for hold down stakes for shooting in windy conditions; lifetime warranty.

SPECS: Steel, painted, black. 21 1/2" (54cm) wide, 7 1/2" (19cm) high, 18" (45cm) wide legs.

#109-150-000DE TheBeast Target Stand, 9K38V00 \$ 42.00



GREAT INDUSTRIES
IPSC/IDPA TARGET STAND

Easy-To-Carry & Store,
Allows Flexible
Course Layout

Lightweight, steel construction combines excellent strength and durability, with ease of setup. No bolts, screws or nuts to work loose. 18 3/4" wide to hold standard IPSC target. Uses nominal 1" x 2" furring strip as uprights. Stackable design minimizes storage space, allows additional creativity when laying out IPSC and IDPA courses. Separately available **Stake** keeps target stand exactly where you put it and ends the frustration of targets blown over by wind.

SPECS: Steel. 18 3/4" (47.6cm) x 18" (45.7cm) x 5 1/4" (13.3cm). 4 lb. 9 oz. wt. Furring strips not included. **Stake** - Approximately 7" (17.8cm) long, 3.5" (8.9cm) wide.

#100-000-229DE IPSC/IDPA Target Stand 3K32X49 . \$ 40.65
#100-001-779DE Target Stand Stake, 3K02C55 3.15



NATIONAL TARGET
IDPA PRACTICE TARGET

Practice To Match Standards

Official size and scoring rings let you fine tune your shooting skills to improve competition performance and scores. Inexpensive alternative to cardboard targets. Buff target against a black background gives excellent target visibility; aids shooter concentration.

SPECS: Paper, sold in paks of 100. 22" (55.9cm) x 34 1/2" (87.6cm). 18" (45.7cm) x 30 3/4" (78cm) center.

#644-000-012DE IDPA Practice Target 4D26P46 . . . \$ 33.00

ACTION PISTOL PRACTICE TARGET - Paper targets are NRA approved for 50 yard shooting for pistol. Silhouette style for USPSA/IPSC shooting with A, B, C and D zones.

SPECS: Paper, 35" (88.3cm) x 22" (55.1cm) overall.

#644-000-016DE IPSC(P) Pistol Targets, per 100, 4D26Y40 \$ 33.00

NATIONAL TARGET
POLICE TARGETS

Practice Often, Stay-In-Tune



The two most popular humanoid targets. **B-27** - Black, with white scoring rings. 50 yard target gives 25 meter scoring. **B-27E** has a reduced length silhouette without changing centersize. Reduced size **B-29** gives 50 foot scoring. **B-34** gives 25 yard scoring. Black target has red 10-X rings. **TO-21** - Federal, "blob", gray target with black, center of mass, score ring.

SPECS: Paper target, sold in paks of 100. **B-27** - 24" (60cm) x 45" (114cm) target, 12 1/2" (31cm) x 18 1/2" (47cm) center. **B-27E** - 22 1/2" (57.1cm) x 34 1/2" (87.6cm) target, 12 1/2" (31cm) x 18 1/2" (47cm) center. **B-29** - 11 1/2" (29.2cm) x 22" (55.8cm) target, 9 1/2" (24cm) x 18 1/2" (47cm) center. **B-34** - 14" (35.5cm) x 24" (60cm) target, 10 1/2" (24cm) x 21 1/4" (31cm) center. **TO-21** - 42" (106cm) x 24" target, 25" (63.5cm) x 12" (30cm) scoring ring.

#644-027-001DE B-27 Targets 4D41Y00 \$ 68.08
#644-028-001DE B-27 Centers 4D13Y20 21.63
#644-000-015DE B-27E Targets 4D26Y40 33.00
#644-000-008DE B-29 Black Targets 4D15P55 25.91
#644-000-006DE B-29 Orange Targets 4D12P20 20.33
#644-000-007DE B-29 Blue Targets 4D12P20 20.33
#644-000-017DE B-34 Black Targets 4D16P50 27.50
#644-000-009DE B-34 Orange Targets 4D16P00 26.66
#644-000-010DE B-34 Blue Targets 4D16P00 26.66
#644-021-001DE TQ-21 Targets 4D42Y00 70.00

BIRCHWOOD CASEY
SHOOT-N-C™ TARGET


Highlights Your Hits
So They're Easy To See



No need for spotting scopes or binoculars. When the bullet hits, the black is removed and a bright halo of fluorescent, chartreuse color makes the hit instantly visible to the naked eye. Convenient, peel-n-stick, self-adhesive backing. **1", 2", 3" Bullseye** - 12 sheets with 72-1", 36-2", 24-3" targets.

SPECS: Vinyl targets, adhesive back.

STOCK #	TYPE/SIZE	QTY.	PRICE
#167-343-100DE	3" Bullseye	18 pk	7F04D00 \$ 6.70
#167-345-101DE	5.5" Bullseye	12 pk	7F03D97 \$ 6.60
#167-345-500DE	5.5" Bullseye	60 pk	7F13D60 \$ 22.60
#167-348-050DE	8" Bullseye	6 pk	7F04D00 \$ 6.70
#167-000-006DE	8" Bullseye	30 pk	7F13P60 \$ 22.60
#167-000-007DE	12" Bullseye	5 pk	7F07P06 \$ 11.70
#167-000-028DE	17.25" Bullseye	5 pk	7F14U35 \$ 22.60
#167-000-008DE	1", 2", 3" Bullseye	12 pk	7F04P00 \$ 6.70



Approved Targets For All Your Shooting

OFFICIAL NRA PISTOL TARGETS

B-2 50-FT. SLOW FIRE TARGET - 10 1/2" (26.7cm) x 12" (30.5cm) Overall; 3 1/16" (7.8cm) diameter black (7 - 10 rings).
#644-002-001DE B-2 Targets per 100, 4D09Y80 \$ 16.33

B-3 50-FT. TIMED & RAPID TARGET - 10 1/2" (26.7cm) x 12" (30.5cm) Overall; 3 1/16" diameter black (9 - X rings).
#644-003-001DE B-3 Targets per 100, 4D09Y80 \$ 16.33

B-6 (CP) 50-YD. SLOW FIRE REPAIR CENTER - 10 1/2" (26.7cm) x 10 1/2" overall; 8" (20.3cm) dia., black (8 - X rings).
#644-006-001DE B-6 (CP) Centers 100, 4D05Y80 \$ 9.67

B-8 (CP) 25-YD. RAPID FIRE REPAIR CENTER - 10 1/2" (26.7cm) x 10 1/2" overall; 5 1/2" (13.5cm) dia., black (9 - X rings).
#644-008-001DE B-8 (CP) Centers 100, 4D05Y80 \$ 9.67

B-16 25-YD. SPECIAL SLOW FIRE TARGET - 10 1/2" (26.7cm) x 12" (30.5cm) overall; 5 1/2" (14cm) diameter, black (7-10 rings).
#644-016-001DE B-16 Targets per 100, 4D09Y80 \$ 16.33

B-16RC 25-YD. RED CENTER UNOFFICIAL SLOW FIRE - 10 1/2" (26.7cm) x 12" (30.5cm) overall; 5 1/2" (14cm) diameter, black (7-9 rings). 10-X rings red. Not NRA approved.
#644-000-005DE B-16RC Targets per 100, 4D11P00 \$ 18.34

NATIONAL TARGET
SELF-ADHESIVE TARGET PASTERS

Fast Target Repairs -
No "Lickum" Required



1" FLORESCENT PASTERS - Adds increased visibility to new targets, helps get extra shooting sessions out of beat-up ones. Bright, fluorescent orange color works especially well on overcast days, at long ranges, and for older shooters whose eyes don't focus like they used to. Stick 'em over the black, bull's-eye on grid targets for improved visibility, use to repair "shot-up" targets, or make custom targets using your paper or cardboard.

SPECS: 125 per roll. 1" (25mm) diameter.
#644-000-014DE 1" Florescent Pastes, per roll, 4D00BAY \$ 2.20
- 20 or More - **Rolls 1" Florescent Pastes, per each, 4D01Y76** 2.20

1" SQUARE PASTERS - There's no need to quit shooting once your targets are all "shot-up." 1" square target pasters come with extra-strong adhesive to hold them securely to your targets for fast and easy repairs. Available in rolls of 1000, with four colors to choose from: black, buff, white, and brown.

SPECS: 1000 per roll. 1" (25mm) square.

#644-000-017DE 1" sq. Blk Pastes, per roll 4D04Y50 . \$ 6.60
#644-000-018DE 1" sq. Buff Pastes, per roll 4D04Y50 . 6.60
#644-000-019DE 1" sq. White Pastes, per roll 4D04Y50 6.60
#644-000-020DE 1" sq. Brown Pastes, per roll, 4D04Y50 6.60

#167-347-500DE 7" Silhouette 60 pk 7F13D60 \$ 22.60
#167-349-050DE 9" Silhouette 6 pk 7F04D00 \$ 6.70
#167-000-009DE 12"x18" Silhouette 5 pk 7F07P06 \$ 11.70
#167-348-120DE 8" Sight-In 15 pk 7F07D06 \$ 11.70
#167-000-010DE 12"x12" Sight-In 5 pk 7F07P06 \$ 11.70

BALLISTIC TECHNOLOGY HANDGUN BULLET TEST TUBE

Economical, Reusable System
For Measuring Penetration & Wound Cavity Size

Easy-to-use testing medium takes the guesswork out of determining terminal bullet performance of pistols and revolvers. Provides laboratory quality results at a fraction of the cost of other methods. Accurately measure penetration, retained bullet weight, expansion, and most importantly, killing power and wound cavity size. Gives ordinary hunters and shooters a clean, portable, reliable alternative to ordnance gelatin for comparing the effectiveness of different load/bullet combos. Unique expansion medium preserves the wound cavity at full expansion, so you can see and measure the results. Requires no refrigeration or messy mixing and can be stored at room temperature indefinitely until needed. **SPECS:** 11" (27.9cm) long, 3 1/2" (8.8cm) dia. Includes instructions. **#100-002-900DE Handgun Test Tube 5A22X40. \$ 27.99**



BUTLER CREEK UPLULA UNIVERSAL LOADER

Loads Magazines Fast

Hand-held loader fills standard centerfire pistol magazines quickly and easily. Smooth, positive operation protects fingers and thumbs while you load hundreds of rounds painlessly—as fast as one round per second. Also lengthens magazine life by reducing wear and tear on feed lips. One size fits all; no inserts, spacers, or adjustments needed to change calibers. Hold the magazine upright with the bottom resting on a solid surface. Place the loader over the top of the mag, press down lightly while squeezing the lever to depress the follower, drop in a round, and work the lever quickly to push it into the mag. Constructed from tough, reinforced, black polymer. Locks closed when not in use, so it takes up minimal space in pocket or range bag. Fits single and double stack 9mm, .357, .40, 10mm, and .45 ACP magazines, plus some .380 mags. Will not load Glock 6-round single stack .45 caliber or Smith & Wesson 7-round single stack 9mm, or magazines with less than 8mm between feed lips.

SPECS: Reinforced polymer, black. Approximately 2 1/8" (7.3cm) long, 1 1/4" (3.2cm) wide, 3 1/4" (8.3cm) high. Fits single and double stack magazines from 9mm to .45 ACP. **#100-003-052DE Universal Mag Loader 3E27H95. \$ 33.95**

HKS MAGAZINE SPEEDLOADER

Load Mags Almost As Fast As You Can Shoot

Simple, easy-to-use design lets you load 1911 Auto magazines quickly without dinging the feed lips and pinching your fingers, so you spend more precious range time shooting, less loading magazines. Slide the loader over the magazine and grasp both firmly as you repeatedly depress the ribbed, non-slip thumb lever to relieve the spring pressure and insert rounds. **SPECS:** Plastic, black. 450 fits standard single-stack 7-rd magazines and many 8-rd magazines. 451 fits Colt 9mm/.38 Super/.40/10mm/.45 ACP. 452 fits double-stack pistols, including Caspian, Para Ordnance, and STI.

#392-000-018DE HKS 450 Speedloader 2C08Y37. \$ 13.95
#392-000-019DE HKS 451 Speedloader 2C08Y37. \$ 13.95
#392-000-017DE HKS 452 Speedloader 2C08Y37. \$ 13.95

MASEN PARA-ORDNANCE MAGAZINE LOADER

Saves your thumbs and increases the refilling speed. Increases leverage on the follower. Works for both right- and left-handed shooters.

SPECS: High-impact plastic. Fits Para-Ordnance, STI, SVI and Glock-type magazines. **#555-203-000DE Para Mag Loader 6E04B50. \$ 5.95**

VERSATILE RACK HANDGUN RACK

Vinyl Coated
To Protect Gun Finish

Provides space saving efficiency that makes best use of limited storage area. Tough, vinyl coated, steel framework offers a non-slip coating for extra security. **Six** and **Four** gun racks organize and store handguns in your gun safe or cabinet. Holds semi-autos and revolvers of any barrel length. **Peg Board** rack holds one handgun. Ideal to utilize that unused space on the door of your gunsafe. Includes mounting plate for non-drilled walls. **SPECS:** Steel frame, vinyl coated. **Six Gun Rack** - 14 1/8" (35.9cm) long, 5 1/4" (13.3cm) wide, 5 1/4" high. **Four Gun Rack** - 9 1/8" (23.2cm) long, 5 1/4" wide, 5 1/4" high. **Peg Board Rack** - 4 1/2" (11.4cm) deep, 4" (10.2cm) wide.

#100-000-579DE Four Gun Rack 6K17T39. \$ 21.45
#100-000-580DE Six Gun Rack 6K20T29. \$ 25.00
#100-000-581DE Peg Board Rack 6K06T67. \$ 9.99



BLADE-TECH 1911 AUTO TRAINING BARREL

Inert Barrel For Safe, Realistic
Training & Function Testing

Provide realistic, hands-on training with this replacement barrel that allows safe service pistol use during classroom demonstrations and instruction. Converts a functional pistol into a non-loading, non-firing gun, so you can still operate the slide and dry-fire the weapon during presentation drills. Easily identifiable, bright yellow color indicates the gun is safe for training. Constructed of high strength, polymer composite that's resistant to solvents allowing a lifetime of use. **SPECS:** Polymer composite, bright yellow. **TB005** fits Govt. models, **TB006** fits Commander.

#098-000-056DE TB005 Training Barrel 8K11T25. \$ 13.95
#098-000-057DE TB006 Training Barrel 8K11T25. \$ 13.95



CRTC SAFETY MAG

Weighted, Inert Magazines
Enhance Firearms Safety Training

Duplicates the weight and feel of a loaded magazine; eliminates the fear of accidental discharge during training. Ideal for creating safer, more realistic training in tactical reloads, dry firing, and immediate response drills. International Inert Blue color provides fast, easy identification. **SPECS:** Solid synthetic, blue. **1911 Auto** fits single-stack Colt, clones, and S&W .45 autos. **STI/SVI** fits double-stack STI and SVI pistols. **Para-Ord.** fits P14/16.

#182-100-001DE 1911 Auto Safety Mag 2H10Z50. \$ 15.00
#182-100-003DE STI/SVI Safety Mag 2H14A00. \$ 20.00
#182-100-103DE Para-Ord. Safety Mag 2H14A00. \$ 20.00

RING'S MANUFACTURING FIREARMS SIMULATOR

Safe, Non-Gun, For Practice & Training

A realistic, safe alternative to using real firearms for training exercises and weapons retention drills. Molded from actual weapons for true-to-life detail. Strong, polyurethane plastic has steel reinforcement to prevent bending and flexing; handles and balances like an actual firearm. Safety blue color signifies this is a non-firing training aid. Add a coat of paint for theatrical use. **SPECS:** Polyurethane. Safety blue color. Handgun simulators weigh approximately 11 oz. (311g) depending on model. **California sales:** These firearm simulators will only be sold to law enforcement agencies and must be ordered on department letterhead.

#100-000-664DE 1911 Auto Simulator 3K35Z35. \$ 73.75



BROWNELLS 1911 FIELD TOOL KIT



Fix In-The-Field Problems On The Spot

Six critical tools to do field maintenance, improve performance, and assist in assembly/disassembly on your 1911 pistol. The heavy-duty tool box provides you a convenient way to haul the tools to matches or wherever you take your 1911. To protect your gun, parts, and work surface, we also included a highly-absorbent field/bench mat to work on. **#080-100-184DE 1911 Field Tool Kit 8K174B16. \$ 194.09**

1911 FIELD TOOL KIT

① **1911 AUTO GRIP BUSHING STAKER** - 8-segment, 90° head gives maximum contact to bushing for most secure installation possible. **SPECS:** Staker head - S5 Tool Steel hardened to Rc 57-60. 4" (10.2cm) handle. **#080-644-000DE 1911 Auto Grip Bushing Staker, 8K21V90. \$ 29.95**

② **BROWNELLS LUG IRON** - Removes rough spots and machine marks from the slide lug area of 1911 Autos. **SPECS:** 8 3/4" (22.2cm) long. One-piece steel shaft and head. **#080-689-000DE Brownells Lug Iron 8K43U65. \$ 51.25**

③ **PLUNGERTUBE CRIMPER KIT** - Easy-to-use tool lets you secure the plunger tube to the frame without fear of tube crush or expensive frame damage. **SPECS:** Steel, 7" (17cm) long. Crimper Kit includes crimper and plunger tube support. Includes external reinforcing block. Plunger Tube Support - Hardened steel. 4" (10.2cm) long, .106" (2.7mm) diameter. Step is .300" (7.6mm) long, .090" (2.3mm) diameter. **#080-806-500DE Plunger Tube Crimper Kit, 8K57B19. \$ 74.97**

④ **1911 AUTO TRIGGER STIRRUP DIE** - Smooths out bends and bumps found in production triggers to match-fit them for smooth travel. **SPECS:** Hardened Steel. 1 1/8" (23.8mm) long, 9/16" (15.9mm) thick, 1 1/2" (3.8cm) high. **#080-710-045DE Trigger Stirrup Die 8K20B75. \$ 25.95**

⑤ **BLUE PISTOL BENCH BLOCK** - Large, durable bench block; won't embed or mar when pounding out pins. **SPECS:** Polyethylene blue. 4" (10cm) diameter, 1 1/8" (2.8cm) high. **#080-000-493DE Blue Pistol Bench Block 8D00ZAY. \$ 16.35**

⑥ **BROWNELLS FRONT SIGHT STAKER** - Offset punch efficiently directs the full force of the hammer blow downward against the sight tenon to tightly fit front sights. **SPECS:** Steel, blued. 9/16" (7.9mm) x 1/2" (12.7mm) x 4 1/2" (11.4cm) long shaft. Replaceable, hardened steel tip. Fits 1911 Auto. Includes complete instructions. **#080-817-000DE Brownells Front Sight Staker, 8K31X96. \$ 39.95**

⑦ **BENCH/FIELD GUN MAT** - Soft face prevents scratches and dings when working on your gun. Absorbs liquid, and includes a non-slip backing. **SPECS:** Polypropylene fiber, brown, expanded, vinyl acetate backing. 12" (30.5cm) x 24" (61cm). **#084-280-001DE 12x24 Bench/Field Gun Mat, 4H08V35. \$ 11.16**

BROWNELLS WEAPONS FIELD MAINTENANCE PACK

Complete, Dedicated
Kit For Field Repair &
Maintenance Of
Tactical 1911 Autos



This compact field maintenance pack is designed specifically for servicing combat 1911 Autos during Military Ops. And, it provides the soldier with all the required tools to field strip, repair, and maintain this pistol while on the move. This is not a run-of-the-mill cleaning kit, but carefully selected, high-quality field armorer tools dedicated to working on the 1911 pistol, so there is no confusion and no down time spent scrounging through one large field case of loose odds and ends. Individual pouches and compartments inside the water- and abrasion-resistant, denier Cordura case keeps all tools secure and separated to help minimize noise that could jeopardize your mission. Quiet, #9 YKK zippers with over-size pulls make it fast and easy to get tools in and out. Front panel features clear, I.D. card sleeve and loop strip for name tape. Includes two, nylon grab handles for easy carry. Made in the U.S.A. Field Pack Case is also available separately. **SPECS:** Includes: #81 MAGNA-TIP® screwdriver handle w/ #120-3, #185-00, #185-1, #240-5, T15 Torx, and bushing driver bits; grip bushing staker; lug iron; bushing wrench; plunger tube crimper kit; safety detent depressor; trigger stirrup die; nylon/brass hammer; pistol bench block; (3) nylon punches; front sight staking tool; extractor removal tool; .092" and .120" dia. brass push punches; mainspring housing pin pusher; 12"x24" bench/field gun mat. 5 lb. 2 oz. (2.32 kg) wt.

#080-000-456DE 1911 Auto Field Pack 8K259V95. \$ 355.02

FIELD PACK CASE - The same, heavy-duty, Cordura field case included with our 1911 Auto Weapons Field Maintenance Pack. Made available separately for your additional tactical gear and accessories.


SPECS: Denier Cordura nylon, O.D. green. 12" (30.5cm) long, 10 1/2" (26.7cm) high, 3 1/2" (8.9cm) thick. **#080-000-459DE Field Pack Case 8K44V76. \$ 59.95**

⑧ **TOOL BOX** - Heavy-duty, plastic case conveniently holds everything in one place. Perfect for the shop, armory, or as a take along to a match. **SPECS:** High-impact plastic. 15" (38.1cm) long, 7" (18cm) wide, 5" (13cm) high. **#696-100-303DE Tool Box 6F11U01. \$ 16.55**

1911 ARMORER'S ADD-ON PAK - 15 additional tools essential to assemble, disassemble, improve performance, and to do general maintenance on 1911-style pistols; turns your Field Tool Kit into an Armorer's Kit. **SPECS:** Upgrade Kit includes: (1) #81 Magna-Tip® Solid Handle - 1 1/4" (3.2cm) dia., 8" (20.3cm) long overall. (1) 3/32" Allen Bit - Steel, heat treated. Fits Brownells 1911 Auto and Ruger MkI/MkII grip screws. (1) #240-5 Slotted Bit - Steel, heat treated. Fits Brownells 1911 Auto and Ruger MkI/MkII grip screws. (1) T15 Torx Bit - Steel, heat treated. Fits Brownells 1911 Auto and Ruger MkI/MkII grip screws. (1) Magna-Tip .45 Bushing Driver Bit 1 1/8" (3.9cm) overall length, 1/4" (6.35mm) O.D. (1) 1911 Auto Anodized Bushing Wrench - Aluminum, red anodized. 5 1/2" (14cm) long, 1 1/4" wide, 1/4" (6.35mm) thick. (1) 1911 Auto Safety Detent Depressor - Steel shaft, plastic handle, 5" (12.7cm) long. (1) Mainspring Housing Pin Pusher - Approx. 3" (7.6cm). RC50 steel shank, plastic handle. (1) 1" Nylon/Brass Hammer Combo - 1" (2.5cm) dia. faces. 11 1/2" (29.2cm) hickory handle. Weighs approximately 6 oz. (170.1g). (3) Nylon Front Sight Punches - 4" (10.2cm) long. 9/16" (7.9mm) dia. Polyenco Nylon. (1) 1911 Auto Extractor Removal Tool - Steel, blue, matte finish. 6" (15.2cm) long, 3/8" (9.4mm) dia. handle, 150" (3.7mm) dia. lever. (1) #120-3 Bit - Steel. .120" (3.1mm) shank dia., .03" (.76mm) blade thickness. (1) #185-00 Hex-Head Bit - Steel. 1" long, 1/8" (1.6mm) thick. (1) .120" Brass Alignment & Push Punch - Plastic handle, brass shank, 360 alloy shaft. 4 3/4" long. 3/4" long. .092" (2.3mm) dia. **#080-000-190DE Armorer's Add-On Pak 8K99X58. \$ 113.73**



BROWNELLS 1911 ARMORER'S TOOL KIT



The Tools You Need To Do Quality Work On 1911s

This kit includes the 21 most essential tools necessary to assemble, disassemble, improve performance, and to do general maintenance on 1911-style pistols. Plus, we put them in a heavy-duty case and added a large, bench/field mat to protect guns, parts and your bench.

#080-000-183DE 1911 Armorer's Tool Kit, 8K275X91 \$ 307.45

1911 ARMORER'S KIT

#81 MAGNA-TIP® SOLID HANDLE - Rugged and hand filling with a powerful magnet for fast bit changes. Suitable for dozens of jobs when working on 1911s.
SPECS: 1 1/4" (3.2cm) diameter, 8" (20.3cm) long overall.
#080-086-181DE #81 Solid Handle 8K10Y30 \$ 12.30

3/8" ALLEN BIT - Inserts into the Magna-Tip screwdriver to remove Allen-head grip screws.
SPECS: Steel, heat treated. Fits Brownells 1911 Auto and Ruger® MkI/MkII grip screws.
#080-185-100DE #185-1 Bit 1K01H89 \$ 2.49

#240-5 SLOTTED BIT - Inserts into the Magna-Tip screwdriver to remove slotted grip screws.
SPECS: Steel, heat treated. Fits Brownells 1911 Auto and Ruger® MkI/MkII grip screws.
#080-240-540DE #240-5 Bit 8K02V52 \$ 2.99

T15TORX BIT - Inserts into the Magna-Tip screwdriver to remove torx grip screws.
SPECS: Steel, heat treated. Fits Brownells 1911 Auto and Ruger® MkI/MkII grip screws.
#080-435-015DE T15 Torx Bit 8K02T48 \$ 2.99

MAGNA-TIP .45 BUSHING DRIVER BIT - Supports grip bushings for easy removal; fits in the Magna-Tip Handle above.
SPECS: 1 9/16" (3.9cm) overall length, 1/4" (6.35mm) O.D.
#080-434-045DE Magna-Tip .45 Bushing Driver Bit, 8K07T31 \$ 9.97

1911 AUTO GRIP BUSHING STAKER - 8-segment, 90° head gives maximum contact with bushing for most secure installation possible.
SPECS: Staker head - S5 Tool Steel with Rc 57-60 hardening. 4" (10.2cm) handle.
#080-644-000DE 1911 Auto Grp Bshg Stkr 8K21V90 \$ 29.95

BROWNELLS LUG IRON - Removes rough spots and machine marks from the slide lug area of 1911 Autos.
SPECS: 8 3/4" (22.2cm) long. One-piece steel shaft and head.
#080-689-000DE Brownells Lug Iron 8K43U65 \$ 51.25

1911 AUTO ANODIZED BUSHING WRENCH - Non-marring aluminum gets the tightest bushings loose. Fits Govt. and Officers.
SPECS: Aluminum, red anodized. 5 1/2" (14cm) long, 1 1/4" (3.2cm) wide, 1/2" (6.35mm) thick.
#080-045-200DE 1911 Auto Anodized Bushing Wrench, 8K15A58 \$ 19.49

PLUNGER TUBE CRIMPER KIT - Easy-to-use tool lets you secure the plunger tube to the frame without fear of tube crush or frame damage.
SPECS: Steel, 7" (17cm) long. Crimper Kit includes crimper and plunger tube support. Includes external reinforcing block. Plunger Tube Support - Hardened steel. 4" (10.2cm) long, .106" (2.7mm) diameter. Step is .300" (7.6mm) long, .090" (2.3mm) diameter.
#080-806-500DE Plunger Tube Crimper Kit, 8K57B19 \$ 74.97

1911 AUTO SAFETY DETENT DEPRESSOR - Slips behind the thumb safety; cupped tip won't slip off lock detent pin. Press in and pop the safety into place.
SPECS: Steel shaft, plastic handle, 5" (12.7cm) long.
#583-120-101DE 1911 Auto Safety Detent Depressor, 3H00AYT \$ 9.95

MAINSRING HOUSING PIN PUSHER - Pops the mainspring housing pin out easily.
SPECS: Approx. 3" (7.6cm). RC 50 steel shank, plastic handle.
#080-850-000DE Mainspring Housing Pin Pusher, 8K16D42 \$ 24.97

1911 AUTO TRIGGER STIRRUP DIE - Smooths out bends and bumps found in production triggers to match-fit them for smooth travel.
SPECS: Hardened Steel. 1 5/16" (23.8mm) long, 5/8" (15.9mm) thick, 1 1/2" (3.8cm) high.
#080-710-045DE Trigger Stirrup Die 1911 Auto, 8K20B75 \$ 25.95

1" NYLON/BRASS HAMMER COMBO - Brass head for driving various pins; no-mar nylon head for soft "tapping".
SPECS: 1" (2.5cm) diameter faces. 11 1/2" (29.2cm) hickory handle. Weighs approximately 6 oz. (170.1g).
#18-600-100DE 1" Nylon/Brass Hammer Combo, 8A00VBX \$ 19.38

BLUE PISTOL BENCH BLOCK - Large, durable bench block; won't embed or mar when pounding out pins.
SPECS: Polyethylene blue. 4" (10cm) diameter, 1 1/2" (2.8cm) high.
#080-000-493DE Blue Pistol Bench Blck 8D00ZAY . \$ 16.35

NYLON FRONT SIGHT PUNCHES - Non-marring punch lets you drift the front sight right or left without damage to the sight.
SPECS: 4" (10.2cm) long. 9/16" (7.9mm) diameter. Polyenco Nylon. Sold in a set of 3.
#080-478-000DE Set of 3 Nylon Front Sight Punches, 8K04A09 \$ 4.82

BROWNELLS FRONT SIGHT STAKER - Offset punch efficiently directs the full force of the hammer blow downward against the sight tenon to stake front sights tightly.
SPECS: Steel, blued. 9/16" (7.9mm) x 1/2" (12.7mm) x 4 1/2" (11.4cm) long shaft. Replaceable, hardened steel tip. Fits 1911 Auto. Includes complete instructions.
#080-817-000DE Brownells Front Sight Staker, 8K31X96 \$ 39.95

1911 AUTO EXTRACTOR REMOVAL TOOL - Dual-purpose tool prevents scarred breech faces, scratched slides and gives fast, easy extractor removal every time.
SPECS: Steel, blue, matte finish. 6" (15.2cm) long, 3/8" (9.4mm) diameter handle, .150" (3.7mm) diameter lever.
#080-923-000DE 1911 Auto Extractor Removal Tool, 8K19A78 \$ 24.97

#120-3 BIT - Fits slotted magazine catch locks.
SPECS: Steel. .120" (3.1mm) shank diameter, .03" (.76mm) blade thickness.
#080-120-330DE #120-3 Bit 8K02C52 \$ 2.99

#185-00 HEX-HEAD BIT - Fits hex-head (Allen) magazine catch locks.
SPECS: Steel. 1" (2.54cm) long, 1/16" (1.6mm) thick.
#080-185-002DE #185-00 Bit 8K01H89 \$ 2.49

.120" BRASS ALIGNMENT & PUSH PUNCH - Helps install and remove hammer pins.
SPECS: Plastic handle, 360 alloy punch. 4 3/4" (12cm) long. Punch - 3/4" (8.2cm) long. .120" (3.05mm) diameter.
#080-000-025DE .120" Brass Alignment & Push Punch, 8K06U95 \$ 8.28



BROWNELLS 1" NYLON/BRASS HAMMER

Our Most Popular Gunsmith No-Mar Hammer



This combo is so perfect for so many jobs around the gun shop and on the range, it's impossible to list 'em all. Nylon head resists breaking, won't mar metal. Solid brass is the Basic for gunsmith use with punches and more.
SPECS: 1" (2.5cm) diameter faces. 11 1/2" (29.2cm) hickory handle. Weighs approximately 6 oz. (170 g).
#18-600-100DE 1" Nylon/Brass Hammer 8A00VBX \$ 19.38

BALLPEEN HAMMER



Superb Balance; Fiberglass Handles

Full-sized, cushioned rubber grip for superb control. Handles made from unbreakable, impregnated fiberglass. Nicely shaped half-round "ballpeens".
SPECS: Hardened steel head, fiberglass shank, rubber handle. Approximately 11" (2.7cm) long overall.

STOCK #	MODEL	WEIGHT	PRICE
#956-000-002DE	HP4	4 oz. (113.4g)	6E00ZAY \$ 21.77
#956-100-008DE	HP8	8 oz. (226.8g)	6E00DZA \$ 28.33
#956-000-001DE	HP12	12 oz. (340.2g)	6E11D61 \$ 14.72

MITUTOYO DIGIMATIC CALIPERS



Incredible Value In An Electronic, Direct Reading Caliper; Two Sizes To Choose From

Ready to measure right out of the box, no programming. Open jaws with the smooth-feel thumb wheel and read the LCD display. No reading "between the lines!" If you want to compare dimensions, reset the zero anywhere on the scale, caliper will give plus/minus readings. Close and reset zero and it's a regular caliper again. Graduations also marked on the beam for a quick manual check. No rack and pinion to get dirty, no delicate glass scale. 6" model bears the brunt of your measuring around the home and shop. 8" version cover those bigger specialized projects like measuring .50 BMG cartridges. Reads to .0005"/0.01mm; (Five, TEN thousandths). Accurate to .001" (0.02mm).
SPECS: 9 1/16" (23.1cm) overall. Stainless steel. Plastic hard case; includes battery.
#606-500-136DE 6" Digimatic Caliper 6K00BXC . . \$ 141.00
#606-000-001DE 8" Digimatic Caliper 6K00DZA . . . \$ 199.00

.092" BRASS ALIGNMENT & PUSH PUNCH - Helps install and remove seat pins.
SPECS: Plastic handle, 360 alloy punch shaft. 4 3/4" (cm) long. Punch - 3/4" (8.2cm) long. .092" (2.3mm) diameter.
#080-000-024DE Alignment & Push Punch 8K06U95 \$ 8.28

BENCH/FIELD GUN MAT - Soft face prevents scratches and dings when working on your gun. Absorbs liquid, and includes a non-slip backing.
SPECS: Polypropylene fiber, brown, expanded, vinyl acetate backing. 12" (30.5cm) x 24" (61cm).
#084-280-001DE Bench/Field Gun Mat 4H08V35 . . . \$ 11.16

TOOL BOX - Heavy-duty, plastic box conveniently holds everything in one place. Perfect for the shop, armory, or as a take along to a match.
SPECS: High-impact plastic. 15" (38.1cm) long, 7" (18cm) wide, 5" (13cm) high.
#696-100-303DE Tool Box 6F11U01 \$ 16.55



BROWNELLS MAGAZINE WELL FILLER

Helps Prevent Expensive Frame Damage

Fits inside and fills the magazine well to help prevent distortion caused by vise pressure.
SPECS: 7075 aircraft aluminum, silver, matte finish. 1911 Auto available Standard (Std) 4" (10.2cm) long and Extended (Ext) 5" (12.7cm) long. Double-Stack models are Extended (Ext) 8" (20cm) long only. STI fits STI, SVI and McCormick.

STOCK #	MODEL	LENGTH	PRICE
#080-810-100DE	1911 Auto Std.		8K22B99 \$ 29.97
#080-810-101DE	1911 Auto Ext.		8K26B17 \$ 36.66
#080-925-002DE	STI	Ext.	8K20A14 \$ 24.97

POWER CUSTOM 1911 AUTO FRAME SUPPORT SYSTEM

2-Piece Set Prevents Frame Damage During Fitting, Acts As Guide For Stippling



Stops frame "crush" while performing any of the lapping, heavy hammering or heating and bending alterations that require holding and squeezing the frame in a bench vise. Expandable Magazine Well Support adjusts to fill magazine opening so it can't collapse. Hardened steel Side Plates index off the grip bushings to take vise jaw pressure and dings, plus provide a convenient, damage-proof, straight edge guide for stippling on the front strap. Fits all types and calibers of 1911 Auto frames.

SPECS: Heat-treated steel, blued finish. Mag Well Support - 4" (10cm) long, adjusts to 1 3/8" (3.5cm) wide. Side Plates - 3" (7.62cm) wide, 4 1/2" (11.4cm) long, 1/8" (6.3mm) thick. Includes Allen wrenches, adjustment screws and instructions.
#713-100-000DE Frame Support System, 3A00XCH \$ 75.00



BAT INDUSTRIES 1911 AUTO ROTO STAND

Holds Pistol Securely In Any Position For Two-Hands-Free Cleaning & Maintenance




Pistol not included

Sturdy, adjustable stand holds your 1911 securely in a wide range of positions for easy cleaning and maintenance. Frees both hands to work and gets the pistol up from the work surface to protect it from scuffs, scratches, and dings that can happen if it slips as you work on it. Great for competitors and other high-volume shooters who need secure, unobstructed access for cleaning gunked up guns quickly. Also serves as a display stand to show off that prized custom pistol or racegun. Large, circular base is stable enough to support any single stack 1911 Auto configuration and has a lipped edge and soft, no-slip neoprene pad to prevent tools and small parts from rolling away. The insert on the ball-and-socket swivel mechanism fits in the pistol's mag well. Adjust the screw on the spring tensioner with the included hex wrench to ensure the insert grasps the pistol firmly. Unlock the swivel mechanism's release lever and rotate the gun for best access to the area you want to work on, then lock the lever and go to work. Tough, structural polymer composite base and swivel, with chemical resistant neoprene base mat.

SPECS: Injection-molded structural polymer composite with neoprene rubber mat, black. Height fully assembled, approximately 6" (15.2cm). Base diameter, 12 3/8" (32.1cm). Hex wrench and instructions included. Fits all models of single-stack 1911 Auto pistol.
#100-003-406DE 1911 Roto Stand, 6B91H71 \$ 99.95

POWER CUSTOM SLIDE RAIL COMPOUND CLAMP

Semi-Auto Slide Tightening Made Easy

Giant, steel "pliers" has two machined "steps" that can tighten one or both rails with just a "squeeze" of your bench vise. Step one distributes pressure evenly to both rails at the same time. Step two straightens and adjusts one side at a time if the slide is bent or sprung. Stop bolt helps prevent over-tightening and damaged slides. 


SPECS: Heat-treated steel, blued finish. Machined from 1 1/2" (3.81cm) square stock, approx. 7 1/2" (19cm) long. Ratio 2:1.

#713-101-000DE Compound Clamp 3A00XCH \$ 114.99

BROWNELLS 1911 AUTO RAIL SWAGING PUNCHES

Helps Prevent Frame Rail Damage



Puts downward swaging pressure directly onto the frame rails and not on the frame. Giant steel punches with specially machined steps prevent overpeening and crushed frame rails. Single or Double design allows tightening only the specific rail area required for closer frame-to-slide fit. 

SPECS: Machined steel. 5/8" (56mm) long, 1" (2.5cm) diameter. Set includes 1 punch of each design.

#080-805-001DE Single Swage Punch 8K29B96. \$ 39.95


#080-805-002DE Double Swage Punch 8K24B11. 29.97

#080-805-000DE Swage Punch Set 8K48B72. 64.95

BROWNELLS/STARRETT 1911 AUTO SLIDE RAIL MICROMETER

Measures With Accuracy




For match level accuracy, slide-to-frame fit on 1911-style au- tos must be closer than a gnat's whisker. This specially modified Starrett mike precisely measures the thickness of the slide's "rails". Makes choosing the correct slide fitting bar quick and accurate. No guesswork. Take measurement at three points along the slide, average readings together, and select a slide fitting bar (listed elsewhere) .001" to .002" thicker. 

SPECS: Stainless steel, 2 1/2" (6.3cm) overall. Carbide measuring faces read .0000 to .4265" (10.8mm). Includes plastic case.


#827-561-730DE Slide Rail Micrometer 7B00ZAY . . . \$ 213.03

1911 AUTOTOOLS

1911 SLIDE LAPPING TOOL - Simplifies hand lapping a 1911 slide and frame. Oversize ball handle on a dummy "bushing" fits into the slide and makes a smooth, back and forth, lapping action possible. 

SPECS: 5/8" (13cm) long overall. 3/2" (8.8cm) long x 3/8" (15.9mm) dia. steel shaft. 2" (5cm) dia. plastic ball handle.

#583-100-000DE 1911 Slide Lapper 3H00UAV \$ 39.95

VERSA-TOOL™ - Convenient, all-in-one tool contains every item you need for complete 1911 Auto disassembly and re-assembly. Has a bushing wrench for both Govt. and Officers ACP. Also includes: .030" x .145", .030" x .200", .045" x .235" screwdriver blades, 1/16", 3/32", 1/8" Allen wrench, 1/8" punch and ambi safety blade. 


SPECS: Stainless steel body, carbon steel Allen wrenches. 4 1/2" (11.5cm) long.

#965-398-000DE Versa-Tool 5F24D56 \$ 29.95

BROWNELLS 1911 AUTO SLIDE FITTING BARS



Remove Slide "Play" Accurately

Surface ground and hardened tool steel bars in ten thicknesses - Recommended by agency armorers and top pistolsmiths as the most accurate way to remove vertical slide "play" from the 1911 Auto, its variations and copies. May be slower than the quick-and-dirty methods, but gives an infinitely more accurate and professional job. Basic procedure as follows: Measure gun's slide rail thickness; place closest-sized Slide Fitting Bar in frame "way"; tap frame rail with light hammer to close the "ways" space down to match the slide rail thickness. Complete instructions included. 

SPECS: 4" (10.2cm) L x 1" (2.5cm) W. stainless steel, heat treated. + .0000"/- .0005" (.0127mm) tolerances. **Set** includes 10 slide fitting bars, and a hardwood divider tray, all in a tough, polypropylene bench storage box.


STOCK #	THICKNESS	STOCK #	THICKNESS
#080-745-111DE	.111" (2.8914mm)	#080-745-116DE	.116" (2.9464mm)
#080-745-112DE	.112" (2.8448mm)	#080-745-117DE	.117" (2.9718mm)
#080-745-113DE	.113" (2.8702mm)	#080-745-118DE	.118" (2.9972mm)
#080-745-114DE	.114" (2.8956mm)	#080-745-119DE	.119" (3.0226mm)
#080-745-115DE	.115" (2.9210mm)	#080-745-120DE	.120" (3.0480mm)

— Advise # — Single Slide Fitting Bar 8K23Z95 \$ 29.95

#080-745-001DE Slide Fitting Bar Box & Tray, 8K29Z38 41.17

#080-745-000DE Slide Fitting Bar Set 8K27Z74. . . . 347.19

SLIDE FITTING BAR HOLDING FIXTURE -

This is the third hand you've been looking for when peening or swaging 1911 Auto frame rails. All-steel tool holds a single or double Slide Fitting Bar securely in place, without movement. Makes striking our Rail Swaging Punches with a hammer easier and more accurate. Must be used with current production Slide Fitting Bars equipped with through holes. 


SPECS: Steel, blued, 2.6" (6.6cm) wide. Includes two, 1/4"-28 Allen screws and washers.

#080-745-002DE Holding Fixture 8K22Z61. \$ 29.97

WEIGAND COMBAT FRAME HOLDING FIXTURE

Holds Frames Without Damage



Aluminum vise jaws hold all single-stack, 1911 Auto frames for machining and rail-peening operations. Won't slide in the vise. Relieved for plunger tube/oversize mag wells. 


SPECS: Machined aluminum, silver, matte finish. 4" (10cm) square, each plate is 1/2" (12.7mm) thick. Includes instructions.

#957-122-000DE Frame Holding Fixture 7E00PUA . . . \$ 64.25

FRAME & SLIDE GROOVING SAW

Make Fast, Accurate, Slide & Frame Cuts



Solid-carbide saws make great-looking cuts on 1911 slides. 15° for 1911A1 Govt. cocking serrations; 60° for checking and French Cuts. 

SPECS: Solid carbide. 1.250" (3.2cm) dia., 1/16" (1.58mm) thick, 1/2" (12.7mm) arbor. Feed rate for Rc 42 steel is 47/minute, 610 RPM. Made in U.S.A. 15° and 60° - 24 tooth cut.

#296-040-015DE 15° Slitting Saw 6B00UAV \$ 54.00


#296-040-060DE 60° Slitting Saw 6B00XCH 67.00

#296-015-050DE Slitting Saw Arbor 6B00ZAY 50.00

BROWNELLS 1911 AUTO SLIDE/FRAME RAIL FILE



One File Does It All: Trues, Deburs & Squares Slide Rails

Clean up and square slide rails with one side of this file, turn it over and deburr or enlarge the rail channels with the other. Specially ground, stepped file does the job of two or more separate files and the safe edges make sure that only the areas that need to be cut, get cut. Simplifies, speeds up and adds precision to slide fitting work. 

SPECS: 6" (15.2cm) long, 1/2" (12.7mm) wide. Surface ground.

#080-753-000DE Slide/Frame Rail File 8K39B12. . . . \$ 50.83

BROWNELLS/YAVAPAI 1911 AUTO SLIDE JIG

Faster, More Precise Milling

Securely holds all models of 1911 Auto slides for more precise milling of low-mount sight dovetails, extractor rollover cuts, front cocking serrations, French Cuts, ejection port lowering, 1° comp cuts plus, makes a great handle for power-sanding and polishing. 


SPECS: Aluminum. 5 3/4" (14.6cm) long, 2" (10cm) wide, 1 lb. 10 oz. (759g) wt. Includes complete instructions.

#080-835-002DE 1911 Slide Jig 8K87D00. \$ 124.95

CASPIAN POCKETSMITH II

Everything You Need
For Field Repair



All-in-one, stainless steel pocket tool has all the tools needed to service your 1911 Auto at the range or in the shop. Fold-open design has a bushing wrench, pliers, and wire cutter. Additional tools in the handles are 3/32" and 1/32" Allen wrenches, three screwdriver bits, mainspring housing pin punch, file, and a knife blade. Titanium hardened finish for exceptional strength, and checkered, anodized aluminum side panels allow a firm grip. Nylon belt pouch included. 


SPECS: Titanium-finish stainless steel components & body with anodized, aluminum grips, green. 4 1/8" (10.5cm) OAL folded; 6 1/2" (16.5cm) OAL extended. Black nylon carrying case.

#168-000-075DE PocketSmith II 8F25T00 \$ 31.25

BROWNELLS MAINSRING HOUSING PINTOOL

Pops This
Stubborn Pin
Out Easily



Makes removing the 1911 Auto mainspring housing pin (it's held in by a detent) a snap. Round, plastic handle fits your palm nicely, one "rap" and the pin is out. Speeds any disassembly/reassembly job, whether doing repairs or using the "stone and try" method for trigger pull work. Fits all 1911 Autos. 


SPECS: Plastic handle. RC50 steel shank. Approx. 3" (7.6cm) long.

#080-850-000DE Mainspring Tool 8K16D42 \$ 24.97

AL MARVEL 1911 AUTO SAFETY DETENT DEPRESSOR

Stop Scratching
Frames



Slips behind the thumb safety; cupped tip won't slip off the slide lock detent. 


SPECS: Steel shaft, plastic handle, 5" (12.7cm) long.

#583-120-101DE Detent Depressor 3H00AYT. \$ 9.95

BROWNELLS 1911 AUTO DISCONNECT SCRAPER



Deepens Disconnect Notch For Smoother Trigger "Feel"

Super-hard, steel scraper lets you deepen the disconnect notch to keep the disconnect from bumping the slide. The right way to end the problem. NEVER shorten the disconnect. 


SPECS: CPM Rex 76 steel. 5 1/4" (13.3cm) long overall.

#080-746-002DE Disconnect Scraper 8K11Z82 \$ 15.83

BROWNELLS 1911 AUTO MAGAZINE LIP FORMING TOOLS

Customizes Magazines To Properly
Feed Wadcutter Ammo



No amount of accurizing will make a 1911 Auto shoot wadcutter ammo if the magazine's feed lips aren't right. These tools easily reform the lips to the optimum angle, curing the tendency of wadcutters to jam against the ramp. "Anvil" fits inside the magazine and establishes the angle. "Yoke" (designed by Lou Woll) fits over the lips and ensures that both sides will be identical. 

SPECS: 1018 Steel, hardened to Rc 50. Anvil - 2 3/4" (70cm) x 1 1/4" (3.2cm) x 3/8" (9.5mm). Yoke - 3" (7.6cm) x 1" (2.5cm) x 3/8" (41.2mm). Set includes one of each. Instructions included.

#080-810-001DE Lip Forming Anvil 8K47B37. \$ 59.97

#080-810-002DE Lip Forming Yoke 8K28B11. 34.97

#080-810-003DE Lip Forming Set 8K72B79. 99.97

BROWNELLS 1911 AUTO GUN SPECIFIC MAGNA-TIP® SCREWDRIVER SET

Self-Storing, Carry Along
For Smiths & Shooters



We matched each screw on the 1911 to our MAGNA-TIP bits to give you the best possible, blade-to-slot fit, then added in a few specialty bits, plus short-shanked, #84 MAGNA-TIP Hollow Handle for maximum control when working on your pistol. The result is a compact, take-it-anywhere field tool for the 1911 shooter or gunsmith. Contoured driver handle holds six bits: #150-4 for the magazine catch lock, #240-5 for slotted grip screws, 3/32" Allen for Allen head grip screws, 1/16" Allen for Bomar and Heine sights, 3/64" Allen for Novak sights, a mainspring housing bit, plus a .050" Allen wrench for adjusting XS sights. 

SPECS: 6 1/8" (15.5cm) OAL, 1 1/8" (2.9cm) dia. handle, 1 3/4" (4.4cm) long shank. Set contains (1) each: #150-4, #240-5, 3/32", 1/16" and 3/64" Allen bits, mainspring housing bit, and .050" Allen wrench.


#080-000-444DE 1911 Screwdriver Set 8K15V97. \$ 19.97

#080-000-448DE 1911 Bits, only 8K09V75. 12.97

BROWNELLS GRIP SCREW BITS



Allen®, TORX® & Slotted Bits Fit Right

Here are the three Magna-Tip bits you'll need to install and remove our custom grip screws. Although we picked them to match our screws, they'll fit other brands too. 

SPECS: Steel, heat treated. Allen: 3/32" hex. Slotted: 240-5. TORX: T-15. Fit Brownells 1911 Auto and Ruger MkI/MkII grip screws.

#080-185-100DE 3/32" Allen Bit 1K01H89 \$ 2.49

#080-240-540DE 240-5 Slotted Bit 8K02V52 2.99

#080-435-015DE T-15 TORX Bit 8K02T48. 2.99

BROWNELLS MAGNA-TIP® 1911 AUTO BUSHING DRIVER™ BIT



Supports Bushing
For Easiest Removal - & Fits
Into Your MAGNA-TIP's Hollow Handle!!

Special bits that fit our MAGNA-TIP® and Clip-Tip handles to correctly center the blade and fully support 1911 grip bushings. Makes removal easier, faster and prevents tearing up the slot. **Regular 1911 Bushing Driver Bit** removes standard bushings; **Slim 1911 Bushing Driver Bit** removes the thin bushings used for slim grips. **SPECS:** 1 3/16" (3.9cm) overall length, 3/16" (8mm) O.D. **#080-434-045DE 1911 Bushing Driver Bit 8K07T31 . . . \$ 9.97**
#080-134-001DE 1911 Slim Bushing Bit 8K07C18 8.45

BROWNELLS 1911 AUTO GRIP BUSHING STAKER



8-Segment, 90° Head Gives Maximum Contact To
Frame For Most Secure Bushing Installation Possible

1911 stock bushings get bunged up or lost in the field or, when a pro is doing a "Master Reblue Job" they get removed to permit the finest possible polishing job. Then they have to be replaced and that can be a real chore. No more. With this special Brownells 1911 Auto Grip Bushing Staker, it's now quick and easy to get them tight on the first try. Made in 8 segments with 90° cuts between for maximum bushing contact to frame. Has "handle" and deep hole in top of Staker to prevent your 1/8" punch from slipping off. (The 1/8" punch passes thru bushing contact on opposite side of frame to give clean access to bushing being replaced or tightened.) NOTE: Make an anvil block to support outside of bushing while it is being staked. Works great! **SPECS:** Staker head - S5 Tool Steel hardened to Rc 57-60. 4" (10.2cm) handle. **#080-644-000DE Grip Bushing Staker 8K21V90 . . . \$ 29.95**
#080-644-001DE Replacement Staker Head 8K20V49 24.95
#891-215-640DE 1/8" High Speed Drill 1H00DZA 2.33

BROWNELLS 1911 AUTO LUG FITTING KIT



Helps You Fit The
Standing Lugs On
Oversized Barrels

Three essential tools work together to help you successfully fit oversized barrels. The Barrel Holder locks the barrel in the slide to let you cut the excess material on the lugs with the included, carbide Barrel Lug Cutters. Plus, the Slide Pusher holds the slide forward to put a consistent pressure on the barrel while cutting. Comes in a convenient case. **SPECS:** Barrel Holder - Steel. Approximately 3.5" (9cm) long. .44" (1.1cm) O.D. Barrel Lug Cutter - Carbide. .186" cutter and .195" cutter; includes handle. Slide pusher- steel shaft, plastic handle. 6.5" (16.5cm) long.

- #080-000-089DE 1911 Auto Lug Fitting Kit, 8K134A03 \$ 179.31**
- #080-746-001DE 1911 Auto Slide Pusher, 8K14Z43 19.97**
- #080-711-100DE 1911 Auto Barrel Holder, 8K14D77 19.97**
- #080-000-058DE 1911 Auto Lug Cutter, Handle only, 8K17V29 21.61**
- #080-000-063DE 1911 Auto .195 Lug Cutter, 8K43V88 53.98**
- #080-000-062DE 1911 Auto .186 Lug Cutter, 8K43V88 53.98**

BROWNELLS 1911 AUTO LUG IRON



Removes Ridges & Levels Lug Area

Quickly, accurately removes wear flanges and machining ridges from the slide lug area of 1911 Autos. Ensures a precise fit, reduces barrel friction and improves accuracy. **SPECS:** 8 3/4" (22.2cm) long. One-piece steel shaft and head. **#080-689-000DE Brownells Lug Iron, 8K43U65 \$ 51.25**

BROWNELLS 1911 AUTO LUG CUTTER

Recuts Lug For A Tight Fitting
Barrel That Improves Accuracy



Hand operated, carbide cutter easily trims excess material from the bottom barrel lug when fitting custom or factory barrels to 1911 Autos. Cuts barrel lugs parallel, and with the correct height and radius, to help produce the best possible lockup. Use .186" cutter first, then progress to the .195" cutter if more material needs to be removed. Follow with careful hand fitting to achieve a firm, non-binding barrel-to-slide fit. Start small and check your work often. It is possible, with some slide/barrel combinations, that the .195" cutter could remove more material than necessary. Fits all 1911 Auto, Commander and Officers ACP, single- and double-stack frames. **SPECS:** 1" (2.5cm) diameter knob; 2.07" (5.25cm) long shank. .186" (4.72mm) or .195" (4.95mm) diameter cutters. Complete instructions included. **#080-000-067DE Handle & .186" Cutter 8K58Y88 . . . \$ 78.50**
#080-000-068DE Handle & .195" Cutter 8K58Y88 78.50
#080-000-062DE .186" Cutter, only 8K43V88 53.98
#080-000-063DE .195" Cutter, only 8K43V88 53.98

BROWNELLS 1911 AUTO BARREL LOCKING LUG FILE



For Critical Fitting Of Match-Grade Barrel Top Lugs

Precision, surface-ground file deepens barrel locking lugs without increasing width. Safe on two sides to let the gunsmith file to a close fit with no chance of widening lug area. #2 cut, Swiss pattern cuts smoothly; little or no additional stoning/ polishing is needed. **SPECS:** 6" (15.2cm) long. .171" (4.35mm) square. **#080-751-000DE Barrel Locking Lug File, 8K39B15 \$ 52.44**

BROWNELLS 1911 AUTO EJECTION PORT GRINDING STONE KIT



"Cobalt" Stones Easily Shape
Hardened Slides

Long-lasting, Cobalt impregnated aluminum oxide stones are the ultimate for shaping the ejection port roll-over notch. **SPECS:** Cobalt impregnated aluminum oxide, 120 grit. Includes (2) B51, (2) B42 stones and instructions. 1/8" (3mm) dia. shank. **#080-810-000DE Ejection Port Stone Kit 8K19B79 . . \$ 28.84**



BROWNELLS 1911 AUTO CHECKERING GUIDE

Get True Diamonds On Front Strap

Clamps over the frame of a 1911 Auto to provide a solid guide for getting the front strap checkering lines straight correctly. Sets up 60° or 90° diamonds. **SPECS:** 2 1/2" (6.3cm) long, 1" (2.5cm) wide. 3/16" (11.1mm) thick. Aluminum Guide and Clamp Bar. Allen head lock screw. **#080-684-000DE 1911 Checkering Guide, 9A23D93 \$ 29.97**

MARVEL PRECISION EZ CHECKERING FIXTURE

Produces Accurate, Beautiful,
Hand-Cut Checkering In Any
LPI Spacing



Professional-quality fixture helps you produce straight, accurate, front strap frame checkering on your very first try. Clamps to any single stack, Govt. length frame and provides repeatable indexing for vertical and horizontal cuts, plus the initial undercut. If used correctly, this CNC-machined fixture will make it very difficult to make a mistake. Accepts all wide checkering files. Includes well written, well illustrated instructions. **SPECS:** Aluminum fixture, matte, silver finish. Steel screws and indexing pins. Includes undercut rollers and Allen wrenches. **#588-100-011DE EZ Checkering Fixture, 8H00AVB \$ 172.75**

WALKER PRECISION 1911 AUTO MAINSRING HOUSING TEXTURING FIXTURE



Cut Fast & Precise Custom
Patterns Using Your
Milling Machine

Now it's possible to execute custom designs and decorative patterns like a professional without the years of practice it takes to do it by hand. This heavy, steel fixture is the custom pistol-smith's best friend and a huge timesaver when cutting intricate textures on mainspring housings. Achieve one-of-a-kind, truly exceptional looking housing in half the time. Cut course or fine line, checkering patterns or serrations that offer a superior gripping surface, or shallow scallops and other unique designs that separate your work from the typical factory gun. Setup is easy. Simply clamp the mainspring housing in the fixture, install and align in a spin index using a 1-inch collet, and set the positive stop on the fixture. Lock the spin index and square-up the fixture in your mill. Once setup is complete, the mainspring housing can be indexed radially to mill virtually any pattern your heart desires. Instructions included. **SPECS:** Steel, black oxide finish. 4" (10.2cm) long, 1 1/2" (3.8cm) wide, 1" (2.5cm) high. **#100-002-280DE Mainspring Housing Texturing Fixture, 2Z185T74 \$ 234.02**

PAY ANY WAY

VISA/MC/Am Ex/Discover
CrossCheck/IMPAC/C.O.D.

CHADWICK & TREFETHEN 1911 AUTO BARREL BUSHING REAMER



A Better-Fitting Bushing Means Enhanced Accuracy

Expandable reamers easily adjust to cut the exact I.D. dimension required for a tight barrel-to-bushing fit. "A" Reamer is used for the smaller I.D., Colt factory, Commander barrels in 9mm and .38 Super. "B" Reamer is used for all factory and aftermarket, Government-length barrels in all calibers. **SPECS:** Carbon steel, in-the-white. Dimensions and expansion ranges: "A" 5 5/8" (14.2cm) long, .218" (5.5mm) square shank, .468" (12mm) - .531" (13.5mm). "B" 5 3/4" (14.6cm) long, .282" (7.1mm) square shank, .531" - .593" (15mm). **#170-531-001DE "A" Adjustable Reamer, 7A00VBX \$ 52.62**
#170-531-002DE "B" Adjustable Reamer, 7A00HDZ 52.62
#170-531-102DE "B" Repl. Reamer Blade Set, 7A00YTP 31.26
#170-531-202DE "B" Repl. Reamer Nut, 7A00HDZ 4.48

BROWNELLS COLT WRENCH



1911 Auto Bushing Wrench,
Plus Ratchet/Ejector Rod Wrench

An obvious "must have" tool belonging on the bench of every gunsmith or armorer who works on (or strips for rebluing) any Colt handgun. The double-ended 1911 Auto bushing wrench feature has been time proven by gunsmiths. Ours handles the traditional Government model with one end and the Colt Officer's ACP with the other. We've all sweated over the mar-free removal and reassembly of the ratchet (ejector/extractor) from the ejector rod of large and small frame Colt revolvers. Brownells Colt Wrench handles the operation properly. The hex opening fits over the ratchet of large frame Colts (including old and new Pythons) to hold the ratchet for unscrewing from the ejector rod. For small frame Colt revolvers, the slot with two small studs fits between ratchet and cylinder face; the two studs fitting into two of the ratchet cartridge extractors. The tool ratchet unscrews from rod with no mar or deformations! A lifesaver! **SPECS:** Blued steel. 6 1/8" (16.6mm.) x 1" (2.5cm) x 1/8" (3.2mm). **#080-557-000DE Brownells Colt Wrench, 8K17X81 \$ 24.97**



BROWNELLS 1911 AUTO ANODIZED BUSHING WRENCH



Non-Marring Aluminum Gets The Tightest Bushings Loose

The perfect tool for every 1911 owner's range bag or cleaning kit. Precision machined for a close fit to Government Model and Officers ACP bushings. The extra thick, contoured handle fits comfortably in your hand; has plenty of heft for a good, solid grip. Turns the tightest bushings without slipping. **SPECS:** Aluminum, red anodized. 5 1/2" (14cm) long, 1 1/4" (3.2cm) wide, 1/4" (6.35mm) thick. **#080-045-200DE Anodized Bushing Wrench, 8K15A58 \$ 19.49**

BROWNELLS CAN'T MAR™ 1911 AUTO BUSHING WRENCH



- Can't Damage Finishes • Virtually Unbreakable
- Pocket-Sized • Versatile, Double-Ended Design

Every 1911 owner and gun shop needs a wrench to remove the barrel bushing from the 1911 Autos. Ours fits all the calibers and variations; Colt-made (including factory Officers ACP), plus copies. Made from super tough ABS "T" grade polymers, Brownells Can't Mar wrench has more thickness and heft than other synthetic wrenches. It gets out even the most tightly fitted, match-grade bushing WITHOUT scarring or marring the finish of the gun's bushing or slide. Virtually unbreakable, the Can't Mar wrench carries easily in pocket or field kit. **SPECS:** 5½" (14cm) long. 1¼" (3.2cm) wide. .187" (4.75mm) thick. Weighs 1 oz. (28 g).

#080-045-045DE Can't Mar™ Bushing Wrench, 8K02U75 \$ 5.75

BROWNELLS BUSHING/COMPENSATOR FITTING MANDREL

Grips & Centers
For Turning O.D.



Makes uniform, precise fitting of an oversized bushing or cone style compensator fast and simple. Two-piece mandrel threads together with the bushing/comp in between. Flat seat locates front of bushing; tapered, hardened "nose" automatically centers the rear. Mount in the lathe or drill press and file or turn O.D. as needed. **SPECS:** Machined steel. 1½" (17.4mm) diameter. Approximately 4" (10.2cm) long. Comes complete with "A" rod for bushing, "B" rod for cone style comps. Instructions included.

#080-804-100DE Bushing/Compensator Fitting Mandrel, 8K45B57 \$ 59.97
#080-804-101DE Bushing/Compensator "B" Rod, only, 8K12B17 14.97

BROWNELLS SEMI-AUTO PISTOL COMPENSATOR TAP & DIE



Make & Install Custom Compensators

Use die to thread custom and standard barrels to accept recoil compensators. Use plug tap to chase threads or tap your own custom compensators.

1911 AUTO COMPENSATOR TAPS AND DIES - Dies are 1½" (3.8cm) diameter. Unthreaded comps should be drilled with 3/64" HSS drill then reamed to .551" before threading with either tap. Turn barrels to approximately .002" smaller than thread diameter. **.575"-40** thread matches most commercial, tapered-sleeve or integral, cone-style comps. **.581"-40** thread is same as used on Wilson, Brown and Storm Lake Machine barrels and bushing style comps. **.685"-40** thread is used to fit compensators to threaded Bull and Hybrid barrels.

SPECS: High speed steel.
#080-598-575DE .575"-40 Comp. Tap 2K31P65 \$ 39.95
#080-598-576DE .575"-40 Compensator Die 2K68P74 . 99.95
#891-235-640DE 3/64" Drill Bit 1H00DZA 16.40
#080-598-581DE .581"-40 Compensator Tap 2K34P81 . 49.97
#080-598-582DE .581"-40 Compensator Die 2K54P96 . 80.55
#080-598-685DE .685"-40 Compensator Tap 6K30P04 . 39.95
#080-598-686DE .685"-40 Compensator Die 6K48P35 . 71.37

DAVE MANSON PRECISION REAMERS NOWLIN CHAMBER REAMER



Fits Nowlin Tight Bore Barrels

Specially ground, reduced-diameter pilots fit the tighter bore specifications used on all Nowlin barrels. Precision ground with an integral throater and solid, fixed pilot. **SPECS:** M7 high speed steel. Six straight flutes with right hand cut. 3/8" (6.3mm) square drive shank.

#513-051-909DE 9mm Nowlin Reamer 3A00PUA . . . \$ 70.00
#513-051-389DE 38S Nowlin Reamer 3A00XCH 80.00
#513-051-929DE 9x23 mm Nowlin Reamer, 3A00XCH 70.00
#513-051-409DE .40S&W Nowlin Reamer 3A00XCH . 70.00
#513-051-459DE .45 ACP Nowlin Reamer 3A00ZAY . 70.00

NOWLIN MFG. 1911 AUTO RAMPED BARREL FRAME BRIDGE CUTTER

Speeds Ramped Barrel Installation;
Ends Ruined Frames & Broken Cutters



Precision-ground cutter speeds up the time-consuming job of removing the ramp from a 1911 Auto frame prior to installing a fully ramped barrel. Custom-ground, long-shank end mill helps you get a frame that's cut clean and straight, ready to fit. Fully piloted to eliminate bind, and won't lose zero if you take the frame out of the milling vise.

SPECS: High-speed steel cutter, carbon steel shank, aluminum bushing. 5½" (14.3cm) OAL, 7/16" (1.11cm) diameter cutter, ½" (1.3cm) diameter shank. Works for all ramped barrels equipped with bottom feet cut square at the rear, like Nowlin and Wilson.

#654-105-000DE Ramped Barrel Frame Bridge Cutter, 4E00UAV \$ 99.95

1911 AUTO BARREL INSTALLATION ACCESSORIES

BARREL HOLDER - Locks the barrel to the slide, simplifying lug-to-pin fitting using either the Wilson Lug Cutter or a 3/16" diameter, parallel round file. Mounts through the bushing below the barrel, and clamps it in the full lock position with a set screw.

SPECS: 5¾" (14.6cm) long. 5/8" (15.9mm) diameter. Steel. Fits 9mm, .38 Super and .45 ACP.

#080-711-100DE 1911 Auto Barrel Holder 8K14D77 . \$ 19.97

WISE JAWS - Multi-position, aluminum vise jaws with one horizontal and three, vertical "V"s, firmly hold 1911 Auto barrels without damage. Powerful, magnetic strip keeps the jaws in place. Also holds cylindrical parts.

SPECS: Aluminum. 4" (10.2cm) wide, 1¼" high face.

#080-824-000DE 1911 Auto Vise Jaws 8K16C57 \$ 24.95

BROWNELLS 1911 AUTO BARREL ALIGNMENT GAUGE



Fast Check For Proper
Lug Engagement
& Firing Pin Alignment

Valuable barrel fitting aid for the gunsmith and

a great "used gun" checker for the dealer. The rod slides down the barrel and the centered tip drops into the firing pin hole on a properly-fitted factory barrel. A little layout fluid on the breech face shows exact alignment.

SPECS: Centerless ground steel. 8½" (21cm) long. **Set includes all three gauges.**

#080-804-038DE .38 Super/9mm Gauge 8K37B55 . . . \$ 46.95

EGW 1911 AUTO HOOD LENGTH GAUGE

Makes It Easy To Fit Hood Length
On New, Oversized Barrels



Steel gauge fits in your slide to precisely measure the correct hood length down to a thousandth of an inch. Shows you how much to cut the first time and eliminates the time-consuming, file, fit, and file some more process.

SPECS: Steel, black-oxide finish. 6¾" (16.2cm) long, ½" (13mm) wide, 1/8" (3.2mm) thick. Indicates hood lengths of 1.313", 1.315", 1.318", and 1.321".

#296-000-055DE Hood Length Gauge 6B26A67 \$ 33.33

BROWNELLS 1911 AUTO BARREL ALIGNMENT BLOCK

Fast, Accurate Hood-To-Slide
Fitting On 1911 Autos



Milled lug slot holds the barrel square in the slide for precise fitting of the hood to the bolt face slot. Provides a quick visual check for hood fit that eliminates time consuming assembly/disassembly for hood fitting. Fits between the slide rails to prevent barrel twist. Aids lockup and accuracy. May require minor fitting to slide.

SPECS: Steel, black oxide finish. 2" (5 cm) long, ¾" (19mm) wide, ½" (12.7cm) high. Instructions included.

#080-000-041DE Barrel Alignment Block 8K26V36 . \$ 37.83

EVOLUTION GUNWORKS 1911 AUTO LOCK-UP GAUGE

Keeps Barrel True
During Milling & Fitting



Aluminum gauge keeps barrel placement consistent during "mill and fit" procedure. Hole in gauge lets you place a dial indicator on barrel to make sure that it remains in proper alignment while you check for proper lock-up.

SPECS: Aluminum, black. 3" (76mm) long, 1" (25mm) high. Slots are .362" (9.1mm) and .368" (9.3mm).

#296-000-071DE Lock-Up Gauge 6B22Y00 \$ 27.95

NEW

WEIGAND COMBAT 1911 AUTO BARREL FITTING FIXTURE

Precision Milling
Machine Setup
For Greater Accuracy
& Repeatability



Heavy-duty, steel jig serves as a secure milling fixture that lets you clamp any 1911 Auto barrel at the correct angles in your milling machine to make accurate, repeatable

cuts for hood length, width, and bottom lug foot height. Far more precise than hand filing, so it helps improve the accuracy of your finished pistols, while saving valuable shop time. Adjustable "V" block and fully-indexable jack screws let you set up, remove barrel to check fit, and re-clamp it in the fixture with absolutely no loss of zero. Use with a four-flute, 5mm diameter end mill, available separately.

SPECS: Fixture - Steel, parkerized, matte black. 6" (15cm) long, 3" (76cm) wide, 2" (5cm) high. Instructions included. **End Mill** - High speed steel, four-flute. 5mm (x.1968") dia. x ½" (12.7mm) long cut. 2¾" (6cm) OAL, 3/8" (9.5mm) dia. shank.

#957-000-075DE Barrel Fitting Fixture 7E00BXC . \$ 179.95
#265-000-011DE 5mm HSS End Mill 5P00CHD 21.95

#080-804-040DE .40 S&W/10mm Gauge 8K34B15 44.95

#080-804-045DE .45 ACP Gauge 8K34B15 44.95

#080-804-000DE Barrel Alignment Ga. Set 8K75B96 . 94.95

GUN RUNNERS 1911 AUTO PLUNGERTUBE STAKING TOOL

Easy, Two-Hand Operation
Gives Tight Crimp



Combination tool clamps plunger tube firmly and accurately in place, helps prevent expensive damage to the frame or the plunger tube. Locking bar is milled for a precise fit to both 3/32", Mil-Spec, and 3/16", oversized tubes. Spot faced holes along the back of the locking bar hold tool in correct alignment for a tight crimp. Hardened point gives years of service.

SPECS: 1018 steel body, matte grey parkerized finish. Bar - 3½" (8.9cm) long. Body - 2¾" (7cm) long.

#634-000-001DE Plunger Tube Staking Tool, 4C23V60 \$ 34.23

BROWNELLS 1911 AUTO PLUNGERTUBE CRIMPER KIT

Foolproof, Military Design
For Tightest Tubes



Easy-to-use adaptation of a proven armorer's tool lets you secure the plunger tube to the frame without fear of tube crush or expensive frame damage. Adjustable

beveled jaws allow easy frame access; hardened crimping point assures long tool life. **Plunger Tube Support** slips inside plunger tube and prevents compression damage while tube is being staked to frame.

SPECS: Steel, 7" (17cm) long. **Crimper Kit** includes crimper and plunger tube support. Includes external reinforcing block. **Plunger Tube Support** - Hardened steel. 4" (10.2cm) long, .106" (2.7mm) diameter. Step is .300" (7.6mm) long, .090" (2.3mm) diameter. **Replacement Tip** - 10-32 tpi fits current crimpers, 8-32 tpi fits all older crimpers.

#080-806-500DE Plunger Tube Crimper Kit, 8K57B19 \$ 74.97

#080-707-000DE Plunger Tube Support 8K10Z28 14.97

#080-806-100DE 10-32 tpi Crimper Repl. Tip 8K03B12 3.97

#080-806-101DE 8-32 tpi Crimper Repl. Tip 8K03B57 . 4.97

PLUNGER TUBETOOLS

Faster, Tighter Installation; Damage-Free Removal

PLUNGERTUBE SUPPORT - Slips inside plunger tube and prevents compression damage while tube is being staked to frame. Supports the tube over its full length.

SPECS: Hardened steel. 4" (10.2cm) long, .106" (2.7mm) diameter. Step is .300" (7.6mm) long, .090" (2.3mm) diameter.

#080-707-000DE Plunger Tube Support 8K10Z28 . . \$ 14.97

PLUNGER TUBE REAMER - Extra long reamers return the plunger tube to correct I.D. after staking - and provide plenty of spring clearance for positive operation.

SPECS: Approximately 7½" (17.7cm) long. Tool steel reamers. Includes (1) .096" (2.4mm) and (1) .116" (2.9mm) diameter reamer.

#080-771-000DE Plunger Tube Reamer Set 8K18Y11 24.00

KRIEGER 1911 AUTO DETENT SPOTTING DRILL

Cut Positive Detents On New Thumb Safeties/Slide Stops

Combination step drill and ball end mill aligns through the plunger tube and cuts new detents using only finger pressure.

SPECS: Drill rod. 6½" (16.5cm) long, .088" (2.26mm) diameter.

#492-002-000DE Detent Spotting Drill 2D00YTP . . \$ 23.65

ED BROWN 1911 AUTO BEAVERTAIL INSTALLATION JIG



Radius Frame Ears "Just Right" For Brown Beavertail Safeties

Neat little jig "buttons" show you just how much of the frame ears to mill/grind away when installing Ed's Beavertail Safety. Just drop in the thumb safety pivot pin hole, scribe around, grind/mill close, then hand file right down to the hardened button. Includes instructions. **SPECS:** Hardened steel. 1/2" (12.7mm) dia. x 1 3/4" (4.4cm) long. **#087-145-886DE Brown Beavertail Jig 7H18V66 . . . \$ 23.35**

HARRISON 1911 AUTO GRIP SAFETY FIXTURE



Holds Beavertail Grip Safeties Firmly In Place While Fitting

Precision machined fixture fits in place of the trigger to hold the grip safety securely in place while fitting it to the top of the frame tangs. Adjustable screw and pin allows precise positioning and retention of the grip safety and frame. For best results, use with thumb safety and mainspring housing in place. **SPECS:** Plastic body, stainless steel screw and adjustment pin. Body is 1 3/4" (4.45cm) long x 1/4" (.64cm) thick. Adjusts out to 2 3/4" (6.9cm). **#100-002-919DE Grip Safety Fixture 9B31P95. . . . \$ 38.95**



WILSON COMBAT 1911 AUTO BEAVERTAIL FITTING JIG

Takes The Guesswork Out Of Beavertail Fitting

Provides a precise guide for cutting the frame tangs on 1911 Auto frames; makes short work of installing Wilson High-Ride Beavertails. Install on frame and file up to guide; file will not cut the hardened jig. Remove jig and sand or file to fit. **SPECS:** Steel, in-the-white, hardened. Includes jig, fasteners and instructions. Fits Wilson and Clark beavertails. **#965-402-000DE 402 Beavertail Jig 5F20D46. . . . \$ 24.95**

BROWNELLS 1911 AUTO EXTRACTOR REMOVAL TOOL

Fast, Damage-Free Extractor Removal



Dual-purpose tool gives fast, easy extractor removal. Handle end helps depress the firing pin to remove the stop, spring and pin. Lever end reaches easily into the slide, moves the extractor to the side, presses it to the rear for easy removal. **SPECS:** Steel, blue, matte finish. 6" (15.2cm) long, 3/8" (9.4mm) diameter handle, .150" (3.7mm) diameter lever. **#080-923-000DE Extractor Removal Tool 8K19A78 . \$ 24.97**

WEIGAND COMBAT EXTRACTOR TENSION GAUGE SET



Eliminate Extraction Problems

Accurately measure extractor/shell rim tension to help achieve reliable case feeding, extraction and ejection. Slips between the breech face and the extractor. Take measurement with your 6 lb. trigger pull gauge. **SPECS:** EDM brass. 2" (5cm) long. Set includes two double-ended gauges to fit 9mm/.38 Super, .40, 10mm/.45 ACP for most semi-auto pistols with exposed extractors and open breech faces. **#957-101-000DE Extractor Tension Gauge Set, 7E00VBX \$ 14.95**

WEIGAND COMBAT 1911 AUTO EXTRACTOR TENSIONING TOOL



Improves Case Feeding, Extraction & Ejection

Easily puts just the right bend in the extractor, without over-bending, for precise tension adjustment, right to the ounce. Use in conjunction with the Weigand Extractor Tension Gauges to fine tune the extractor for optimum extraction and feeding reliability. Carry in your range bag to keep the extractor performing its best. **SPECS:** Aluminum, natural finish. 2 3/4" long. Instructions included. **#957-000-037DE Extractor Tensioning Tool, 7E00BXC \$ 29.95**

BROWNELLS 6" x 1/2" x 1/2" CERAMIC STONES



State-Of-The-Art Stones For Fast Metal Removal

Custom made to our specs from premium ceramic. The cutting action is very fast and the resulting surface very smooth. Perfect for all trigger work from burr removal to final finish. Use dry or with water as a lube (no messy oil); soap and water cleanup. Less fragile than Arkansas stones. Sold in two colors, **White** and **Black**. Ground sides for sharp, 90° edges and an extremely fine cutting action for polishing and smoothing triggers and sears, like the 1911 Auto, that require an exact 90° interface for best performance. **White** stones produce a finer cut than **Black**. Set contains one of each stone. **SPECS:** Ceramic, brown, .302" (7.6mm) sq., 5" (12cm) long. **#080-721-604DE Ground Black/M-Fine \$ 29.95**
#080-721-601DE Ground White/X-Fine \$ 29.97
#080-721-621DE 2 Ceramic Stone Ground Set, 8K35P77 \$ 49.95

STOCK #	STYLE	COLOR/CUT	PRICE
#080-721-604DE	Ground	Black/M-Fine	\$ 29.95
#080-721-601DE	Ground	White/X-Fine	\$ 29.97

BROWNELLS HAMMER/SEAR FILE & STONE KIT - The most complete and useful selection of specially designed 1/2" x 1/2" x 6" sharp edged stones and files ever offered for 1911 Auto trigger and sear work. Our exclusive 90° Hammer Hook Squaring File w/Handle, FF-46 India Stone, Ground Black Ceramic Stone and Ground White Ceramic Stone packaged in a convenient polypropylene storage box with oak divider tray. **#080-811-000DE Hammer/SearFile & Stone Kit, 8K94B58 \$ 124.96**

NORTON 6" x 1/2" x 1/2" STONES



Deliver Excellent Surface Finishes

INDIA STONES - Fast cutting aluminum oxide stone. **Medium** is perfect for fast production cleanup of the manufacturing burrs found in almost all new guns. A few quick strokes in the jig results in a much smoother trigger pull. Lubricate with stoning/honing oil. **Fine** is a good combination of speed and smoothness of cut to put a finer finish on parts for slicker, smoother trigger pulls. A favorite of many armorers. Lubricate with stoning/honing oil. Aluminum oxide. **#657-246-146DE MF-46 India Stone 7E00BXC \$ 14.73**
#657-246-246DE FF-46 India Stone 7E00DZA 14.02

HARD ARKANSAS STONES - The standard of the industry. Premium grade, white, hard Arkansas stone gives precise metal removal and is the final step in match trigger jobs. Puts on that final surface polish. **#657-300-650DE Hard Arkansas Stone, 7E00HDZ \$ 57.89**

BROWNELLS 1911 AUTO TRIGGER TRACK STONE



Polish The Channel To Reduce Trigger Pull Of 1911 Autos

Precision ground to fit inside the trigger bow frame ways; polishes out the manufacturing burrs and rough edges that interfere with trigger movement. Made of premium ceramic for fast cutting action that quickly imparts a very smooth surface. Easy cleanup with soap and water. Truly essential to achieving a light, crisp, trigger. **SPECS:** Medium grit, gray ceramic. .230" (5.8mm) square, 5" (12.7mm) long. **#080-721-230DE Trigger Track Stone, 8K11Z81 \$ 15.62**

BROWNELLS 1911 AUTO HAMMER SLOT STONE



The Right-Sized Stone For Semi-Auto Pistol & Revolver Work

Precision-cast, ceramic stone is an exact fit for smoothing the inside surface between the frame tangs on a 1911 Auto. That gives smooth hammer movement and a lighter trigger pull. We had it specially made for that one job, then, as we used it, we found that it works great for many others. It also fits the hammer slots on all Ruger "P" Series Pistols, all Ruger Revolvers plus all S&W K, L, & N frame revolvers. We didn't plan on such a versatile stone, but we're delighted it turned out that way. **SPECS:** Ceramic, brown, .302" (7.6mm) sq., 5" (12cm) long. **#080-625-002DE Hammer Slot Stone, 8K09H81 \$ 13.49**

BROWNELLS/YAVAPAI 1911 AUTO SEARTOOL

Adjustable For Angle Of Cut; Lets You Examine Actual Hammer & Sear Engagement At 25X!



Precision-machined tool incorporates a roller-type, sear stoning fixture that allows incremental cutting of both primary and secondary sear angles plus, a 25 power magnifier for detailed, up-close examination and precise changes in individual hammer/sear engagement. **SPECS:** Aluminum block, 3" (7.6cm) x 1.5" (3.8cm) x 3/4" (1.9cm). Includes 25X magnifier, steel roller, hammer pin, sear pin and complete instructions. **#080-835-001DE Brownells/YavapaiSear Tool, 8K85D20 \$ 109.95**

ED BROWN 1911 SEAR JIG

Sets Critical Sear Angle For 1911 Trigger Jobs



Contoured design fits comfortably in the palm of your hand, holds sear at the correct angle for precise stoning. Adjustable positioning screw lets you make exact sear angle changes to increase or decrease trigger pull weight. Use with 6"x1/2"x1/2" stones to achieve a mirror smooth finish for a clean, crisp letoff. Includes complete instructions and .020" shim. **SPECS:** Stainless steel. 1" (2.5cm) wide, 4 7/16" (11.1cm) long. **#087-000-011DE Brown Sear Jig, 7H31B88 \$ 39.85**

MARVEL 1911 AUTO SEAR JIG



Locates Sear Precisely, Guides Stone Accurately

CNC-machined, aluminum sear jig with stainless steel roller is preset to cut the primary and relief angles. Steel post corresponds with sear hole; side clamp holds the sear in place. Change angles by releasing the clamp and pressing down on the sear. Steel thread inserts in the drilled screw holes prevent wearing during adjustments. **SPECS:** Aluminum jig body and sear vise, natural finish. Steel roller. 3 3/8" (8.5cm) L x 1 3/4" (4.4cm) H x 1" (2.5cm) W. **#583-000-001DE 1911 Auto Sear Jig 3H00XCH \$ 48.95**

MARVEL PRECISION ULTIMATE 1911 SEAR JIG



Roller-Guided Stoning For Precise Sear Engagement Cuts

Aluminum jig uses two rollers to guide your stone evenly over the sear to let you get the exact angle for a crisp, clean trigger pull. Three modes allow you to pre-set, mate, and set up for secondary stoning to ensure that the hammer-sear engagement is precisely set. An adjustable angle mode is also available for experimenting with different angles. Brass rollers prevent over-stoning the sear and an adjustable insert and knob work with the sear block to lock the sear in place to prevent movement. **SPECS:** Aluminum block, brass rollers. Includes instructions. **#588-000-003DE Ultimate 1911 Sear Jig 8H00YTP. \$ 125.50**

POWER CUSTOM SERIES I STONING FIXTURE



Ultimate For Hammer & Sear Work; Accurate, Repeatable Setup

Save time and money by providing repeatable setup, accurate and, measurable adjustments for 1911 trigger jobs. To use, mount hammer or trigger/sear on adapter, set and lock at correct index mark as instructed. Set stoning angle by counting "clicks" specified to raise or lower elevator and stoning guide. Lock guide, place stone on both roller and hammer or trigger/sear, and stone as normal. Easily adjustable to allow variations in stoning angle for exact, desired trigger pull weight. Same tool Ron Power uses in his own shop. Complete with one adapter and very detailed instructions written by Ron. You will also need a #10 Machinist's Clamp and 6"x1/2"x1/2" stones. **SPECS:** 5 7/16" (14.1cm) long x 2 9/16" (6.5cm) wide x 3" (7.6cm) high. 3/4" (19mm) thick base. 5 3/4" lb. (2.6 kg) Blued steel. Includes roller guide and one adapter in the price.

FIXTURE COMP STK #	ADAPTER ONLY STK #	MODEL	ADAPTER FITS
#713-070-002DE	#713-071-002DE	45	Colt Govt.
#713-070-019DE	NA	380	Colt .380 Govt & Mustang
- Advise # -	Series I Fixture Complete, 3A00HDZ		\$ 149.99
- Advise # -	Series I Fixture Adapter, only, 3A00PUA		24.29

Shop

brownells.com

POWER CUSTOM SERIES II STONING FIXTURE

Precise, Controlled Stoning
Of 1911 Auto Hammers &
Sears For Perfect Trigger Pulls

Eliminates the guesswork and gives an accurate, repeatable method to achieve a crisp, clean-breaking trigger pull on semi-automatic firearms. Individual, easy-to-change **Adapter** attaches to a precision-ground indexing elevator column and clamps both the hammer and sear in the right position for correct stoning with the specially ground **Series II India Stone** or **Series II Hard Arkansas Stone**. Adjustable design lets you change both hammer and sear angle to meet the shooters' precise needs. **Series II India Stone** or **Series II Hard Arkansas Stone** required for use. Purchase separately; listed below. Universal Adapter fits 1911 Auto; High Standard rimfires; S&W 3rd. Gen.; Browning HP; SIG 226 Series; Ruger Single and Double Actions; Ruger 10/22, Beretta; this is only a partial listing.

SPECS: Steel, blued, precision ground and hardened. 5" (12.7cm) 4" (10cm) high, 3" (7.6cm) wide. **Fixture includes Adapter, hammer and sear clamp, three Allen wrenches and instructions.**

#713-270-100DE Series II Stoning Fix. w/Univ. Adapter, 3A00PUA \$ 169.99
#080-815-000DE Series II India Stone, 8K13X19 19.97
#080-815-001DE Series II Hard Arkansas Stone, 8K50X12 64.11

BROWNELLS HAMMER/SEAR PIN BLOCK

Allows Visual
Inspection Of Hammer
& Sear Engagement



Machined steel block allows you to mate the hammer and sear (or trigger) outside of the firearm for a clear, unobstructed view of the critical point of engagement. Accepts a wide selection of hammer and sear pins sized for various handguns and rifles. Dovetailed adjustment block rides in slotted channel so pin spacing can be precisely set to match individual frames and receivers. Allen screw locks the pin setting so hammer and sear can be dropped in place relative to their actual position in the firearm. Great for cutting the engagement surfaces on new parts or fine-tuning the factory ones. Pins are individually numbered for proper identification.

SPECS: Block - Steel, blued. Pins - Stainless steel. 2 1/2" (6.4cm) long, 1 1/16" (1.7cm) wide. Block and pins sold separately.

#080-000-098DE Hammer/Sear Block Hammer Pin, for 1911, 8K04A73 \$ 5.91
#080-000-099DE Hammer/Sear Block Sear/Trigger Pin, for 1911 8K04A73 5.91
#080-000-116DE Hammer/Sear Pin Block, only, 8K47V96 59.95

BROWNELLS TRIGGER ADJUSTMENT PINS




Mount On Outside; Save Repeated Assembly/Disassembly

Precision-ground and hardened trigger and hammer pins (.0005" tolerance) that mount on the outside of the gun frame,



BROWNELLS TRIGGER, HAMMER & SEAR KIT FOR 1911 AUTOS



7 Indispensable Tools
To Help You Produce A Match Quality Trigger Job

A smooth, clean breaking trigger is one of the most important steps in fine tuning the 1911 Auto. We've brought together a complete selection of professional quality jigs, stones, files and more; plus, we've included clear, easy-to-understand instructions to help you produce that clean-as-glass trigger break and light, smooth-as-silk pull your customers want. This Kit will help you modify most triggers, hammers and sears made for the Colt 1911-A1, its many models and copies, including both the traditional single-stack and the popular double-stack variations.

#080-785-000DE 1911 Auto Trigger, Hammer, and Sear Kit, complete with one each of everything listed, 8K216U67 \$ 300.07

① **BOB MARVEL SEAR & HAMMER JIG** - Three-piece combination jig/vise guides stone over hammer and sear. Makes both primary and secondary sear cuts simple.

#080-823-000DE Marvel Sear & Hammer Jig, 8K113C25 \$ 149.97

② **BROWNELLSTRIGGERADJUSTMENT PINS** - Let you test your stone cuts without repeated assembly/disassembly.

#080-622-001DE Trigger Adjustment Pins, 8K21H73 \$ 29.97

③ **BROWNELLS TRIGGER STIRRUP DIE** - Maintains and corrects the angle of all trigger stirrups for proper length of travel.

#080-710-045DE Trigger Stirrup Die 8K20B75 \$ 25.95

④ **SWISS PATTERN PILLAR FILE** - Fine cut, safe-sided file for trimming hammer hooks, angles and pads on custom triggers.

#191-399-110DE #2 6" Swiss Pattern Pillar File, 8K00BXC \$ 19.63

⑤ **.020 SHIM STOCK** - Use with #2 Swiss Pattern Pillar File to assure correct height when trimming the hammer hooks.

#080-785-020DE .020 Steel Shim 8K04U58 \$ 6.95

⑥ **BROWNELLS HAMMER/SEAR FILE & STONE KIT** - Specially designed 1/2"x1/2"x6" sharp edged stones and files for 1911 Auto trigger and sear work. Our exclusive 90° Hammer Hook Squaring file, FF-46 India Stone, Ground Black Ceramic Stone and Ground White Ceramic Stone, all in a storage box.

#080-811-000DE Hammer/Sear File & Stone Kit, 8K94B58 \$ 124.96

⑦ **540 BENCH BOX** - Made from virtually indestructible, polypropylene plastic. Resists heat, cold, most chemicals. (Not shown.)

#084-078-501DE 540 Bench Box, 3A06B68 \$ 10.74

using the gun's own pin holes. Allows you to easily observe and adjust trigger pull and sear engagement without repeated disassembly/reassembly to "blind test" changes. Saves time and money; greatly improves chances of getting it right!

SPECS M2 tool steel hardened to Rc 55-60. Fits 1911 Govt., Commander and Gold Cup.
#080-622-001DE 1911 Auto Trigger Adjustment Pins, 8K21H73 \$ 29.97

BROWNELLS 1911 AUTO HAMMER SQUARING FILE



Makes A Perfect 90° Cut When Squaring The Hammer Hooks

Our specially designed, two-sided, square file greatly simplifies trigger jobs by establishing the required, precise, 90°, hammer hook angle. Saves those easily-worn stones for setting hook heights and putting on the final polish. Safe on two sides, cannot damage hammer, and safe to use with the various hammer/trigger sear jigs. Keeps its sharp corners and dead flat edges, even after extended use. Available with or without black plastic handle.

SPECS: 5" (12.7cm) lg. Tapers, .185" (4.8mm) - .180" (4.6mm).
#080-752-000DE 1911 Hammer Squaring File, 8K24B89 \$ 34.97

#080-811-001DE 1911 Hammer Squaring File w/handle, 8K27B41 39.96

BROWNELLS 1911 AUTO HAMMER STOP BLOCK

Saves Time, Speeds 1911 Trigger Jobs

Save time and effort, accurately evaluate trigger function and pull weight without installing and removing the slide each time. Slides onto the frame rails and locks solidly with a thumb screw; nylon pad cushions hammer fall, prevents damage to hammer and frame. Greatly simplifies action tuning and trigger work on 1911 Auto pistols. Does not interfere with safety or disconnector operation.

SPECS: Aluminum, silver, anodized finish. 1" (2.5cm) long, 1" (2.5cm) wide.
#080-929-000DE Hammer Stop Block 8K32V29 \$ 43.97

BROWNELLS SIGHT BASE FILES

The Professional Way
To Safely Widen Or
Cut New Dovetails

65° 1911 AUTO-TYPE SLOT

Designed especially for widening and final fitting after using our 65° Sight Base Cutter to cut the basic slot. Or, can open up a 60° slot to proper 65° angle if changing to a new sight design. Has true parallel cutting edges for precision filing, giving you full control over the angle of the dovetail. One cutting side only, with the other two sides "safe", so you can widen or deepen sight slots safely without fear of changing the other dimensions.

SPECS: 7" (178cm) long. 3/16" (4.8mm) wide #1, medium, double-cut. #2, fine, single-cut.
#080-648-165DE #1 65° Sight Base File 6C27H88 ... \$ 34.87
#080-648-265DE #2 65° Sight Base File 6C26H70 33.39



KING'S GUNWORKS 1911 AUTO ARSENAL-TYPE SIGHT STAKER

Military-Style; Simple To Use

Makes installing stemmed front sights easy and fast. Notched to clear the bottom of the slide and allow "straight down" hammering. No silver soldering required.

SPECS: Hardened steel. 3" (7.6cm) long, 2" (5.1cm) high, 3/16" (4.8mm) thick. Includes instructions.
#487-200-000DE 1911 Sight Staker 7H13C31 \$ 19.95

BROWNELLS 1911 AUTO FRONT SIGHT STAKER

Makes Sight Staking Easier

Makes front sight staking effortless, faster and far more accurate. Improved, offset punch design efficiently directs the full force of the hammer blow downward against the sight tenon. Hardened, "V"-shaped tip easily displaces both wide and narrow tenons for a great-looking, tight-fitting front sight that won't shoot loose. Large, square shaft is easier to hold, see and hit so there's less chance of a missed hammer blow striking your customer's expensive slide.

SPECS: Steel, blued. 3/16" (7.9mm) x 1/2" (12.7mm) x 4 1/2" (11.4cm) long shaft. Replaceable, hardened steel tip. Fits 1911 Auto. Includes complete instructions.

#080-817-000DE Front Sight Staker 8K31X96 \$ 39.95
#080-870-213DE Replacement Tip 8K09V25 12.47

BROWNELLS 1911 AUTO NIGHT SIGHT MOUNTING FIXTURE

Helps Prevent Tritium Vial Breakage;
Accepts All 1911 Stake-On Sights

Heavy, solid steel fixture securely holds the slide and the night sight in the proper, damage-free position for fast and easy staking. Simply prepare the slide to accept the night sight, clamp the slide and sight in the fixture, then clamp the fixture in your bench vise. The night sight is now ready to stake using your Brownells 1911 Front Sight Staking Tool. Can be used with both Government and Commander length slides, and all 1911 stake-on sights.

SPECS: Steel, blue. 5 1/2" (14 cm) long, 1" (2.5cm) wide handle, 3/4" (19mm) thick. Includes instructions, clamping plate and screw.

#080-000-454DE Night Sight Mounting Fixture, 9B33V45 \$ 46.85

TRIJICON® 1911 AUTO SIGHT STAKING TOOL

Ensures Sight; Is Professionally
Mounted & Securely Staked

Install 1911 Auto, tenon sights so they won't fly off or shoot loose -- without damaging the sight or marking the slide. Solid steel mandrel fits into front of the slide; fixture adjusts to hold sight in place. Tap the hardened steel wedges with a hammer to displace the tenon material for a secure, professional installation that won't shoot loose. Use to install all narrow and wide tenon, skirted front sights, including Trijicon and Millett, plus non-skirted front sights no less than .185" in height.

SPECS: Tool - Steel blue. Wedges - Tool steel, hardened. Kit includes tool, wide and narrow tenon wedges, cleanup shear and complete instructions. Fits all 1911 Autos except Officers ACP.

#892-101-103DE Sight Staking Tool 2H274U40 ... \$ 300.00

MGW SEMI-AUTO SIGHT MOVER

Removes, Installs & Adjusts 1911 Auto Pistol Rear Sights
Without Damage

Safely engages the standard, factory, fixed sight (some after-market fixed sights, too) and moves it right or left without deforming slide or sight. Knurled thumbscrew securely locks the sight tool into the slide recesses.

Hardened steel handle provides plenty of leverage to break rear sights loose from even the tightest dovetail. Bronze oilite bearings and extra-fine threads for smooth, precise adjustment.

SPECS: Anodized, aluminum body, steel, cross carriage bolt fits factory sights. **Colt** model: approximately 4 3/4" (12cm) wide, 3" (7.6cm) high, 3/4" (19mm) thick.
#584-045-001DE 1911 Auto Sight Mover 4H81U00 \$ 109.35

**MEPROLIGHT®
UNIVERSAL SIGHT INSTALLATION
TOOL**



Adjust & Install Over Forty Different Semi-Auto Pistol Sights

Universal bench tool provides accurate cross-dovetail pistol sight adjustment and installation without damage to the sight or the slide. Multi-position, slide support block and separate slide clamp adjust quickly. Body is machined from a solid block of aluminum alloy. Square thread adjustment screw provides plenty of leverage to move even the most stubborn sight without damage. Includes attachment ears for bench mounting.

SPECS: Body - Aluminum, black, hardcoat anodized finish. 6" (15cm) wide, 4 1/2" (11cm) high, 2 lb. (.9kg) wt. Adjustment Screw - Hardened steel. Includes complete instructions and pistol sight reference chart. Will not install tenon-style front sights.

#387-100-000DE Type II Univ. Sight Tool, 7H449A00 \$ 599.00

KIMBER SIGHT PUSHER - Heavy-duty steel sight pusher installs onto the screw shaft of your Type II Universal Sight Installation Tool to help you remove, install, and adjust Kimber sights. Precision-machined engagement lugs correspond with the Kimber, sight dovetail to push the sight where you want it to go.



SPECS: Steel, black oxide, matte finish. Approximately 1 3/8" (3.4cm) long, 1 1/2" (3.3cm) high, 1 5/16" (24mm) wide.

#387-000-029DE Kimber Sight Pusher, 7H48U00 \$ 60.00

P500 UNIVERSAL SIGHT TOOL

**Safely Removes & Installs
Dovetail Front & Rear Sights;
Works On Shallow, Cross-Dovetails**



Precision-machined, steel tool safely removes, installs and adjusts front and rear sights on handguns. Clamp your slide into the tool and line up the sights with unit's pusher tip for removal. Mobile jaw customizes to the height of your slide and can be used from the right or left side. Delrin® liner protects slide from scratches. Includes three sight pushers that attach to the end of the sight-pushing bolt. 1/4", square tip works perfectly on shallow, cross-dovetail sights. Install and adjust sights by aligning the sight with the pusher and slowly press it on.

SPECS: Steel, black, powder-coat finish. Approximately 5" (12.5cm) long, 2" (5cm) wide, 1" (2.54cm) high. Instructions included.

#694-000-001DE P-500 Sight Removal Tool, 4F104U00 \$ 130.00

**BROWNELLS
RAMP SOLDERING JIG**

**Spring Pressure Keeps
Ramps/Bases/.45 Sights In Place**



Cures the "ramp slips just as the solder melts" problem with a pointed, spring-loaded plunger that keeps constant pressure on the ramp or a .45 sight. Adjusts for height, angle and amount of spring pressure. Non-marring, "V" block base centers barrel under the plunger. Great torch clearance.

SPECS: 2" (5.1cm) long, aluminum Base. 4" (10.2cm) high overall.

#080-739-000DE Ramp Soldering Jig, 6B59X60 \$ 78.97

BrownellsBusinessAdvantage.com

BROWNELLS SIGHT BASE CUTTERS

CUSTOM MADE DOVETAIL END MILLS IN BOTH PREMIUM CARBIDE AND HIGH SPEED STEEL

LOW MOUNT 1911 AUTO SIGHT BASE CUTTER

65° Shoulder x .495"



These cutters are specially designed by us and made to our specifications for cutting the sight base slot required to mount the **Wichita** and **Novak Lo-Mount** 1911 Auto sights. Use 1/4" carbide end mill to remove the bulk of the material (see drawing above) then make final dovetail cut. Final cut to lower rear of slide is done with an end mill and is not a part of the sight base cut. Made slightly undersized to compensate for variations in sight bases and milling tolerances on installation. With the popularity of custom 1911 Auto pistols, this cutter is one that you will use frequently in your custom work. **CAUTION: For use in milling machine only.**

HSS DOVETAIL SIGHT BASE CUTTER - 2" (5cm), .495" diameter cut. 1/2" (12.7mm) diameter shank. 65° shoulder. **DO NOT EXCEED 700 rpm, HIGHER SPEED WILL BREAKTEETH.**

#080-621-495DE HSS Lo-Mount Sight Base Cutter, 8K36H75 \$ 49.95

CARBIDE DOVETAIL SIGHT BASE CUTTER - Much harder and longer-lasting than HSS cutter. Use on hardened Colt factory slides. Solid carbide, 2" (5cm) long, .495" diameter cut. 1/2" (12.7mm) diameter shank. 65° shoulder.

#080-621-965DE Carbide Lo-Mount Sight Base Cutter, 9K75H43 \$ 106.70

FRONT SIGHT DOVETAIL CUTTER

60° & 65° Shoulder x .300"



Cuts lengthwise dovetail required to install special handgun front sights from Jim Clark, Ed Brown, Bob Marvel and others. Slightly undersized to allow for precise final fitting and to compensate for any machine wear. **CAUTION: For use in milling machine only.**

HSS FRONT SIGHT DOVETAIL CUTTER - High speed steel. .300" (7.3mm) diameter cut, 3/8" (9.5mm) diameter shank. 60° or 65° shoulder. **DO NOT EXCEED 700 rpm, HIGHER SPEED WILL BREAKTEETH.**

#080-621-300DE 60° HSS Front Sight Dovetail Cutter, 8K28C63 \$ 39.97

#080-621-305DE 65° HSS Front Sight Dovetail Cutter, 8K23C43 \$ 29.97

CARBIDE FRONT SIGHT DOVETAIL CUTTER - Solid carbide resists wear and easily cuts through even hardened steels. .300" (7.3mm) dia. cut, 3/8" (9.5mm) dia. shank. 60° or 65° shoulder.

#080-621-960DE 60° Carbide Front Sight Dovetail Cutter, 7A58H51 \$ 77.85

#080-621-963DE 65° Carbide Front Sight Dovetail Cutter, 7A53H46 \$ 74.95

XS SIGHT SYSTEMS

DOVETAIL MEASURING TOOL

Determines Sight & Dovetail Width

Takes the guesswork out of determining how wide to mill the dovetail cut. Lets you make fast, finished cuts within .0005". Measures sights and dovetails.

SPECS: Aluminum base, matte black finish. Steel pins. Base 2" (5.8cm) x 2" (5.8cm) x 1.1" (2.8cm). Includes charts, instructions.

#006-101-000DE Dovetail Measuring Tool, 6K00ZAY \$ 50.00

SEMI-AUTO PISTOL SIGHT BASE CUTTER

60° & 65° Shoulder x .330"



Our special 65° shoulder Sight Base Cutter designed to cut dovetails for both standard Colt factory and mil-spec 1911 Autos, and for replacement sights like Wichita Hi-Mount, older Bo-Mar and others with a 65° shoulder. Some makers use a 60° dovetail on their rear sights and we also have a cutter to match them. For low-mount adjustable sights use the **Standard Sight Base Cutter** shown on this page. Actual cutting diameter is .330" so more than one pass will be required to install most sights. This is done on purpose to allow for factory variations in base width as well as milling tolerances. **CAUTION: For use in milling machine only.**

HSS SEMI-AUTO PISTOL SIGHT BASE CUTTER - High speed steel, 2" (5cm) long, 3/8" (9.5mm) diameter shank. 60° or 65° shoulder. **DO NOT EXCEED 700 rpm, HIGHER SPEED WILL BREAKTEETH.**

#080-621-331DE 60° HSS Semi-Auto Sight Base Cutter, 8K24H16 \$ 29.97

#080-621-330DE 65° HSS Semi-Auto Sight Base Cutter, 8K22H49 \$ 29.97

CARBIDE SEMI-AUTO PISTOL SIGHT BASE CUTTER - Solid carbide cutter resists wear when cutting pistols made from hardened steel. 2" (5cm) long, 3/8" (9.5mm) diameter shank. 60° or 65° shoulder.

#080-621-066DE 60° Carbide Semi-Auto Sght Base Cutter, 7A60C04 \$ 85.81

#080-621-065DE 65° Carbide Semi-Auto Sght Base Cutter, 7A57C42 \$ 80.08

FRONT SIGHT INSERT CUTTER

60° Shoulder x .245"



We've had many requests for a small dovetail cutter that would speed up the cutting of dovetails in front sight blades when installing colored inserts. The one we've had made cuts a 1/4" wide dovetail, just right for sight inserts, and the finished product is very precise. Since the cutter is small, (it tapers to a diameter of .110"), you must make an initial cut with a 1/8" end mill (listed below). By using the end mill to remove some metal first, you'll avoid overloading the cutter and breaking it. **CAUTION: For use in milling machine only.**

HSS FRONT SIGHT INSERT CUTTER - High speed steel. 2 1/2" (5.1cm) long, 1/4" (6.3cm) diameter shank. Maximum cut depth is .100" (2.5mm) 60° shoulder. **DO NOT EXCEED 700 rpm, HIGHER SPEED WILL BREAKTEETH.**

#080-621-245DE HSS Front Sight Insert Cutter, 8K22C02 \$ 29.95

CARBIDE SIGHT INSERT CUTTER - Solid carbide 2" (5cm) long, 1/4" (6.3cm) diameter shank. 60° shoulder.

#080-621-246DE Carbide Sight Insert Cutter, 7A41C38 \$ 59.95

HEINIE REAR SIGHT CUTTER

65° Shoulder x .370"

Cuts the .370 x 65° dovetail required when fitting Heinie rear sights. Solid carbide cuts the hardest slides with minimal wear.

#080-621-371DE Carbide Heinie Rear Sight Cutter, 7A43H62 \$ 59.97

STANDARD SIGHT BASE CUTTER

60° Shoulder x .359"



Universal Sight Base Cutter made for sights with 60° shoulder and a 3/8" base. Cuts most standard front and rear rifle sights as well as 1911 Auto low-mount, adjustable sights like E.E.A. Super Sights, Millett and current Bo-Mar. Cutter is slightly undersized at .359" which requires that you make two cutting passes to compensate for factory variations in sight manufacture and milling tolerances. Designed with proper relief for maximum strength and clean cutting. **CAUTION: For use in milling machine only.**

HIGH SPEED STEEL STANDARD SIGHT BASE CUTTER - 2" (5cm) long, 3/8" (9.5mm) diameter shank. 60° shoulder. **DO NOT EXCEED 700 rpm, HIGHER SPEED WILL BREAKTEETH.**

#080-621-359DE HSS Standard Sight Base Cutter, 8K25H23 \$ 34.17

CARBIDE STANDARD SIGHT BASE CUTTER - Solid carbide. 2" (5cm) long, 3/8" (9.5mm) diameter shank. 60° shoulder.

#080-621-060DE Carbide Standard Sight Base Cutter, 7A52C82 \$ 75.84

SPECIAL FRONT SIGHT DOVETAIL CUTTERS

Unique Sizes For Wilson & Meprolight

WILSON SNAG-FREE DOVETAIL CUTTER - Cuts the .290" x 60° dovetail required to install all current models of the Wilson Snag-Free front sights. **CAUTION: For use in milling machine only.**



HIGH SPEED STEEL WILSON DOVETAIL CUTTER - 2" (5cm) long, .375" (9.5mm) diameter shaft. 60° shoulder. **DO NOT EXCEED 700 rpm, HIGHER SPEED WILL BREAKTEETH.**

#080-621-290DE HSS Wilson Dovetail Cutter, 8K26C50 \$ 34.95

CARBIDE WILSON DOVETAIL CUTTER - Solid carbide 2" (5cm) long, .375" (9.5mm) diameter shaft. 60° shoulder.

#080-621-291DE Carbide Wilson Dovetail Cutter, 7A51C29 \$ 74.97

MEPROLIGHT® DOVETAIL CUTTER - Cuts the .250" x 74° dovetail required when altering ramp-style front sights to accept Meprolight's Universal front sight inserts. Cutter can be used to open up a standard ramp when installing Brownells Colored Sight Inserts. **DO NOT EXCEED 700 RPM, HIGHER SPEED WILL BREAKTEETH.**



#080-621-250DE Dovetail Cutter, .250" x 74°, 8K28C29 \$ 34.95

BROWNELLS WebBench™


Professional Gunsmithing
Information on the Web

JOIN OUR EMAIL LIST TODAY!

at brownells.com



BROWNELLS LEWIS LEAD REMOVER



Traditional - And Still The Best Mechanical Deleader

Lead fouling can build up in the forcing cone, barrel, and chamber of a pistol, ruining accuracy completely. The Lewis Lead Remover is the single best way to remove all leading easily, plus will not damage the gun in any way. Used and endorsed by the nation's top shooters. Use with J-B Bore Cleaner (listed elsewhere) for the cleanest, lead-free barrel ever!

SPECS: The kit contains: Handle, cone tip, rubber tip, specially woven brass patches, and complete instructions.

- 9mm/.38 CALIBER**
- #516-100-038DE Lead Remover Kit 8K18A82..... \$26.91
 - #516-150-038DE Caliber Adapter Kit 8K18A95..... 17.95
 - #516-200-038DE Brass Patches, 10-pak 8K02A44..... 3.43
 - #516-300-038DE Rubber Tip 8K07A85..... 10.45
- .40/.41/10mm CALIBER**
- #516-100-041DE Lead Remover Kit 8K18A60..... \$26.59
 - #516-100-041DE Caliber Adapter Kit 8K18A60..... 26.59
 - #516-200-145DE Brass Patches, 10-pak 8K01A95..... 2.95
 - #516-300-041DE Rubber Tip 8K07A85..... 10.45
- .45 CALIBER**
- #516-100-045DE Lead Remover Kit 8K18A60..... \$26.59
 - #516-150-045DE Caliber Adapter Kit 8K18A95..... 17.95
 - #516-200-145DE Brass Patches, 10-pak 8K01A95..... 2.95
 - #516-300-045DE Rubber Tip 8K07A85..... 10.45
 - #516-400-044DE Cone Tip 8K05A54..... 7.49



BROWNELLS HANDGUN CLEANING KIT



Convenient, Portable Kit With High Quality Components Cleans & Protects Your Handgun

Stow this convenient cleaning kit in your range bag or keep it handy at the bench and you'll have everything you need to safely clean the majority of pistols and revolvers. 6" long, all brass Dewey cleaning rod with 8-32 tpi loop prevents damage to delicate rifling while you scrub away stubborn powder, lead and copper fouling from your handgun bore. Kit also includes (3) top of the line, Brownells "Standard Line" Brass Core Bore Brushes, (25) of our 1 1/4" square, 100% Cotton Flannel Cleaning Patches, our premium nylon Gun/Parts Cleaning Brush, and a 1/4 oz. bottle of Brownells Friction Defense™ Gun Oil for superior lubrication and protection of metal surfaces. Money and time saving kit comes complete with a handy, nylon carry pouch to keep all components together—ready whenever you need them. 25-Pak of replacement cleaning patches available separately.

SPECS: Kits available for 9mm/.38/.357, .40/.41/10mm, and .44/.45 calibers. Cleans handguns with barrels up to 6" (15.3cm) long.

- #080-000-497DE 9mm/.38/.357 Handgun Kit, 8K11P95..... \$14.95
- #080-000-498DE .40/.41 Handgun Kit, 8K11P95..... 14.95
- #080-000-496DE .44/.45 Handgun Kit, 8K11P95..... 14.95
- #080-000-512DE 25-Pak, 1 1/4" Patches, 8K01P83..... 2.74

HOPPE'S GUN CLEANING PRODUCTS

Steel & Aluminum Rods & Accessories HANDGUN KIT



Everything needed for cleaning in a divided storage box. Includes 1-piece aluminum rod, brush, correct tip, 25 patches, 2 oz. bottle of famous Hoppe's No. 9 solvent and a 2 1/2 oz. bottle of Hoppe's Oil. 8-32 threads.

- #699-002-038DE .38/.357 Hndgn Clean Kit 3E10Y36. 12.95
- #699-000-019DE .40/10mm Handgun Cleaning Kit, 3E10A36..... 12.95
- #699-002-045DE .44/.45 Hndgn Cleaning Kit 3E10Y36 12.95

Cannot ship outside Continental U.S. Ship UPS or FedEx Ground only within U.S.

KNOB (JAGGED) TIP

Made of Nylon. 8-32 thread.

STOCK #	FITS	STOCK #	FITS
#699-141-038DE	.35/.38 H/G	#699-141-045DE	.44/.45 H/G
- Advise # - Knob Tip, each 3E00ZAY..... \$1.95			
- 10 or More - Knob Tips, per each 3E01Y76..... 1.95			

CLEANING ROD

One-piece aluminum and steel rods with swiveling handle for Handguns. Standard 8-32 thread for brushes, etc., comes with .22, .38 and .45 jags.

- #699-353-000DE All-Caliber Alum. Handgun Rod, 3E04V76..... 5.95
- #699-354-000DE All-Caliber Steel Handgun Rod, 3E05V56..... 6.95

SLOTTED TIP

Made of Nylon. 8-32 thread.

#699-142-045DE	Slotted Tip, each 3E00YTP..... \$1.95
- 10 or More - Slotted Tips, per each 3E01P76..... 1.95	

BORE BRUSH

Phosphor bronze bristles. Looped and twisted shanks. 8-32 thread.

STOCK #	FITS	STOCK #	FITS
#699-130-038DE	.38 H/G	#699-130-039DE	9mm H/G
#699-130-040DE	10mm H/G	#699-130-045DE	.44/.45 H/G
- Advise # - Handgun/Rifle Brush, each, 3E00PUA..... \$1.95			
- 10 or More - Handgun/Rifle Brush, per each, 3E01H76..... 1.95			

DEWEY

COATED ROD ACCESSORIES



Brass jags, adapters and loops specially designed for use with Dewey Coated Rods ONLY. J, Brass jags are the unique Dewey design that take a patch over-the-end, or wrapped around.

SPECS: Machined brass. **LGBA**, (.27 and up) adapters convert male end on Coated Rods to 8-32 female thread for use with all standard 8-32 accessories. **S30LF** (.27 and up) are female threaded patch loops to fit 30C rods. **NOTE:** 38J thru 45J Jags will fit 30C-17 through 38C-12 Coated Rods ONLY.

JAGS			
STOCK #	STYLE	FITS	PRICE
#234-800-038DE	38J	.38 cal.	4C02T25 \$ 3.50
#234-800-375DE	375J	.375 - .40 cal.	4C02T55 \$ 3.95
#234-800-040DE	40J	10mm/.40 cal.	4C02T25 \$ 3.50
#234-800-045DE	45J	.45 cal.	4C02T25 \$ 3.50

ADAPTERS			
STOCK #	STYLE	FITS	PRICE
#234-800-227DE	LGBA	.27 & up rods	4C01T45 \$ 2.25
#234-000-055DE	30LF	.27 & up rods	4C02Z62 \$ 3.75

BROWNELLS BRASS LOOP

Won't Scratch Or Damage Your Bore; Fits Most Popular Rods



Solid brass loops are ideal to hold a patch for cleaning the bore on your firearm without worrying about scratches that can reduce accuracy. Male threads fit most popular rods and adapters.

SPECS: Brass. .30-.38; .38-.45 have 8-32 threads.

STOCK #	FITS	TPI
#084-000-216DE	.30-.38	8-32
#084-000-217DE	.38-.45	8-32
- Advise # - Brass Loop 4H03Z15..... \$ 3.95		

DEWEY

HANDGUN CHAMBER & CYLINDER CLEANING ROD



Short Length For Maximum Leverage & No Flex

Non-scratching, solid brass cleaning rod helps make short work of stubborn chamber fouling in handguns. Threaded rod accepts popular 8-32 tpi chamber brushes, mops, and other accessories. Allows cleaning of any pistol or revolver chamber from .17 to .50 caliber. Large, comfortable handle ensures your cleaning energy is directed on removing crud instead of controlling the rod.

SPECS: Brass. 7 5/8" (19.4cm) OAL, 1/4" (6.4mm) diameter rod.

- #234-000-067DE Chamber/Cylinder Cleaning Rod, 4C06X50..... \$ 9.95

DEWEY PISTOL ROD



Coated To Protect Bores; No Adapter Needed

The right length and size for cleaning most handguns without the risk of damage to the breech face. 6 1/2" long, all caliber pistol rod cleans barrels up to 8"; use the 9" long pistol rod for barrels up to 10" in length. 8-32 female thread accepts standard cleaning accessories. Tough, proprietary coating will not embed or scratch expensive, match quality bores.

SPECS: Handle: 1 1/8" (2.9cm) diameter, ball bearings. 8-32 female thread. .22 rods include brass loop.

- #234-322-006DE Dewey 22-CF-6 4C13Y60..... \$ 20.95
- #234-000-008DE Dewey 22-CF-9 4C14B25..... 21.95

TORNADO BRUSH

Self-Cleaning, For Handguns

Non-bristle design won't scratch the finest bore. Springy, looped wire brushes won't mat down. Self-cleaning action.

SPECS: Stainless steel. 3 1/2" (8.9cm) long overall. 8-32 thread.

- #699-001-035DE .35/9mm Tornado Brush 3E03Y16..... \$ 3.95
- #699-001-038DE .38/.357 Tornado Brush 3E03Y16..... 3.95
- #699-001-045DE .44/.45 Tornado Brush 3E03Y16..... 3.95

BROWNELLS

HANDGUN CLEANING BRUSH



Handy On The Bench, Excellent At The Range

Doesn't require a separate cleaning rod. Nylon bristles work great with the new generation bore cleaners, brass handles won't scratch the bore.

SPECS: Bristles - Nylon, 1 1/4" (3cm) brush, 8 1/4" (21cm) overall.

BROWNELLS STANDARD LINE BORE BRUSHES



Tough Stainless Steel, Solvent Resisting Nylon, Traditional Bronze

Since darn near as many bore brushes get used in the shop as get sold, we've packed these custom-made, top quality brushes in bulk packs to make them more convenient and less expensive. The shank is one-piece, looped and wound (not two, twisted together and chopped off).

SPECS: Bristles: Available in stainless steel, nylon, or bronze. Shank: Steel, looped and wound. 8-32 thread. 2 1/8" (5.4cm) OAL.

STAINLESS STEEL BORE BRUSH - For severely leaded, fouled or rusted bores, the aggressive cleaning action of a stainless steel brush can help get them clean. However, the aggressive action accelerates wear, and regular use can shorten barrel life.

STOCK # Per 3	STOCK # DZ.	FITS
#084-411-137DE	#084-411-138DE	.38/.357/9mm Pistol
#084-411-140DE	#084-411-141DE	.40 S&W/.41/10mm Pistol
#084-411-144DE	#084-411-145DE	.44/.45 Pistol
#084-411-051DE	#084-411-052DE	.50 Pistol

- Advise # - 3 Stainless Bore Brushes, 4H07C00..... \$ 9.29

- Advise # - 1 DZ. Stainless Bore Brushes, 4H26C73..... 35.64

#084-411-999DE 4 DZ. or more Stainless Bore Brushes, per dz., advise by caliber, 4H21C42..... 35.64

NYLON BORE BRUSH - New generation bore cleaners attack copper and bronze-based bullet jacket fouling aggressively and are just as hard on bronze cleaning brushes. Our nylon brushes stand up to these super cleaners and won't cause accuracy-ruining scratches. One-piece, looped and wound steel shanks.

STOCK # Per 3	STOCK # DZ.	FITS
#084-420-137DE	#084-420-138DE	.38/.357/9mm Pistol
#084-420-140DE	#084-420-141DE	.40/.41/10mm Pistol
#084-420-144DE	#084-420-145DE	.44/.45 Pistol
#084-420-051DE	#084-420-052DE	.50 Pistol

- Advise # - 3 NYLON Bore Brushes 4H04Y31.. \$ 5.75

- Advise # - 1 DZ. NYLON Bore Brushes 4H12Y77.... 19.29

#084-420-999DE 4 DZ. or more, NYLON Bore Brushes, per dz., advise by caliber 4H10Y66.... 19.29

BRONZE BORE BRUSH - Best phosphor bronze scrubbing wire, for long life, thorough cleaning.

STOCK # Per 3	STOCK # DZ.	FITS
#084-401-137DE	#084-401-138DE	.38/.357/9mm Pistol
#084-401-140DE	#084-401-141DE	.40/.41/10mm Pistol
#084-401-144DE	#084-401-145DE	.44/.45 Pistol
#084-402-051DE	#084-402-052DE	.50 Pistol

- Advise # - 3 Bronze Bore Brushes, 4H03P60..... \$ 4.75

- Advise # - 1 DZ. Bronze Bore Brushes, 4H11P16..... 15.99

#084-401-999DE 4 DZ. or more Bronze Bore Brushes, per dz., advise by caliber,

STOCK # Per 3	STOCK # Per 12	Size
#084-052-109DE	#084-052-110DE	9mm
#084-052-140DE	#084-052-141DE	.40/10mm
#084-052-145DE	#084-052-146DE	.45 ACP

- Advise # - 3 H'gun Brushes 4H06D08..... \$ 8.11

- Advise # - 1 DZ. H'gun Brushes, 4H18D71..... 26.73

#084-052-999DE 4 DZ. Handgun Cleaning Brushes, per dz., 4H15D84..... 26.73

BROWNELLS "SPECIAL LINE" BRASS CORE BORE BRUSH



Hard-Scrubbing
Bronze Bristles;
Brass Shank & Coupling
Won't Scratch Bores

If you or your customer has one of those special guns that drives tacks or knocks down steel or bowling pins every time, the slight extra cost of our Special Line brushes is well worth it to eliminate any chance of the cleaning brush's shank putting a scratch in that all-important barrel. The brass shank is one-piece, looped and wound (not two, twisted together and chopped off). The coupling is no-scratch brass. The bristles are the best, phosphor bronze scrubbing wire for long life and thorough cleaning.

SPECS: Bristles: Phosphor bronze. Shank: Brass, looped and wound. 2 1/8" (5.4cm) OAL, 8-32 thread.

STOCK # Per 3	STOCK # DZ.	FITS
#084-405-137DE	#084-405-138DE	.38/.357/9mm Pistol
#084-405-140DE	#084-405-141DE	.40 S&W/.41/10mm Pistol
#084-405-144DE	#084-405-145DE	.44/.45 Pistol
#084-405-051DE	#084-405-052DE	.50 Pistol

- Advise # - 3 Special Line Pistol Bore Brushes, 4H04V49. \$ 9.97
- Advise # - 1 Dz. Spc. Line Pistol Bore Brushes, 4H14V09. 20.30
- #084-405-999DE 4 Dz. or more Spc. Line Pistl Bore Brshs, per dz., advise by caliber 4H11V27 20.30

SPECIAL LINE DOUBLE-TUFF BORE BRUSH - Brass coupling and one-piece, looped and wound brass shank with extra-thick, kinked, phosphor bronze bristles give the hard scrubbing action needed to cut through the tough crud and fouling. You'll have to push like the dickens, but the results will be worth it.

SPECS: Bristles: Phosphor bronze. Shank: Brass, looped and wound. 2 1/8" (5.4cm) OAL, 8-32 thread.

STOCK # Per 3	STOCK # DZ.	FITS
#084-408-137DE	#084-408-138DE	.35/.38 Spec./357 Pistol
#084-408-140DE	#084-408-141DE	10mm/.40 Pistol
#084-408-144DE	#084-408-145DE	.44/.45 Pistol

- Advise # - 3 Special Line Dbl-Tuff Pistol Brushes, 4H05B38. \$ 7.17
- Advise # - 1 Dz. Spc. Line Dble-Tuff Pistol Brushes, 4H17B13. 28.54
- #084-408-999DE 4 Dz. or more Spc. Line Dble-Tuff Pistol Brushes, per dz., advise by cal., 4H13B64. 28.54

BROWNELLS

DOUBLE-TUFF BORE BRUSH

Make Short Work
Of Leaded & Heavily
Fouled Bores In Handguns,



Extra-thick, kinked, phosphor bronze wire gives the hard scrubbing action needed to cut through the toughest crud in pistol, rifle, and shotgun bores. You'll have to push like the dickens, but the results will be worth it.

SPECS: Bristles: Extra-thick phosphor bronze. Shank: Steel, looped and wound. 2 3/8" (6cm) OAL, 8-32 thread.

DOUBLE-TUFF PISTOL BORE BRUSHES

STOCK # Per 3	STOCK # DZ.	FITS
#084-142-137DE	#084-142-138DE	.35/.38/357 Pistol
#084-142-140DE	#084-142-141DE	10mm/.40 Pistol
#084-142-144DE	#084-142-145DE	.44/.45 Pistol
#084-142-050DE	#084-142-051DE	.50 Pistol

- Advise # - 3 Double-Tuff H'gun Brushes, 4H04A84. \$ 6.44

BROWNELLS

HEAVY WEIGHT NYLON BORE BRUSH



Tough on Crud, Easy On Barrels

Super-aggressive, nylon brush makes short work of stubborn bore deposits. Extra-stiff, large diameter bristles are safe on rifling and smoothbore surfaces. Won't de-teriorate when used with your favorite solvent. Strong, one-piece, looped and wound brass shank and coupling prevents scratching.

SPECS: Bristles: Heavy weight (HW) nylon. Shank: Brass, looped and wound. 2 1/8" (5.4cm) OAL, 8-32 thread.

HEAVY WEIGHT NYLON PISTOL BORE BRUSHES

STOCK # Per 3	STOCK # DZ.	FITS
#084-444-016DE	#084-444-046DE	.38/.357/9mm Pistol
#084-444-017DE	#084-444-047DE	.40/.41/10mm Pistol
#084-444-018DE	#084-444-048DE	.44/.45 Pistol
#084-444-059DE	#084-444-060DE	.50 Pistol

- Advise # - 3 HW Nylon Brushes, 4H07B02. \$ 9.95
- Advise # - 1 Dz. HW Nylon Brushes, 4H22X38. 29.95
- #084-443-999DE 4 Dz. or more HW Nylon Brushes, per dz., advise by caliber 4H12B26 21.05



BROWNELLS BRONZE PISTOL CHAMBER BRUSH

Safely, Easily Cleans
Dirty Chambers



The finest phosphor bronze bristles on a looped and wound shank; in sizes to correctly fit the chambers of most popular handgun rounds on the market.

SPECS: 8-32 thread.

BRONZE PISTOL CHAMBER BRUSHES

STOCK # Per 3	STOCK # DZ.	FITS
#084-450-137DE	#084-450-138DE	.38/.357, 9mm Luger, .380 ACP, .38 S&W
#084-450-040DE	#084-450-041DE	.40 S&W/10mm
#084-450-144DE	#084-450-145DE	.44 Spec./Mag., .45 ACP/.45 Colt

- Advise # - 3 Pistol Chamber Brshes 4H04C35 \$ 5.84
- Advise # - 1 Dz. Pistol Chamber Brushes, 4H11C10. 18.78
- #084-450-999DE 4 Dz. or more Pistol Chamber Brushes, per dz., advise by cal. 4H08C90. 18.78

HOPPE'S

BORE SNAKE

Fast, Pull-Through Cleaning;
Rod, Brush & Patch All In One



Scrubs and cleans in a single step. Apply bore cleaner to the front of the cord and oil to the end. Drop cord into the bore and pull through five times. The built-in, phosphor bronze brush and braided floss scrub, clean and oil the bore in just minutes. Washable and reusable; lightweight design folds neatly away for easy storage and carry.

SPECS: Braided nylon cord, nylon floss.

STOCK #	FITS	PRICE
#664-200-938DE	9mm/.357 Pistol	3E14P36 \$ 17.95
#664-200-400DE	.40 Pistol	3E14P36 \$ 17.95
#664-200-445DE	.44/.45 Pistol	3E14P36 \$ 17.95

- Advise # - 1 Dz. Dbl-Tuff Handgun Brushes, 4H15A93. 23.09
- #084-142-999DE 4 Dz. or more Dbl-Tuff Handgn Brushes, per dz., advise by cal. 4H12Y90 23.09

VFG

WEAPONS CARE SYSTEM



Absorbent Felt Pellets Quickly Scrub Barrels Clean

Innovative and efficient system cleans handgun barrels with a minimum of effort and mess. Slip two felt pellets on the cleaning rod adapter, apply your favorite solvent and push through the bore to rapidly scrub out dirt and fouling. Pellets fit snugly to easily follow the rifling for fast, efficient cleaning; as you withdraw the rod, the front pellet falls off while the rear pellet polishes the bore. Lets you apply oil, cleaning solvents, J-B Bore Cleaner or Moly Bore Paste easily with minimal mess. Plain pellets are made from a highly absorbent, hardened felt. Super Intensive pellets also have interwoven brass fibers for even greater scrubbing action to quickly clean heavily fouled barrels. All require cleaning rod adapter.

SPECS: Felt, white. 3/8" (9.5mm) long.

PLAIN FELT PELLETS

STOCK #	FITS	QTY	PRICE
#929-100-357DE	.38-9mm	40	9B05H71 \$ 7.15
#929-105-357DE	.38-9mm	500	9B37D99 \$ 47.50
#929-100-400DE	.40-10mm	30	9B05H71 \$ 7.15
#929-105-400DE	.40-10mm	500	9B37D99 \$ 47.50
#929-100-450DE	.45 Cal.	250	9B22H38 \$ 28.00

SUPER INTENSIVE PELLETS

STOCK #	FITS	QTY	PRICE
#929-000-013DE	.38-9mm	40	9B10H13 \$ 12.65
#929-000-014DE	.38-9mm	500	9B90H93 \$ 113.65
#929-000-017DE	.40-10mm	30	9B10H13 \$ 12.65
#929-000-018DE	.40-10mm	500	9B100H45 \$ 125.55
#929-000-020DE	.45 Cal.	250	9B60H87 \$ 76.10
#929-000-022DE	.50 Cal.	250	9B82H38 \$ 102.98

VFG ADAPTER - Brass adapter threads to the male end of .22 and .30 caliber Dewey rods. Holds one VFG felt pellet on threads and one slip fit.

- SPECS:** Brass. 1 1/2" (3.8cm) long.
- #084-000-002DE .22 Cal. VFG Adapter, 4H04B52. \$ 5.65
- #084-000-003DE .30 Cal. VFG Adapter, 4H04B52. 5.65

BROWNELLS

100% COTTON TWILL PATCHES

Aggressive Scrubbing
Action & Less Lint



Long fiber cotton and a twill weave create a "hard" finish with plenty of criss-crossed, woven, "teeth" for an aggressive scrubbing action that removes heavy fouling and works great for applying cold blues, too. Lint is virtually eliminated; you can apply oil in action recesses without leaving patch fuzz behind. Sizes are smaller since patches are thicker.

SPECS: Sold in packages of 1000.

STOCK #	SIZE	FITS	PRICE
#084-050-175DE	1 3/4" round	.35 cal. & up	9C13D77 \$ 22.50
#084-051-200DE	2" square	.30-.40 cal.	9C14D09 \$ 23.00
#084-051-250DE	2 1/2" square	.40-.50 cal.	9C18D06 \$ 28.75

BROWNELLS BORE MOP

Pure, Natural;
Choose From Cotton Or Wool



COTTON BORE MOP - Cotton fibers really soak up cleaning solvents and oil. The natural scrubbing action of cotton helps remove loosened powder fouling. Great for applying Brownells Moly Bore Paste or J-B Compound.

SPECS: Cotton. Steel shank, aluminum coupling. 2 1/8" (7.3cm) long, 8-32 thread.

COTTON BORE MOPS

STOCK # PER 3	STOCK # DZ.	FITS
#084-424-037DE	#084-424-038DE	.35/.38
#084-424-040DE	#084-424-041DE	.40/10MM
#084-424-044DE	#084-424-045DE	.44/.45

- Advise # - 3 Pistol Cotton Mops, 4H04V81. \$ 6.41
- Advise # - 1 Dz. Pistol Cotton Mops, 4H12V72. 26.00
- #084-424-999DE 4 Dz. or more Pistol Cotton Mops, per dz., advise by cal. 4H10V68. 26.00

WOOL BORE MOP - A classic favorite for gun cleaning; virgin wool mop holds lots of bore cleaner or oil, so both ends of the barrel get thoroughly coated. The natural "spring" of wool helps the mop conform easily to rifling grooves; the looped and twisted brass shank and coupling won't scratch the bore.

SPECS: Wool, brass shank and coupling. 3 1/4" (8.3cm) long, 8-32 thread.

WOOL BORE MOPS

STOCK # PER 3	STOCK # DZ.	FITS
#084-415-037DE	#084-415-038DE	.35/.38
#084-415-040DE	#084-415-041DE	.40/10MM
#084-415-044DE	#084-415-045DE	.44/.45

- Advise # - 3 Pistol Wool Mops, 4H06D89. \$ 9.18
- Advise # - 1 Dz. Pistol Wool Mops, 4H18D43. 36.80
- #084-415-999DE 4 Dz. or more Pistol Wool Mops, per dz., advise by cal. 4H16D84. 36.80

BROWNELLS

REALLY HEAVY-DUTY PATCHES

Industrial Grade, Flannel,
Glove Cotton
For Really Tough Cleaning Jobs



Extra tough patch that is fleeced on one side, natural on the other to get into the cracks and crevices where dirt hides. The heavy woven twill side scrubs well, while the fleece side is super absorbent. Made from 10 oz. per yard, 104 thread count per square inch, flannel glove cotton for durability. Packaged in bags of 100 or 1000 in a variety of calibers. For really heavy duty cleaning jobs, you need a Really Heavy Duty Patch.

SPECS: Extra Heavy Duty Flannel Glove Cotton. 100 & 1000 Paks.

100 PAK REALLY HEAVY DUTY PATCHES


STOCK # RD.	STOCK # SQ.	FITS	PRICE
#084-000-145DE	#084-000-151DE	1 1/2" .35-.40 cal.	9K02H68 \$ 3.34
#084-000-146DE	#084-000-152DE	2" .40-.50 cal.	9K04H33 \$ 5.41

1000 PAK REALLY HEAVY DUTY PATCHES

STOCK # RD.	STOCK # SQ.	FITS	PRICE
#084-000-132DE	#084-000-138DE	1 1/2" .35-.40 cal.	9K20C88 \$ 26.09
#084-000-133DE	#084-000-139DE	2" .40-.50 cal.	9K37C28 \$ 46.59

BROWNELLS MICRO-FIBERTWILL PATCHES

Super Absorbent, Twill Pattern
Improves Cleaning Efficiency

Lint free blend of non-woven cotton and cellulose material quickly gets bore and actions clean without leaving strings, fuzz and fibers behind. Features an embossed, deep twill pattern for improved scrubbing power. Super absorbent, with a special treatment that holds plenty of solvent for fast, efficient cleaning. Captures wad fouling and powder crud then carries it out the bore. High volume shooters will appreciate the greatly reduced effort necessary to remove heavy copper fouling. Very effective for removing carbon accumulation in blackpowder rifles. 

SPECS: Cotton cellulose blend, white. 1 1/2" (2.9cm), 1 7/8" (3.5cm), 1 1/2" (3.8cm), 1 3/4" (4.4cm), 2" (5cm), 2 1/2" (6.4cm), 3" (7.6cm) squares.

100 PACK MICRO-FIBER PATCHES


STOCK #	SIZE	FITS	PRICE
#084-000-032DE	1 1/8"	.22-.25 Cal.	9C04B08 \$ 6.67
#084-000-033DE	1 3/8"	.25-.270 Cal.	9C04X08 \$ 6.67
#084-000-034DE	1 1/2"	.270-.30 Cal.	9C04X51 \$ 7.38
#084-000-035DE	1 3/4"	.270-.35 Cal.	9C04X71 \$ 7.71
#084-000-036DE	2"	.35-.40 Cal.	9C04X71 \$ 7.71
#084-000-037DE	2 1/2"	.40-.50 Cal.	9C04X84 \$ 7.90
#084-000-038DE	3"	20-12 Ga.	9C05X50 \$ 8.98

1000 PACK MICRO-FIBER PATCHES

STOCK #	SIZE	FITS	PRICE
#084-000-039DE	1 1/8"	.22-.25 Cal.	9C16X63 \$ 27.15
#084-000-040DE	1 3/8"	.25-.270 Cal.	9C17X05 \$ 27.85
#084-000-041DE	1 1/2"	.270-.30 Cal.	9C18X17 \$ 29.62
#084-000-042DE	1 3/4"	.38/.357 Cal.	9C18X77 \$ 30.66
#084-000-043DE	2"	.35-.40 Cal.	9C19X83 \$ 32.38
#084-000-044DE	2 1/2"	.40-.50 Cal.	9C21X34 \$ 34.86
#084-000-045DE	3"	20-12 Ga.	9C29X26 \$ 47.80

BROWNELLS J-B® BORE BRIGHT™

The Final Finish For Your Barrel,
Improves Accuracy,
Reduces Cleaning Effort

A micro-fine bore cleaning and finishing compound that works as both a cleaner and a final polish to help keep barrels free of fouling and shooting their absolute best. Regular use gives your barrel a mirror-like finish that helps prevent the build-up of accuracy robbing copper fouling, plus greatly reduces cleaning effort. Clean your barrel as you normally would, then after cleaning with J-B Compound, follow with J-B Bore Bright to achieve a super clean, final polish. At the range, regular use of J-B Bore Bright between strings of fire minimizes the accumulation of jacket fouling to help maintain consistent accuracy. As a bore cleaner, the soft, oil-paste formula liquefies as you use it to quickly remove fouling, copper, lead, and powder residue in handguns. Because J-B Bore Bright is absolutely non-embedding it wipes easily from the barrel with a dry patch. You never need to worry about Bore Bright harming your barrel. 

SPECS: 2 oz. (57 g) jar. Carton contains 12, 2 oz. jars.
#083-065-100DE 2 oz. J-B Bore Bright 3H07A45 . . . \$ 11.20
#083-065-112DE 1 Carton J-B Bore Bright 3H89A40 134.40

SHOOTER'S CHOICE COPPER REMOVER

Quickly, Safely Removes All Copper Fouling



Extra-strength formula instantly and safely strips all traces of copper or gilding-metal-jacketed bullet fouling from any firearm. Will not harm bore. Use only with nylon brushes.

SPECS: 8 fl. oz. (237 ml), unbreakable plastic jar.
#934-011-008DE 8 oz. Copper Remover,
4C06P75 \$ 10.49
Cannot ship outside Continental U.S. Shipped UPS or FedEx Ground only within U.S.

BORETECH ELIMINATOR

Sophisticated Solvent That
Takes The Chore Out Of Bore Cleaning




Eliminate the mounds of dirty cleaning patches that are created using your current solvent by switching to this advanced formula, which literally wipes out all copper, lead, carbon, and powder fouling in minutes instead of hours. Technologically advanced in every way, Eliminator literally alters the chemical makeup of copper to break its bond from the barrel steel, then uses advanced chelating agents to keep it from re-depositing. Rust preventatives guard against corrosion. Non-toxic, non-flammable, and completely biodegradable. This stuff is incredible!

SPECS: 4 oz. (mL) or 16 oz. (mL).
#509-000-021DE 4 oz. Eliminator 9K11D74 \$ 14.95
#509-000-027DE 16 oz. Eliminator 9K21D16 26.95


HOPPE'S CLEANER/DEGREASER

Blasts Away Grease, Oil & Crud From Metal Parts



Excellent for cleaning actions; or general shop cleaning. Extender tube gets solvent into hard-to-reach areas. Dries in seconds, leaves surface clean and dry. 


SPECS: Aerosol, 11 oz. (312g). No CFCs or carcinogens.
#699-000-001DE Cleaner/Degreaser 3E05A08 \$ 6.35
Cannot ship outside Continental U.S. Shipped UPS or FedEx Ground only within U.S.

a jar of J-B for yourself; it's 100%-guaranteed to totally delight you with the way it cleans. 
SPECS: 2 oz. (57 g) net contents jar. or 1/4 oz. (7 g) net contents jar. Carton contains 12, 2 oz. jars.

#083-065-025DE 1/4 oz. J-B Compound 3H02A64 \$ 3.96
#083-065-002DE 2 oz. J-B Compound 3H07A35 10.95
#083-065-012DE 1 Carton, J-B Compound 3H88A20 . . . 131.40

NEW Items PANTHEON CHEMICAL M-PRO 7® PRODUCTS

Technologically-Advanced Formulas
Give High-Performance Results

A great selection of military-grade gun care products to completely clean, lubricate, and protect your entire gun. 

M-PRO 7 GUN CLEANER - Gets gun bores squeaky clean and shining but is harmless to all metal surfaces, including titanium, aluminum and stainless steel. Actually breaks down carbon so copper and lead fouling float free; completely odorless, non-flammable, non-toxic, biodegradable and environmentally safe to use. Penetrates hydrocarbon-based greases, oils (will remove oil-based stock finishes) and gun powder residues; strips the metal completely clean with no oily feel. Heat and agitation will accelerate the cleaning action. Can be used as a tank solvent. Not a lubricant.

SPECS: 4 fl. oz. (118 ml), 8 fl. oz. (237 ml) pump spray bottle, 32 fl. oz. (939 ml), spray bottle, 1 gal. (128 fl. oz./3.8 L) bottle, or 5 gal. (18.9 L) container.

#945-700-004DE M-Pro 7 Gun Cleaner, 4 oz. Spray, 3E07Y19 \$ 8.99

#945-700-008DE M-Pro 7 Gun Cleaner, 8 oz. Spray, 3E11Y75 14.69

#945-000-001DE M-Pro 7 Gun Cleaner, 32 oz. Spray, 3E17A32 31.49

#945-700-128DE M-Pro 7 Gun Cleaner, 1 Gallon, 3E58Y79 73.49

#945-000-020DE M-Pro 7 Gun Cleaner, 5 Gallon, 3E188Y34 319.95

M-PRO 7 COPPER REMOVER - Ammonia-free formula works fast to dissolve and strip out stubborn copper fouling caused by high-velocity, copper-jacketed bullets used in varmint, tactical, and competition guns. Helps restore accuracy to neglected bores and conditions the steel to reduce future copper buildup. Won't etch or pit barrel steel, but should not be used on brass, aluminum, and blued or plated surfaces. Odorless, environmentally safe, biodegradable, non-toxic, and non-flammable—just like M-Pro 7 Gun Cleaner.

SPECS: 2 fl. oz. (59 ml) or 4 fl. oz. (118 ml) squeeze bottle.
#945-000-018DE M-Pro 7 Copper Remover, 2 oz., 3E05Y51 \$ 6.89

#945-000-019DE M-Pro 7 Copper Remover, 4 oz., 3E07Y11 8.89

M-PRO 7 BORE CLEANING GEL - All of the carbon-breaking, copper-stripping power of M-Pro 7 Gun Cleaner in a heavy-bodied gel that clings to interior bore surfaces for a superior cleaning action in less time. Great for soaking carbon and lead deposits loose from revolver cylinder faces and handgun compensators. Wipe on the interior surfaces of clean, compensator ports to keep lead and carbon deposits from accumulating. Makes cleanup much faster.

SPECS: 4 fl. oz. (118 ml) squeeze bottle.
#945-702-004DE M-Pro 7 Bore Cleaning Gel, 4 oz. 3E08T39 \$ 10.49

M-PRO 7 GUN OIL - Low-viscosity oil keeps dirt and oil away from moving parts that are integral to the operation of your gun and significantly reduces wear. Perfect for slide rails and bolt race ways that have a lot of friction. Lubricates from -40° to +650° F. Non-toxic and non-flammable.

SPECS: 1 fl. oz. (30 ml) squeeze bottle, 2 fl. oz. (60 ml), squeeze bottle, 4 fl. oz. (118 ml) squeeze bottle, or 1 gal. (128 fl. oz./3.8 L) bottle

#945-000-009DE M-Pro 7 Gun Oil, 2 oz. Squeeze Bottle, 3E05A19 \$ 6.49

#945-000-003DE M-Pro 7 Gun Oil, 4 oz. Squeeze Bottle, 3E08A63 10.79

#945-000-010DE M-Pro 7 Gun Oil, 1 Gallon Bottle, 3E43A19 53.99

M-PRO 7 CLEANER LUBRICANT PROTECTANT - Provides field cleaning along with superior lubrication and corrosion protection all in one. Surpasses Mil-Std 63640 for lubricating properties. Use in conjunction with M-Pro 7 Gun Cleaner for maximum, deep-clean, metal conditioning.

SPECS: 1 fl. oz. (30ml) squeeze bottle, 4 fl. oz. (120 mL), squeeze bottle, 32 fl. oz. (960 mL) pump spray, 1 gal. (3.78 l) bottle.

#945-000-002DE Cleaner Lubricant Protectant, 4 oz. Squeeze Bottle 3E09A95 \$ 13.99

#945-000-007DE Cleaner Lubricant Protectant, 1 Gallon, 3E75A95 118.99


M-PRO 7 TACTICAL GUN CLEANING KIT - Use the same combat-tested cleaning system on your personal weapons that the United States Armed Forces use for machine guns, grenade launchers, and even the complex weapon systems of the F-16 fighter jet - all in a compact, rugged, hardshell pack. You get a 4 oz. bottle of M-Pro 7 Gun Cleaner, ammonia-free M-Pro 7 Copper Remover to strip out stubborn copper fouling even on fast-cycling full-auto weapons, and M-Pro 7 Cleaner Lubricant Protectant for superior lubrication and corrosion protection or quick, one-step cleaning in the field. Kit also includes a multi-section cleaning rod with a folding handle; five high-quality bronze bore brushes to fit standard service pistol, rifle, and shotgun calibers; plenty of 100% cotton twill cleaning patches; and other accessories. 

SPECS: Kit includes: polycarbonate box, black, matte finish; 4 fl. oz. (118ml) Gun Cleaner; 2 fl. oz. (59ml) Cleaner Lubricant Protectant; 2 fl. oz. (59ml) Copper Remover; (1) multi-section cleaning rod with folding handle; (5) bore brushes that fit .22/.223/5.56mm, .308/.306/.300 Mag., 9mm/.357/.38/.40, 45/.410 shotgun, 12/20 ga. shotgun; (1) shotgun brush adapter; (1) loop; (50) 2 1/2" (6.4cm) square twill cleaning patches; (1) lint-free gun cloth; (1) utility brush; (1) foam gun pad; (1) M-Pro 7 Weapons Maintenance Guide.

#945-000-021DE M-Pro 7 Tactical Cleaning Kit, 3E33Y95 \$ 42.95

M-PRO 7 TACTICAL COPPER REMOVAL SYSTEM - Strips out stubborn copper fouling even on fast-cycling full-auto weapons. Works fast to dissolve and remove stubborn copper fouling caused by high-velocity, copper-jacketed bullets used in varmint, tactical, and competition guns. Helps restore accuracy to neglected bores and conditions the steel to reduce future copper buildup. Ammonia-free, won't etch or pit barrel steel, but should not be used on brass, aluminum, blued or plated surfaces. Includes 2 oz. of M-Pro 7 Cleaner Lubricant Protectant for superior lubrication and corrosion protection.

SPECS: 2 fl. oz. (59 ml) squeeze bottle & pump spray bottle.
#945-000-023DE Tactical Copper Removal System 3E09Y95 \$ 14.95

M-PRO 7 TACTICAL CARBON CONTROL SYSTEM - Gets gun bores squeaky clean and shiny but is harmless to all metal surfaces, including titanium, aluminum and stainless steel. Actually breaks down carbon so copper and lead fouling float free; completely odorless, non-flammable, non-toxic, biodegradable and environmentally safe to use. Penetrates hydrocarbon-based greases, oils (will remove oil-based stock finishes) and gun powder residues; strips the metal completely clean with no oily feel. Heat and agitation will accelerate the cleaning action. Includes 2 oz. of M-Pro 7 Cleaner Lubricant Protectant for superior lubrication and corrosion protection. 

SPECS: 2 fl. oz. (59 ml) squeeze bottle & pump spray bottle.

#945-000-022DE Tactical Carbon Control System, 3E09Y95 \$ 14.95

GA BROWNELLS J-B® NON-EMBEDDING BORE CLEANING COMPOUND

Cuts Through Toughest Bullet Jacket
& Powder Fouling



J-B has been getting burned-on, caked-in powder residue and copper jacket fouling out of gun barrels since the 1960's, and hasn't damaged an inch of rifling yet. Today, J-B once again proves itself a champion by easily cleaning the most fouled barrels.

A unique combination of ingredients and a one-of-kind, multi-step mixing process give J-B its special characteristics. They work together to cushion the abrasive action; the soft paste liquefies as you use it, then wipes out of the bore easily. The non-embedding feature means there's no residue left behind to keep "cutting" after you've finished cleaning.

J-B has been a favorite on gunsmiths' benches for years, as a "magic" cure for customer guns that "...just won't shoot anymore". These pros know that a good scrubbing with J-B often restores accuracy. Match shooters put a lot of rounds down range. The large amounts of copper fouling and the burned-in powder can create a cleaning nightmare; J-B makes short work of it.

Rest assured, this is the genuine, time-proven formula developed by Jim Brobst and produced under exclusive license. Try

Get Tips & Tricks At Gunsmiths.com

HOPPE'S No. 9
Famous The World Over

Nitro-Solvent, the most universally used solvent for removing primer, powder, lead and metal fouling - for preventing rust. Quick, super-efficient, safe and easy to use. Flows freely and penetrates rapidly. Five sizes meet every cleaning requirement.

SPECS: 2 fl. oz. (59 ml), 4 fl. oz. (118 ml), pint (16 fl. oz./473 ml), quart (32 fl. oz./946 ml) or gallon (3.8 l) container.

- #699-902-002DE 2 oz. Hoppe's No. 9 3E02A36 \$ 2.95
 - 10 or More - 2 oz. Hoppe's No. 9, per each, 3E02A36 2.95
 - #699-000-005DE 4 oz. Hoppe's No. 9 3E04A76 5.95
 - #699-902-016DE Pt. Hoppe's No. 9, 3E08A77 10.96
 - #699-902-032DE Qt. Hoppe's No. 9, 3E14A16 17.70
 - #699-000-006DE *Gallon Hoppe's No. 9, 3E51A16 63.95
- Cannot ship outside Continental U. S. Shipped UPS or FedEx Ground only within U.S.
*Requires Additional Hazardous Materials Surcharge.

BROWNELLS
TCE CLEANER DEGREASER

Powerful Cleaner-Degreaser In A Big Spray Can
Ozone-Safe Replacement For Trichloroethane

The best pre-cleaner we've found for Aluma-Hyde, Baking Lacquer, Teflon Moly and Gun-Kote. Cuts grease, wax, gunk, even silicones; lifts them away and dries with little to no residue. Use with adequate ventilation; gloves and eye protection are recommended.

- SPECS:** 24 oz. (672 g) net contents.
#083-060-024DE TCE Aerosol 6K14B00 \$ 19.75
- Cannot ship outside Continental U.S. Shipped UPS or FedEx Ground only within U.S.

BROWNELLS
ACTION LUBE PLUS[®] SYRINGE



Superior Lubricating Performance, Convenience Of A Tube

Synthetic-based blend of the finest lubricants and molybdenum disulfide provides superior performance in all conditions. Easy-to-use syringe gives pin point application.

SPECS: 10cc syringe, includes cap.
#083-050-010DE Action Lube Plus Syringe, 5L08V65 \$ 12.36

BROWNELLS
STAINLESS SLICK



Prevents Galling Of Stainless Steel;
Lubricates & Protects Completely;

Scientifically formulated to go far beyond the capabilities of common grease. Special, highly refined and purified, white lubricating ingredients provide excellent adhesion and film strength; completely prevents the surface-to-surface contact and abrasion that galls stainless steel. Actually reduces the surface wear of any metal that's treated. Low sulphur content helps prevent corrosion; high resistance to pressure eliminates thermal breakdown and loss of lubrication.

SPECS: Resealable syringe with needle spout, 12cc.
#083-303-012DE Stainless Slick 3H09V31 \$ 13.31

BROWNELLS
FRICITION DEFENSE™
GUN OIL

The Latest Technology For The Most Effective Firearms Lubrication

This superb, synthetic oil works on all semi-auto weapons. It contains not one, but two of the finest lubricants available - Teflon and Moly (molybdenum disulfide) - and lubricates effectively from -75° F to +425° F. Unique heat transfer properties actually pull heat away from friction points, and extreme pressure additives keep Friction Defense on the parts, even in the hardest cycling actions, including full-auto military weapons. We call it "slicky." You can feel the slick lubrication, plus the sticky quality that helps Friction Defense Gun Oil stay on metal parts between cleanings. As the gun cycles, some of the moly actually gets worked into the pores of the metal for long-lasting lubrication. Water displacing additives help prevent rust from moisture and fingerprints. Available in three convenient sizes. Two larger sizes in flip open, dropper-top bottles that help you get just the amount you want, where you want it, and a tiny ¼ oz. squeeze bottle for easy transport.

SPECS: ¼ oz. (7.4 ml), 2 oz. (59ml) or 4 oz. (118ml) bottle.
#083-000-025DE ¼ oz. Friction Defense 3H01D62 \$ 1.97
#083-000-022DE 2 oz. Friction Defense 6A02D55 3.97
#083-000-023DE 4 oz. Friction Defense 6A04D95 7.49

BROWNELLS
ACTION MAGIC II[®]

Exclusive, Two-Step Dry Formula Will Not Trap Water, Dust, Sand Or Contaminants

Action Magic II is not a quick-spray, "wonder oil," but a two-step, permanent, firearms lubrication treatment with a natural affinity for metal that bonds to any metal surface at the molecular level. Easy-to-apply treatment enhances surface lubricity for extreme, long-lasting resistance to corrosion and accelerated wear caused by friction and heat. After firing thousands of rounds, tests on semi-auto pistols have shown no measurable wear. Cleanup is as simple as dusting off powder residue with a soft nylon brush! Unlike oil-based lubricants, Action Magic II will not trap moisture in wet environments and cannot freeze in cold weather. The dry, silver-gray, lubricated surface resists powder residue, carbon, lead, dirt and fouling so your firearm stays cleaner, longer. Action Magic II treatment can be used inside bores, on semi-auto pistol slides, frames, triggers and sears.

SPECS: Kit contains ¾ oz. (18 ml) liquid and ½ oz. (14 g) wt. dry powder in convenient needle oiler bottles and instructions.
#083-052-001DE Action Magic II 5L16B44 \$ 20.53
#083-052-101DE AM II Part A Pwdr Refill 3H09B14 11.39
#083-052-102DE AM II Part B Liquid Refill 3H08B78 10.94

Cannot ship outside Continental U.S. Shipped UPS or FedEx Ground only within U.S.

MD LABS
XF7 WEAPON LUBRICANT

Protects Your Pistol In All Environments; Won't Melt Or Burn Off

Field-tested in extreme heat to stay where you put it. Prevents the build-up and adhesion of stubborn fouling, so it wipes right off. Provides continuous protection in temperatures up to 500° F; short-term protection up to 600° F plus withstands high cyclic rates of fire in competition. Will not wash off in fresh or salt water. Handy, 15cc syringe dispenses lubricant exactly where you want it without drips or runs. Safe for rubber or polymers, doesn't attack common metal finishes. Lubricant is non-toxic, non-staining and contains no Teflon.

SPECS: Resealable syringe applicator, 15cc.
#100-002-242DE XF7 Weapon Lubricant 2Z10A24 . . . \$ 11.37

MILITEC
MILITEC-1

Lubricates & Prevents Corrosion

Synthetic-based metal conditioner provides constant, self-lubricating protection for your metal parts to ensure reliable functioning in extreme conditions. Actually becomes part of the metal; the heat from normal firing of your gun molecularly bonds the material to the gun metal.

SPECS: 1 oz. (29.6 ml) bottle, 4 oz. (118.3 ml) bottle, or as a grease in a 14 oz. (397 g) tube. Cases carry National Stock#: 1 oz. (100 bottles), 9150-01-415-9112; 4 oz. (12 bottles), 9150-01-415-9114.
#100-001-417DE Militec 1 oz. Bottle 7A06D80 \$ 8.50
#100-001-418DE Case of 1 oz. Bottles 7A625D00 850.00
#100-001-419DE Militec 4 oz. Bottle 7A13D15 17.95
#100-001-420DE Case of 4 oz. Bottles 7A158D40 215.40
#100-001-421DE Militec Needle App. 7A07D00 8.75
#100-001-422DE Militec Grease 7A06D00 8.00

WILSON COMBAT
ULTIMA-LUBE™

"Tuned" Lubes Excel At Specific Jobs

GREASE - A light grease that stays where it's put, won't migrate to other parts. One drop from the pin point syringe on each slide rail reduces friction and wear; helps your pistol work easier and stay cleaner longer. Will not attract and hold contaminants.

SPECS: 10cc syringe. Valve top applicator.
#965-361-010DE Ultima-Lube Grease 5F04H88 \$ 5.95

UNIVERSAL GREASE/OIL - A heavy grease/oil for use in high tension contact areas like semi-auto slides and bolts. Has anti-friction properties that prevent surface wear and galling. Pin point syringe dispenses lubricant, one drop at a time, right where you want it. Will not attract and hold contaminants.

SPECS: 10cc syringe. Pin point, valve top applicator.
#965-000-008DE Universal Grease/Oil 5F06C52 \$ 7.95

BREAK-FREE
CLP

Powerful, Effective Cleaning, Lubrication & Preservation Without The Hard Work

A super cleaner, lubricant, preservative containing Teflon and other specialized chemicals. Displaces corrosion, dirt, firing residue and water better than ordinary solvents. Works as a lubricant that grit can't adhere to; coated parts actually become self-cleaning. Eliminates solvent cleaning. Guns and parts treated and cleaned with it are never "degreased" - so no chance of rust or corrosion forming. In lab tests, Break-Free removed 98% of all firing residue and withstood over 100 hours in a 5% salt spray test with no evidence of rust or corrosion. Provides lubrication at temperatures from -65° F. to +475° F., without gumming up or breaking down. Assigned Meets MIL-L-63460.

SPECS: ½ fl. oz. (19 ml) or 4 fl. oz. (118 ml) bottles. 4 oz. (113 g) or 12 oz. (340 g) aerosol. 16 oz. size w/pump sprayer; 1 gallon (128 fl. oz./3.8 L).
#102-100-023DE Break-Free, ¾ oz. bottle, 6K02P22 \$ 3.44
#102-100-003DE Break-Free, 4 oz. aerosol, 6K04P40 6.84
#102-100-004DE Break-Free, 4 oz. bottle, 6K04P02 6.26
#102-100-016DE Break-Free, 16 oz. pump, 6K13P88 21.60
#102-100-012DE Break-Free, 12 oz. aerosol, 6K07P76 12.07
#102-100-128DE Break-Free, 1 Gallon Jug, 6K62P15 96.67

Cannot ship outside Continental U.S. Shipped UPS or FedEx Ground only within U.S.

BREAK-FREE LP

Lubricates, Prevents Corrosion; Gives Smooth, Consistent Cycling

Lubricant and preservative developed to keep heavy automatic weapons functioning during sustained fire. Won't break down under high temperature and pressure. Reduces friction and prevents galling on stainless steel. Penetrates firing residue to stop fouling buildup, inhibits rust and corrosion.

SPECS: 4 fl. (118 ml) bottle.
#102-000-001DE Break-Free LP 6K05P28 \$ 8.21

L&R
HCS-200 ULTRASONIC
HANDGUN CLEANING SYSTEM

Gets Dirty Guns Clean In Minutes

Clean and lubricate up to two semi-automatics, or one 6" revolver, in less than 20 minutes with powerful, ultrasonic cleaning action. Billions of tiny, scrubbing bubbles get cleaning solution into the nooks and crannies that are hard to reach by hand. Field strip the firearm, place it in the wire basket, turn on the Ultrasonic Cleaner and you're free to do other things while the cavitating action gets everything super-clean! An ideal solution for the small shop where only a few firearms need to be cleaned and for hobbyists who want to give their guns a professional cleaning. Also great for cleaning powder residue from empty cases before reloading.

Input: 117V **Dimensions:** 12½" (31.75cm) x 6¾" (17.14cm)
Peak Output: 95 Watts **Tank Dimensions:** 11¾" (29.8cm) x 4" (15.2cm) x 4" (10.2cm)
Output Frequency: 43 KHz **Tank Capacity:** 4¾ Quarts

SPECS: Tanks, lid, auxiliary pan and wire basket are stainless steel. System includes: (1) HCS-200 Ultrasonic Cleaner, (1) Auxiliary pan, (1) Wire basket, (1) lid, (1) Gallon (3.80l) Handgun Lubricating Solution, (2) 8 oz. (0.23kg) Concentrated Handgun Cleaning Solution, (1) pair latex gloves, (1) 0.4 oz. (11.8ml) tube Synthetic Gun Oil, (1) Cleaning Brush, (1) cotton cleaning pad.
#515-000-006DE HCS-200 System 5A00YTP \$ 399.00
#515-000-007DE Cleaning Solution, 8 oz. 5A03V99 4.99
#515-000-005DE Lubricating Solution, 1 ga. 5A53Y88 67.35

BROWNELLS
ULTRASONIC
CLEANING SOLUTION & OIL

Power Away Dirt & Fouling; Lubricates, Fights Corrosion

Powerful, fast-acting cleaning and lubricating solutions are especially formulated for today's ultrasonic gun cleaning systems to thoroughly clean, condition, and protect your firearms. Safe for all metal surfaces, including carbon steel, aluminum, titanium, and stainless steel. Won't harm bluing, parkerizing, anodizing, or most paints. Environmentally safe, non-toxic, ammonia-free, and biodegradable with minimal odor, so both products can be safely used right in the shop. Cleaning Solution penetrates petroleum-based greases and oils and removes carbon fouling, dirt, grime, and powder residue to leave the metal completely clean. Mix 1 gallon of solution with 9 gallons of water to produce 10 gallons of cleaner. Water-displacing Oil with "Thin Coat" technology drains quickly from parts without puddling and leaves a microscopic layer of long-lasting corrosion protection.

SPECS: 1 gal. (128 fl. oz./3.8 liters) plastic jug.
#083-000-031DE Cleaning Solution, 1 Gal. 4P29T95 \$ 49.95
#083-000-032DE Ultrasonic Oil, 1 Gal. 4P32T95 54.95

SPRAY-ON, BAKE-ON FINISHES

All these finishes provide excellent protection by themselves and can also be used to add another layer of protection to blued and parkerized finishes.

BAKING LACQUER

Brownells Baking Lacquer provides one of the best, most durable small shop alternatives to re-anodizing aluminum. Highly resistant to oils, solvents and acids, it can be used on literally any metal that can take baking in a 325° F. oven for twenty minutes. This includes cast iron, steel, stainless steel, aluminum, and most non-ferrous metals used for gun parts. Brownells Baking Lacquer is available in many colors to blend with blued and stainless steel parts, parkerizing and also in Matte Clear for "French Gray" finishes or protecting color case hardened parts. Apply over rough sanded, bead or abrasive blasted surfaces for best results.

TEFLON®/MOLY GUN FINISH

Brownells TEFLON/Moly Gun Finish is just that, TEFLON and molybdenum disulfide in a baked-on, phenolic-epoxy base. The resulting finish is self-lubricating and extremely resistant to corrosion and the everyday abuse a working gun goes through. Ideal as an exterior finish and to protect internal parts where a slight thickness buildup won't cause "fit" problems. Available in several colors to blend with blued and stainless steel, parkerizing and more. Apply over rough sanded, bead or abrasive blasted surfaces for best results.

BROWNELLS GUN KOTE

This is the long-time, industry standard, now available in an aerosol can. It gives a thin, extremely tough, bake-on finish with the lubricating qualities of molybdenum disulfide. Thickness buildup is minimized without sacrificing abrasion or chemical resistance. Recommended for application on aluminum-oxide-blasted surfaces only. Slightly less forgiving than Baking Lacquer or Teflon/Moly where cleaning and spraying techniques are concerned. If you take the time and care to do it "right" you'll be rewarded with one of the finest finishes available.

ALUMA-HYDE™ II

Brownells Aluma-Hyde™ II is a high-grade, air-dry, epoxy paint for use on aluminum alloys, steel, fiberglass and plastics. Available in aerosol only, it gives a very tough finish, resistant to scratches and dings and is not affected by the solvents and oils used in the firearms industry. It even stands up to most of the new "miracle" bore cleaners. Available in colors to match blued and stainless steel parts, parkerizing, stocks, etc.

METAL-COAT - EPOXY

Brownells Metal-Coat is a clear, tough, air-dry, epoxy paint that's the ideal choice to protect polished or bead-blasted steel, aluminum or brass surfaces. One coat from the aerosol can provides superb rust resistance, additional coats bond into the base coat for more scratch protection. Holds up well to gun oils and solvents although some of today's most aggressive, "super" bore cleaners may damage it. The soft lustre looks great and maintains the beauty of color case hardened steel.



BROWNELLS ALUMA-HYDE®

Gunsmith's Spray Black For Aluminum & Alloys

Brownells Aluma-Hyde is a special nitrocellulose lacquer developed for covering metal, and designed to combine all recoats into one, tough, integrated finish. Many of the sprays we've found were thinned enamels, which do not build up on recoating, but add layer on separate layer. Best applied in 2 light coats over the Z/C Primer listed below, it dries dust-free in 10 minutes, can be handled in 30, and dries completely overnight. It continues to toughen for the next 3 to 4 days when it reaches



BROWNELLS GUN-KOTE™

OVEN CURE, GUN FINISH

Genuine GUN-KOTE Spray-On/Bake-On Finish In Convenient Aerosol or Airbrush Liquid

The world-famous, ultra-thin, friction-reducing coating that lasts and lasts can now be applied to any clean, pre-heated metal part in as little as 2 hours without the extra expense of owning an air brush. Brownells has teamed up with KG Products to produce the genuine GUN-KOTE epoxy finish in a convenient aerosol that's every bit as easy and foolproof to apply as our other, great, bake-on, gun finishes. You get the quality of genuine GUN-KOTE backed by Brownells no-hassle, complete satisfaction guarantee; an unbeatable combination!

Now you can easily apply the self-lubricating benefits of molybdenum disulfide to alloy steel, stainless steel, brass and aluminum, even properly prepared nickel plating, in just minutes. Prepare, clean and pre-heat your part to 100°, spray on Brownells GUN-KOTE and allow the part to dry. Bake the part in an oven at 300° for one hour and you're done. You've protected the metal parts of your valuable firearm from rust, corrosion, and scratches with a beautiful finish that will wear for years and help keep your gun looking just like new.

Brownells GUN-KOTE is a durable, second-generation epoxy, thermo-set resin finish that will not break down, peel or dissolve. In fact, once it's applied, the only way to remove Brownells GUN-KOTE is to abrasive blast the part. It is resistant to all known gun solvents and thinners. Each coat is approximately .0004" thick so Brownells GUN-KOTE can be used on both internal and external parts where a close-tolerance fit is required without having to worry about interference. This makes Brownells GUN-KOTE the perfect, maintenance-free coating for handgun slides and frames, shotgun receivers and magazine tubes, rifle actions and bolts, anywhere you need an ultra-thin, self-lubricating, permanent coating that protects and wears like crazy. **SPECS: Aerosol - 6 oz. (170 g) weight. Liquid - 8 fl. oz. (237 mL). Thinner - 16 fl. oz. (473 mL).**

AEROSOL 6oz.	LIQUID 8 oz.	COLOR
#083-051-001DE	#083-166-006DE	Matte Black
#083-051-002DE	#083-166-001DE	Gloss Black
#083-051-003DE	#083-166-002DE	Matte Brushed Stainless
#083-051-008DE	#083-166-008DE	Matte O. D. Green
#083-051-009DE	#083-166-009DE	Matte Gray
#083-051-013DE	#083-166-013DE	Gloss Gunmetal Blue
- Advise # -	Gun-Kote, Aerosol, 6 oz. 3H19B20	\$ 29.95
- Advise # -	Gun-Kote, Liquid, 8 oz. 3K22V20	\$ 29.95
#083-066-007DE	Gun-Kote Thinner 3H12A21	17.45

Shop

paints

brownells.com

Search

maximum toughness. Makes a beautiful, tough, scratch resistant, flat finish. Wears almost as well as the original anodizing used on today's aluminum triggerguards and frames, and the color match is close. If the customer understands what you have done because it is all you can do short of replacing the part, you will meet minimum resistance. Not a "blue" - but is an acceptable substitute. Can be re-coated anytime. **SPECS: Aluma-Hyde Black and Primer in 13 oz. (369 g) aerosol cans. Kit contains one can Black and one can Primer.**

#083-003-002DE	Aluma-Hyde, Black 3H06P43	\$ 9.19
#083-003-001DE	Aluma-Hyde, Primer 3H10P88	15.59
#083-003-000DE	Aluma-Hyde Kit 3H15P02	20.21



BROWNELLS TEFLON®/MOLY

OVEN CURE, GUN FINISH

The Next Generation Of Durable, Spray-On, Professional Gun Finishes

Now you can apply a great-looking coating with the increased durability and friction-fighting properties of Teflon® fluoropolymer resin and molybdenum disulfide to any firearm or metal part in as little as 2 hours. This is not just another spray paint. **Brownells Teflon/Moly Gun Finish** is an ultra-modern, thermo-set, spray-on, self-lubricating coating, chemically bonded to a phenolic-epoxy base so it's highly resistant to scratches and abrasion. Because the finish is baked on, you get some extra benefits. As the metal heats, its pores open allowing the Teflon component to penetrate. On high-wear areas, like slide rails, the coating will eventually wear away but the Teflon will still be in the pores, lubricating and protecting. Plus, dense colors won't lighten, dissolve or break down under all common gun solvents. One application makes any properly prepared metal almost impervious to oxidation. The convenient aerosol can with its versatile cone-shaped spray, is so easy to use it's almost mistake-proof. Just degrease and abrasive-blast the part; pre-heat the part 'til it's warm to the touch, then spray **Brownells Teflon/Moly Gun Finish** and let dry. In about 15 minutes, bake in a regular kitchen oven at 350° F for 30 minutes. As soon as the part cools, it's completely protected from rust and ready for final assembly. Perfect for restoring military rifles and parts; coating hard-to-blue, stainless steel or aluminum parts; refurbishing hunting guns and self-defense weapons, or refinishing any piece of metal that needs a durable, self-lubricating, rust-proof coating that lasts and will look great for years to come. Great hiding ability makes it a natural for quickly redoing those dinged and pitted working guns (after you get the rust out of the pits, of course). Use as a one-coat finish, or spray on several fine, thin coats and then bake. Extremely economical, one can will fully coat up to two long guns or four handguns! **SPECS: 6 oz. (170 g) wt. Remove cured coating by abrasive blasting or sanding. Teflon is a trademark of DuPont Chemical Co.**

STOCK #	COLOR	PRICE
#083-048-801DE	Black	6A19C97 \$ 29.95
#083-048-806DE	Gray	6A19C97 \$ 29.95
#083-048-807DE	SS Gray	6A19C97 \$ 29.95
#083-048-808DE	Dark Park. Gray	6A19C97 \$ 29.95
#083-048-805DE	Earth Brown	6A19C97 \$ 29.95
#083-048-804DE	O. D. Green	6A19C97 \$ 29.95
#083-048-809DE	Desert Tan	6A19C97 \$ 29.95
#083-048-810DE	Coyote	6A19H97 \$ 29.95

REPLACEMENT NOZZLES - Nozzles can get clogged if you forget to clear them after each spraying session or, if you don't shake well, the pickup tube inside the can gets plugged up. We have two nozzles that solve these problems. **Replacement Nozzles -** Replace clogged Nozzles. **Clean Out Nozzle -** Lets full pressure blow through a plugged pickup tube to clean it out. Once clear, install a Replacement Nozzle to continue spraying. **SPECS: Pak of 12. Clean Out Nozzle not intended for spraying. These are the correct nozzles for Teflon Moly Gun Finish.**

#084-179-001DE Replacement Nozzle A 6A03V29 . . . \$ 4.08
#084-179-004DE Clean Out Nozzle 1F02V58 3.23

LIQUID TEFLON/MOLY GUN FINISH - Apply our Teflon/Moly Gun Finish with an air brush or compact spray gun and save money with economical 8 fl. oz. or pint cans. Thin with **Teflon/Moly Thinner** only. One pint will finish approximately four long guns or eight handguns. **SPECS: 8 fl. oz. (237mL) or pint (16 fl. oz./473 mL). Matte finish.**

LIQUID 8 oz.	LIQUID 16 oz.	COLOR
#083-149-002DE	#083-049-017DE	O.D. Green
#083-149-003DE	#083-049-018DE	Earth Brown
#083-149-006DE	#083-049-021DE	Stainless Steel Gray
#083-149-004DE	#083-049-019DE	Gray



BROWNELLS BAKING LACQUER

Tough, Durable, Epoxy-Enhanced Gun Finish
(This stuff is unbelievable!)

In as little as 60 minutes you can apply an amazingly tough, oven-cured professional gun finish that will improve the look, value, and durability of any firearm or part. This exceptional, rustproof coating can be used as a no-hassle touch-up on a single part or can be easily applied to an entire firearm.

This epoxy-enhanced, oven-cured finish is available in aerosol or airbrush liquid and can be sprayed directly on clean, degreased metal with no priming required. Let dry for 10 minutes, then bake in an oven for 30-40 minutes at 300°-350° F. You'll get a uniform coating that offers exceptional resistance to salt sprays, corrosion, water, sweat, solvents, and bore cleaners. It's highly resistant to nicks, abrasions and wear.

This self-leveling, run-resistant formula makes blending the initial and successive coats fast, easy, and almost mistake-proof. Touch-up coats can be sanded, re-sprayed, and re-heated without damage to the original coat. Spray over degreased bluing, plating, Parkerizing and other military coatings for increased protection. Can be applied to any properly prepared metal surface that can withstand temperatures as high as 350° F without melting or warping. Liquid Baking Lacquer must be used with Baking Lacquer Thinner. **SPECS: Aerosol: 6 oz. (170 g) wt. Liquid: 8 oz. (237 mL) or 16 oz. (473 mL). Use Liquid Baking Lacquer w/ Baking Lacquer Thinner.**

AEROSOL BAKING LACQUER

STOCK #	COLOR	PRICE
#083-046-801DE	Matte Black	6A11V30 \$ 14.95
#083-046-802DE	Gloss Black	6A11V30 \$ 14.95
#083-046-803DE	Matte Clear	6A09V71 \$ 12.95
#083-046-804DE	O. D. Green	6A13V82 \$ 18.39
#083-046-805DE	Earth Brown	6A16V00 \$ 20.00
#083-046-806DE	Parkerizing Gray	6A16V00 \$ 20.00
#083-046-808DE	Dark Park. Gray	6A16V00 \$ 20.00
#083-046-807DE	Stainless Steel Gray	6A16V00 \$ 20.00
#083-046-809DE	Desert Tan	9Z16V00 \$ 20.00
#083-046-810DE	Coyote	6A16V00 \$ 20.00

LIQUID BAKING LACQUER

STOCK # 8 OZ.	STOCK # 16 OZ.	COLOR
#083-137-001DE	#083-037-018DE	Matte Black
#083-137-002DE	#083-037-019DE	Gloss Black
#083-137-003DE	#083-037-020DE	Matte Clear
#083-137-010DE	#083-037-028DE	Coyote
#083-137-004DE	#083-037-021DE	O.D. Green
#083-137-005DE	#083-037-022DE	Earth Green
#083-137-006DE	#083-037-023DE	Parkerizing Gray
#083-137-007DE	#083-037-024DE	Dk. Parkerizing Gray
#083-137-008DE	#083-037-025DE	Stainless Steel Gray
- Advise # -	8 oz. Liquid Baking Lacq	6A12V77 \$ 18.74
- Advise # -	16 oz. Liquid Baking Lacq	3H17U92 \$ 24.95
#083-037-026DE	Baking Lacquer Thinner	3H11U90 . 17.45

REPLACEMENT NOZZLES - Replacement Nozzles - Replaces clogged Nozzles. **Clean Out Nozzle -** Lets full pressure blow through a plugged pickup tube to clean it out. **SPECS: Pak of 12. Use these nozzles for Aerosol Baking Lacquer.**

#084-179-001DE Replacement Nozzle A 6A03V29 . . . \$ 4.08
#084-179-004DE Clean Out Nozzle 1F02V58 3.23

LIQUID 8 oz.	LIQUID 16 oz.	COLOR
#083-149-005DE	#083-049-020DE	Dark Parkerizing Gray
#083-149-001DE	#083-049-016DE	Matte Black
#083-149-007DE	#083-049-022DE	Desert Tan
#083-149-008DE	#083-049-023DE	Coyote
- Advise # -	Teflon/Moly Liquid, 8 oz.	6A17V68 \$ 25.25
- Advise # -	Teflon/Moly Liquid, 16 oz.	3H26V92 38.45
#083-049-116DE	T/M Thinner, Pint 3H13V11	18.73



BROWNELLS ALUMA-HYDE® II

Durable Epoxy Base Paint
Withstands Bore Cleaners & Solvents

The special feature of **Aluma-Hyde II** (and the reason for its development) is its increased resistance to bore cleaners, solvents and other cleaning chemicals, even trichloroethylene. Today's new family of fast, aggressive bore cleaners really do a terrific job getting dirty gun bores sparkling clean, but they can wreak particular havoc with any other finish they contact. After full cure, **Aluma-Hyde II** proved solvent-proof to all but the most aggressive, copper-removing bore solvents. **Aluma-Hyde II** is formulated with a hard-curing epoxy base that contains additional, high-density pigment for a durable finish that sticks to all properly prepared aluminum and alloy surfaces, steel and plastics - it's great on synthetic stocks. **Aluma-Hyde II** is available in a variety of colors to help the gunsmith match the vast number of applications found in the average gunshop. Matte finishes are available in **Parkerizing Gray** (medium gray), **Dark Gray Parkerizing** (medium dark), **Stainless Steel Gray** (light), **Matte Ruger Gray** closely matches the factory color but reduces reflections, **Earth Brown**, **Matte Clear**, **O.D. Green** for creating camo pattern stocks, **Desert Tan** (light, desert-tan sand), **Coyote** (light, gray-brown) and the original favorite, **Matte Black**. To compliment the matte finishes, **Semi-Gloss Black**, **Gloss Ruger Gray** closely matches the factory color and shine. **Gloss Clear** help expand the overall applications of this time- and money-saving product. We like the Matte Black color for refinishing those used AR-15 buttstocks and handguards you pick up when building a parts gun, knock-around truck guns and of course, anodized parts. **Aluma-Hyde II** dries to the touch in only minutes and reaches full cure in about a week. Here's the way we apply it: Warm the part and the **Aluma-Hyde II** to about 90° F; spend a couple of minutes shaking the daylight out of the **Aluma-Hyde II** and apply a medium coat for good coverage. You can recoat in a few minutes but don't wait more than thirty minutes. Once **Aluma-Hyde II** starts curing, you must wait until it's fully cured to recoat. You can cut the cure time to approximately two days by circulating warm air (90° F. works fine) past the part. Absolutely no primer coat is required for a tough, durable, abrasion-resistant, rust-proof finish that blends beautifully and compliments all gun finishing applications.

SPECS: 12 oz. (340 g) aerosol can.

STOCK #	COLOR	STOCK #	COLOR
#083-002-012DE	Matte Black	#083-002-112DE	Semi-Gloss Black
#083-002-212DE	Park. Gray	#083-002-812DE	Dark Parkerizing
#083-002-412DE	SS Gray	#083-002-312DE	O.D. Green
#083-002-009DE	Matte Ruger Gray	#083-002-010DE	Gloss Ruger Gray
#083-002-612DE	Gloss Clear	#083-002-712DE	Matte Clear
#083-002-512DE	Earth Brown	#083-002-211DE	Desert Tan
#083-002-210DE	Coyote		

— Advise # — **Aluma-Hyde II 1F09T35** \$ 11.95

REPLACEMENT NOZZLES - Nozzles can get clogged if you forget to clear them after each spraying session or, if you don't shake well, the pickup tube inside the can gets plugged. We have three nozzles that solve these problems. Replace clogged nozzles with either of these two options: **Replacement Nozzle B**, **Round Pattern** provides a broad, round pattern; **Fan Pattern Replacement Nozzle** provides a narrow, verticle pattern, similar to professional spray guns. **Clean Out Nozzle** - Lets full pressure blow through a plugged pickup tube to clean it out. Once clear, install a Replacement Nozzle to continue spraying.

SPECS: Pak of 12. Clean Out Nozzle not intended for spraying. These are the correct nozzles for Aluma-Hyde II.

#084-179-002DE	Replacement Nozzle B, 1F02V00 \$ 2.50
#084-179-005DE	Fan-Style Replacement Nozzles, 6A03V43 4.32
#084-179-004DE	Clean Out Nozzle, 1F02V58 3.23



JERRY KUHNHAUSEN THE COLT .45 AUTOMATIC A SHOP MANUAL

200 pages. 6" x 9". Softbound. Covers the popular 1911 including the Series 80. All the step-by-steps, plus a full section on popular accurizing tricks and how to do them. Includes the only really detailed instructions on fitting barrel and link that we've seen in print. With the popularity of the .45 still growing, this book will pay for itself many times over.

#924-200-045DE .45 Auto Manual, Volume I, 4B00ZAY \$ 27.95

JERRY KUHNHAUSEN THE U.S. M1911/M1911A1 PISTOLS & Commercial M1911 Type Pistols A SHOP MANUAL

Volume II In The Series; Covers Repair, Rebuilding & Customizing; Even More Detailed Than Volume I

207 pages. 6" x 9". Softbound. Filled with incredibly crisp, clear, cutaway drawings, exploded views, how-to pictographs, and photos; complimented by very readable, detailed text, dimensioned close ups of all the components and valuable tricks of the trade. If you want to understand the 1911, how it functions, what causes it to malfunction and how to fix it, you must have this book. Includes what are probably the best set of instructions for fitting a custom barrel available to date. Illustrates how to fit parts to the proper dimensions and install them correctly - a must whether you're building duty guns, casual plinkers, or match winners. Even the index is well laid out and useful. An excellent reference work and practical how-to manual.

#924-800-245DE M1911 Pistols Manual, Volume II, 4B00PUA \$ 29.95

FIREARMS TAKEDOWN GUIDES



J. Martin. Approximately 14 pages. 8½" x 11". Covers field stripping and disassembly procedures for the 1911. Detailed, step-by-step instructions, with large photos of disassembly sequence and reassembly tips.

LIQUID ALUMA-HYDE® II - Formulated specifically for airbrush and spray gun application, combines the same abrasion- and solvent-resistant properties of aerosol Aluma-Hyde II with the freedom to use the application system of your choice. Available in **Matte Black**, **Semi-Gloss Black**, **Parkerizing Gray** (medium gray), **Dark Parkerizing Gray** (dark gray), and **O.D. Green**. Thin with **Liquid Aluma-Hyde II Solvent & Thinner** to the required consistency for your spray device. Use thinner to clean spray equipment and work surfaces; does not affect hardened strength and will not soften fully cured **Aluma-Hyde II**.
SPECS: **Paint** - 8 oz. (237ml) can. **Thinner** - 1 qt. (32 oz./946ml) can.

STOCK#	COLOR
#083-002-813DE	Matte Black
#083-002-814DE	Semi-Gloss Black
#083-002-817DE	Parkerizing Gray
#083-002-816DE	Dark Parkerizing Gray
#083-002-815DE	O.D. Green
— Advise # — Liquid Aluma-Hyde II 1F07P75 . . . \$ 9.95	
#083-002-001DE	Liquid Aluma-Hyde II Solvent & Thinner , Qt. 3H15T09 19.95



Illustration shows just some of 18 views

Illustrates Basic Function & Cycle Of Operation

Illustrates the operating cycle of the 1911 A1 pistol. Very detailed, printed on Tan 80 lb. poster stock and covered with a leather grain, embossed plastic laminate to cut glare and protect against damage.

#924-850-172DE	17" x 25" 1911 Chart, 4B20X82 \$ 26.00
#924-850-253DE	25" x 39" 1911 Chart, 4B30X80 38.49

.45 AUTO CUSTOMTOUCHES

R.D. Nye. 88 pages. 8½" x 11". Softbound. Nye's down-to-earth style helps you decide how to improve your .45 to shoot better with more accuracy, dependability and comfort. Large, concise, detailed drawings show each step and operation using only basic gunsmithing skills and tools. 15 chapters cover simple to complex jobs. Plus, info on making jigs, fixtures and tools. Sources and pistolsmiths directory. An outstanding .45 book!!

#645-045-000DE .45 Custom Touches, 5D10Z36 \$ 12.95



Gun Digest Book Of The 1911

Patrick Sweeny. 334 pages. 8½" x 11". Softbound. 700 photos. Fifteen chapters are devoted to history, how to inspect a used gun, how a 1911 functions, (including malfunction cures), competition and carry, custom building and gunsmithing options, choosing magazines, shooting schools, reloading techniques, plus information on five .22 LR conversion kits. In addition, there is a very thorough evaluation, comparison and accuracy test of two dozen, semi-custom, production guns.

#491-000-008DE **The 1911 Book**, 1D18X64 \$ 27.95
— 6 or More — **Mix of 6**, each, 1D16X78 23.76

WILSON COMBAT 1911 AUTO MAINTENANCE MANUAL

Bill Wilson. 67 pages. 5½" x 8½". Soft cover. Step-by-step disassembly, cleaning, inspection, lubrication and reassembly instructions. Well-illustrated with color photos. Covers guns with conventional or tapered cone bushings and shows field stripping for cleaning and detailed disassembly. Includes a troubleshooting section explaining problems, their causes and cures.

#965-401-000DE **Wilson 1911 Manual**, 5F08D61 \$ 10.50



ED BROWN'S

1911 BENCH REFERENCE CD-ROM

Ed Brown. CD-ROM. Well illustrated, step-by-step instructions cover installation of new parts and bench work the individual can perform with minimal tools. Photographs define important points. Twenty-three chapters, including one on reloading. Read on screen, enlarge the graphics, even print out for use at the bench. Runs on Mac (with Adobe Acrobat) or PC.

#087-000-002DE **1911 Bench CD-ROM**, 7H2TV16 \$ 33.95



AMERICAN GUNSMITHING INSTITUTE PROFESSIONAL GUNSMITHING VIDEO INSTRUCTIONAL SERIES

The following, separate titles are additions to the Professional Gunsmithing Series but are not included in the package price.

#308 **BUILDING THE 1911 STYLE LIMITED CLASS OR CARRY GUN VOL. 1** - 4 hours, 2 VHS tapes. Gene Shuey covers accessories and modifications, installing and fitting parts, function, tuning, feeding and troubleshooting. *VHS format only.*

#050-120-308DE **Building The 1911 Vol 1** 5K63C96 . . \$ 79.95

#309 **BUILDING THE 1911 STYLE LIMITED CLASS OR CARRY GUN VOL. 2** - 3 hours, 2 VHS tapes. Covers fitting slide to frame, barrel lockup, headspace and chamber reaming, ejector/extractor tuning, full length guide rods, selecting the right springs. *VHS format only.*

#050-000-001DE **Building The 1911 Vol 2** 5K63T96 . . \$ 79.95

#316 **BUILDING THE ULTIMATE 1911 "HIGH CAPACITY PISTOL" VOL. 3** - 5 hours, 3 VHS tapes. Covers installing fiber optic sights, checkering and serrating steel, fitting a bull barrel with an over-size slide, setting a 1½ lb. trigger, installing an ambi safety, selecting the right finish, spring rates. *VHS format only.*

#050-000-002DE **Building The 1911 Vol 3** 5K63T96 . . \$ 79.95



AMERICAN GUNSMITHING INSTITUTE VIDEO ARMORER'S COURSES



Bob Dunlap. VHS format or DVD. Running time varies. Covers history and design, plus a detailed stripping, cleaning and inspection. You'll learn many handy tips, like when to watch out for, and prevent, flying springs. The reassembly portion isn't just "reassemble in reverse order". You'll stop and look at the parts, learn exactly how to put the pieces back together correctly and pick up more repair tricks. Tuning Tips shows you ways to make sure the gun functions better than it did when you started. Accessories covers spare parts you should keep around, and why.

STOCK #	COVERS	RUN TIME
#050-120-101DE	Colt 1911 .45 Auto pistol, VHS	111 min.
#050-000-030DE	Colt 1911 .45 Auto pistol, DVD	111 min.
- Advise # - Armorer's VHS Course 5K31C96 \$ 39.95		
- Advise # - Armorer's DVD Course 5K31T96 39.95		

WILSON COMBAT COMBAT CUSTOMIZING THE 1911 AUTO



By Bill Wilson and the pistolsmiths at Wilson Combat. A complete course on how to alter the 1911 for increased reliability, accuracy and performance. Each DVD is a stand-alone presentation of a Wilson master pistolsmith showing the modifications they make at the shop.

VOLUME 1 - 2 hours. Covers disassembly, feed ramp polishing, barrel throating, ejection port flaring, extractor work, sight installation, mag well opening and beavertail grip safety installation. *DVD format only.*

#965-000-041DE **1911 DVD**, Volume 1 5F28H66 \$ 34.95

VOLUME 2 - 2 hours. Explains hammers, the "perfect" trigger job and safety installation. *DVD format only.*

#965-000-042DE **1911 DVD**, Volume 2 5F28H66 \$ 34.95

VOLUME 3 - 1 hour, 52 min. Shok-Buff/Group Gripper installation, slide tightening and barrel fitting, chamber reaming, feed ramp cutting, front sight removal, compensator installation, fitting reverse plug and checking breech face clearance. *DVD format only.*

#965-000-043DE **1911 DVD**, Volume 3 5F28H66 \$ 34.95

VOLUME 4 - 1 hour, 39 min. Serrating/checkering rear of slide, checkering front strap, making dovetail cuts, extended slide stop and mag release installation, thumbguard installation, logo etching, final prep, assembly and testing. *DVD format only.*


#965-000-044DE **1911 DVD**, Volume 4 5F28H66 \$ 34.95

#965-000-040DE **1911 DVD**, Four Vol. Set 5F98H36 . . . 119.95

Shop online at
brownells.com
It's simple, and 100% secure.
Here's how:

Ordering an item from the Brownells Online Store is fast and easy. For example, let's say you are looking for a jar of J-B® Bore Bright.

- 1 Open your web browser and type **brownells.com** in the address box to access the Brownells website homepage.
- 2 In the **Search** box, type the product name or 9-digit stock number (from your Brownells catalog) of the item you wish to find. Click the **Go** button.
- 3 You will enter the **Online Store** and the J-B Bore Bright product page will appear.
- 4 Scroll to the bottom of the product page to view the **Stock Number**, **Description**, **Quantity**, **Price**, and **Buy** button. If there are specific shipping restrictions for the product, these will also appear. If you wish to purchase the product, click the **Buy** button. The merchandise will automatically be added to your Shopping Cart.
- 5 When you are finished shopping, click the **Shopping Cart** link at the top of the screen to begin the Checkout process.
- 6 The Checkout screen allows you to view all selected merchandise in your Shopping Cart, modify your order, if needed, and confirm your order total. When you are ready to checkout, click the **Checkout** button.



Just **\$10.50** to ship your order anywhere in the United States including Hawaii, Alaska, Puerto Rico and U.S. Virgin Islands. Fill your order up with as many items as you can, it's still just \$10.50.



- With our **One-Rate Shipping Program**, our Order Takers can give you your complete total at the end of your call. No guessing at total shipping charges. **It's \$10.50**
- Back Order Shipping Charges are **FREE!** Back Ordered items will be shipped by **Standard** service.

You also have three more great options for delivery:

- **2nd Day Shipping** - For just \$12.00 more (total of \$22.50) you can upgrade to 2nd Day Shipping for faster service at a low, low price.
- **Next Day Air** - If you really need your order in a hurry, it's just \$37.50 total to get your order there the very next day.
- **Special Small Package Rate** - For only \$4.85 you can ship any order that weighs 13 ounces or less.

From our total 30,000+ products, there are a few items that are just too heavy to fit into this program. You'll find these products listed in the Yellow Index section of this Catalog.

CUSTOMER PRIVACY & SECURITY POLICY

When you do business with Brownells you don't have to worry that your personal information will become common knowledge because we value your trust above all. Our privacy and security policy is very simple. **We do not sell, distribute or give out customers' names or other private information to anyone at any time.** It has always been our policy to hold all customer information in the strictest confidence.

When you decide to use your credit card to pay for any purchase, your credit card and personal information are completely safe, and private, with us. Credit card security for our Website is handled by VeriSign, Inc., the world's leading provider of digital trust services. We make use of the latest 128-bit security encryption technology any time we ask for your name, address, e-mail address, credit card info or telephone number. Our servers are equipped with the latest dual application firewalls, hack detection and anti-virus technology to make certain your private information stays private and secure.

**TOLL-FREE ORDER LINE:
800-741-0015**



Your source for over 3,000 products to help you build, repair, maintain and customize the Colt 1911 Auto, clones and other variations!

BROWNELLS

SELECTION. SERVICE. SATISFACTION.®

World's Largest Supplier of Firearms Accessories and Gunsmithing Tools™

200 S. Front St. Montezuma, IA 50171


800-741-0015 • brownells.com

Customer Number

Source Code

BROWNELLS® MAGNA-TIP® PROFESSIONAL SUPER SET

*Ultimate Gunsmith Screwdriver Set – 120 Bits & 7 Handles For Maximum Versatility
– Any Driver Configuration You Need At Your Fingertips*



Brownells is proud to introduce the ultimate Magna-Tip screwdriver set for the professional gunsmith or serious hobbyist. The Professional Super Set contains almost every Magna-Tip bit we offer, a total of 120 bits, so you'll have at your fingertips the correct bit for just about any gun screw. You get 75 straight, 5 Phillips, 17 hex (Allen), 11 Torx®, and 10 specialty bits for sights, scope mounts, grip bushings, and other unique applications, plus a handy universal choke tube wrench and an adapter for ¼" drive sockets. Seven driver handles ensure you have the handle best suited to any task: the full-size #81 Handle, #84 Hollow Handle, magnetic Law Enforcement Handle, Law Enforcement Hollow Handle, Compact Law Enforcement Handle, and the popular Stubby, plus your choice of our Magna-Tip Ratchet Handle or Adjustable Torque Handle. A sturdy benchtop storage block organizes all your bits and handles, including the Ratchet Handle, in one place (hard-side plastic case provided for Torque Handle). This is truly the most versatile screwdriver system you'll ever use—and quite possibly the last one you'll ever have to buy!

SPECS: Hardened tool steel bits, high-density plastic handles, Delrin bench block.

**#080-000-532DE Magna-Tip Professional Super Set
w/Ratchet Handle 6L249H95 \$ 299.95**

**#080-000-531DE Magna-Tip Professional Super Set w/Adj.
Torque Handle 6L319H95 399.95**